



landscape • entertainment • architectural • hospitality • illumination

NEW PRODUCTS

SMALL TIKI AREA LIGHT



AL-15-SM-AH-BAR

CAST ALUMINUM OR CAST BRASS TIKI HAT AREA LIGHT
ADJUSTABLE HUB (12V ONLY)
5.75" X 13"
20W T3/S.C. HALOGEN - 10,000 HOURS AVERAGE RATING

12v

THE REMEDY DIRECTIONAL BULBETS



COMING SOON

RXD-02 BULLET • Now in Aluminum

RXD-02-CAM

EXTRUDED ALUMINUM CYLINDER BULLET,
ALUMINUM SWIVEL
MR16 (BAB) • 2.125" X 5.5"

12v

SMALL TIKI TORCH & LIGHT



AL-18-SM-AH-COP • AL-18SM-AH-HH-NB-CAR

SMALL COPPER TIKI TORCH AND LIGHT
ADJUSTABLE HUB (12V ONLY)
4.5" X 25"
20W T3/S.C. HALOGEN - 10,000 HOURS AVERAGE RATING

12v

LARGE TIKI TORCH & LIGHT



AL-18-LG-AH-COP • AL-18-LG-AH-HH-NB-BAT

LARGE COPPER TIKI TORCH AND LIGHT
ADJUSTABLE HUB (12V ONLY)
7.00" X 77"
20W T3/S.C. HALOGEN - 10,000 HOURS AVERAGE RATING

12v

AL-18 FAMILY OPTIONS



HAMMERED HATS (-HH)
FOUR FINISHES: UNFINISHED COPPER (STD) COPPER ACID RUST (-CAR)
COPPER ACID VERDE (-CAV) BLACK ACID TREATMENT (-BAT)
THREE STEMS: UNFINISHED COPPER (STD) BRASS BAMBOO (-BB)
NATURAL BAMBOO (-NB)

12v

HAMMERED HAT COPPER AREA LIGHT



AL-19-AH-HH-COP / AL-19-SM-AH-HH-COP

HAMMERED HAT COPPER AREA LIGHTS WITH 8" OR 5.75" HATS
ADJUSTABLE HUB (12V ONLY)
AL-19 SM: 4.5" X 13" • AL-19: 8" X 19.75"
20W T3/S.C. HALOGEN - 10,000 HOURS AVERAGE RATING

12v/120v



landscape • entertainment • architectural • hospitality • illumination

NEW PRODUCTS

QUICK CONNECT BBQ LIGHT SERIES



BQ-03-QC-SS, BQ-07-QC-SS, BQ-08-QC-SS (PICTURED), BQ-09-QC-SS 12v
 QUICK CONNECT SYSTEM AVAILABLE ON ALL FOCUS BBQ FIXTURES
 24" STAINLESS STEEL FLEX ARM
 35W MEDIUM BASE MR16 – 2,500 HOUR AVERAGE RATING (BQ-08)



DIRECTIONAL LIGHTING



DL-17-RB-SS 12v
 CAST 316 STAINLESS STEEL MINI BULLET
 ADJUSTABLE 360° STAINLESS STEEL SWIVEL
 2" X 4.5"
 20W MR11 (FTD) – 2,000 HOURS AVERAGE RATING

DIRECTIONAL MINI FLOOD LIGHTS



DL-41-X10BP-WIR & SL-45-X10BP-WBR 12v
 EXTRUDED ALUMINUM OR BRASS MINI DIRECTIONAL FLOOD LIGHTS
 DL-41: ADJUSTABLE 360° BRASS SWIVEL; SL-45: ADJUSTABLE AIMING BRACKET
 2" X 4"
 20W G-4 BI-PIN XENON - 10,000 HOURS AVERAGE RATING

EXTRA SMALL BOLLARD PATH LIGHT



PL-07XSM-COP 12v
 EXTRUDED COPPER 180° MINI BOLLARD PATH LIGHT
 FROSTED POLYCARBONATE LENS
 .880" X 24" (DM MODEL .880" X 16.5")
 10 W BI-PIN XENON – 10,000 HOURS AVERAGE RATING

BAMBOO STEMS



PL-01-NB-BAR / AL-15-AH-BB-BAR 12v
 NATURAL OR BRASS BAMBOO STEMS ARE NOW AVAILABLE FOR THE FOLLOWING
 FIXTURES: AL-15 (-SM) / AL-17 (-SM) / AL-18 (-SM-) / PL-01 / PL-20 / PL21
 ADD (-NB) FOR NATURAL BAMBOO OR (-BB) FOR BRASS BAMBOO TO
 CATALOG NUMBER

CALIFORNIA CRAFTSMAN PATH LIGHT



PL-18-BAR 12v/120v
 BRASS CRAFTSMAN STYLE MINI HANGING LANTERN PATH LIGHT
 GOLD IRIDESCENT GLASS AND STAINED HARDWOOD POST
 3.5" X 5.5" LANTERN, 24" POST
 18W S-8

SPUN BRASS PATH LIGHT



PL-19-BAR
SPUN BRASS BELL PATH LIGHT
EXTRUDED 1/2" BRASS TOP MOUNT STANCHION
5" X 23"
18W S-8

12v/120v

CHINA HAT PATH LIGHT



PL-20-WBR
CAST ALUMINUM OR CAST BRASS CHINA HAT PATH LIGHT
MATCHING ALUMINUM OR BRASS STANCHION
5.75" X 20"
18W S-8

12v/120v

TIKI HAT PATH LIGHT



PL-21-BLT
CAST ALUMINUM OR CAST BRASS TIKI HAT PATH LIGHT
MATCHING ALUMINUM OR BRASS STANCHION
5.75" X 20.5"
18W S-8

12v/120v

THE REMEDY AREA LIGHT



RXA-01-COP/RXA-01-SS/RXA-01-2T-COP(-SS)/RXA-01-F-COP(-SS)
SPUN COPPER OR STAINLESS STEEL 6" CHINA HAT AREA LIGHT
CAST BRASS OR CAST STAINLESS STEEL ADJUSTABLE HUB STANDARD
6" X 15" • 20W T-3 S.C. HALOGEN

12v

THE REMEDY AREA LIGHT



RXA-02-COP/RXA-01-SS/RXA-02-F-COP(-SS)
SPUN COPPER OR STAINLESS STEEL 3.5" HAT AREA LIGHT
CAST BRASS OR CAST STAINLESS STEEL ADJUSTABLE HUB STANDARD
3.5" X 14.25"
20W T-3 S.C. HALOGEN

12v

THE REMEDY DIRECTIONAL BULLETS



RXD-01-BAR/RXD-02-COP/RXD-03-COP/RXD-04-COP
RXD-01-BAR: CAST BRASS BULLET, BRASS SWIVEL, MR16 (BAB) • 2.13" X 5.5"
RXD-02-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR16 (BAB) • 2.125 X 5.5
RXD-03-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR11 (FTD) • 1.75" X 4.75"
RXD-04-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR8 (NFL) • 1.4" X 3.5"

12v



landscape • entertainment • architectural • hospitality • illumination

NEW PRODUCTS

THE REMEDY SURFACE LIGHT



RXS-01-COP/RXS-02-COP/ RXS-03-COP

12v

UNFINISHED COPPER SURFACE MOUNT BULLET, J-BOX, AIM BRACKET
 RXS-01-COP: EXTRUDED COPPER CYLINDER BULLET, MR16 (BAB) • 2.125" X 5.5"
 RXS-02-COP: EXTRUDED COPPER CYLINDER BULLET, MR11 (FTD) • 1.75" X 4.75"
 RXS-03-COP: EXTRUDED COPPER CYLINDER BULLET, MR8 (NFL) • 1.4" X 3.5"

THE REMEDY SURFACE LIGHT



RXS-04-COP/RXS-05-COP/ RXS-06-COP

12v

UNFINISHED COPPER BULLET, J-BOX, 18" BRASS CHAIN
 RXS-04-COP: EXTRUDED COPPER CYLINDER BULLET, MR16 (BAB) • 2.37" X 3.25"
 RXS-05-COP: EXTRUDED COPPER CYLINDER BULLET, MR11 (FTD) • 1.87" X 3"
 RXS-06-COP: EXTRUDED COPPER CYLINDER BULLET, MR8 (NFL) • 1.5" X 3"

SINGLE LOUVER LIGHT



SL-02-1L-SS & SL-04-1L-SS

12v/120v

STAMPED ALUMINUM, BRASS, COPPER OR STAINLESS STEEL
 SINGLE LOUVER STEP LIGHT
 3.75" X 4" (SL-02) & 9.25" X 3" (SL-04)
 18W S-8

WALL MOUNT CRAFTSMAN LANTERN



SL-13-LG-BAR

12v/120v

CRAFTSMAN STYLE, STAMPED BRASS, LARGE WALL MOUNT LANTERN
 WITH GOLD IRIDESCENT LENS
 7.5" X 12" X 8"
 18W S-8

SMALL WELL LIGHTS



SL-20-SM-G / SL-20-L / SL20L WITH FA135SM (EYEBROW)

12v/120v

SMALL SEALED BRONZE COMPOSITE WELL LIGHT
 -L LENS HOLDER; -G GRATE
 4.5" X 5.5"
 12V: 20W MR16 (BAB); 120V: PAR 20 (NOT SUPPLIED)

LARGE WELL LIGHTS



SL-20-LG-G / SL-20LG-L / SL-20LG-L-WITH FA-135LG (EYEBROW)

120v - 277V

LARGE SEALED BRONZE COMPOSITE WELL LIGHT; SELF BALLASTED
 -L LENS HOLDER; -G GRATE
 9" X 15.75"
 HID: 100W MAX PAR & R SERIES - ED17
 CFL: TRIPLE TUBE 26W, 32W OR 42W

SMALL SURFACE DOME LIGHT

Only 2.75" in Diameter



COMING SOON

SL-07-SM

SMALL SURFACE DOME LIGHT
CAST ALUMINUM OR CAST BRASS
T-3 5w BI-PIN OR 3w INTEGRATED LED DRIVER (50,000 HOURS AVERAGE RATING)
2.75" X 1.5'

12v

FLAT PANEL LED BRICK / STEP LIGHTS



COMING SOON

SL-08L-LEDP-CPR / SL-50-CPR

FLAT PANEL LED BRICK AND STEP LIGHT • **NO BACK BOX REQUIRED**
CAST ALUMINUM OR CAST BRASS
SL-08: 3.25" X 8.25 X .75"; SL-50: 2" X 7.25 X 1"
FLAT PANEL LED – 50,000 HOURS AVERAGE RATING

12v

LEDGE LIGHT



12v

SL-42-X10BP-BLT

STAMPED ALUMINUM, BRASS, COPPER OR STAINLESS STEEL LEDGE LIGHT
CLEAR & COLOR LENS KITS AVAILABLE (FA-35-SL4243KIT)
5" X 1" X 3"(D)
10W G-4 BI-PIN XENON – 10,000 HOURS AVERAGE RATING

PAVER LIGHTS



12v

Also Available
in 6" x 6" Size
SL-44-66

Also Available
in 6" x 9" Size
SL-44-69

SL-44-RST / SL-44-66-WBR / SL-44-69-WBR

HEAVY DUTY PAVER LIGHTS
STAMPED ALUMINUM, BRASS, COPPER OR STAINLESS STEEL COVER
SL-44: 4" X 8"; SL-44-66: 6" X 6"; SL-44-69: 6" X 9"
10W G-4 BI-PIN XENON – 10,000 HOURS AVERAGE RATING

HAMMERED HAT COPPER WALL MOUNT LIGHT




12v

SL-46-COP

HAMMERED HAT COPPER WALL MOUNT LIGHT WITH BRASS ACCENTS
5.5" X 8"
20W T3/S.C. HALOGEN • 10,000 HOURS AVERAGE RATING

TIKI TORCH AND WALL MOUNT LIGHT



12v

SL-47-AH-HH-CAR

COPPER TIKI TORCH WALL MOUNT LIGHT
4" X 12"
20W T3/ S.C. HALOGEN • 10,000 HOURS AVERAGE RATING

TIKI HAT BRASS WALL MOUNT LIGHT



SL-48-BAV 12v
WALL MOUNT CAST BRASS TIKI LIGHT WITH ADJUSTABLE HUB
5.5" X 8"
20W T3/S.C. HALOGEN • 10,000 HOURS AVERAGE RATING

SMOOTH CHINA HAT WALL MOUNT LIGHT




SL-49-BAT 12v
WALL MOUNT CAST BRASS TIKI LIGHT WITH ADJUSTABLE HUB
5.5" X 8"
20W T3/S.C. HALOGEN • 10,000 HOURS AVERAGE RATING

ASTRO TIMER & REMOTE ASTRO TIMER



-AT & RAT-01-BLK
ASTRO TIMER POWER SWITCH • AUTOMATIC SUNSET/SUNRISE ACTIVATION
SETTING BASED ON LATITUDE & LONGITUDE COORDINATES • NEVER NEEDS REPROGRAMMING • BUILT IN MEMORY AUTOMATICALLY ADJUSTS FOR DAYLIGHT SAVINGS TIME
REMOTE ASTRO TIMER POWER SWITCH
TWO GROUNDED RECEPTACLES FOR CONTROLLING TWO TRANSFORMERS (RAT-01)

SMALL DIRECT BURIAL TRANSFORMER



DB-SM-12-25M DIRECT BURIAL 25W MAGNETIC TRANSFORMER
DB-SM-12-75E DIRECT BURIAL 75W ELECTRONIC TRANSFORMER
DB-SM-12-150E DIRECT BURIAL 150W ELECTRONIC TRANSFORMER
DB-SM-12-LED-8 DIRECT BURIAL 8W LED DRIVER
DBR-SM-55-JB DIRECT BURIAL ROUND JUNCTION BOX

LED TRANSFORMERS



- WT-12-60** 60 watt Transformer
- WT-12-60-MV** 60 watt Transformer
- WT-12-100** 100 watt Transformer
- WT-12-120** 120 watt Transformer
- WT-12-120-MV** 120 watt Transformer
- WT-12-180** 180 watt Transformer
- WT-12-180-MV** 180 watt Transformer

WARRANTY FOR WT SERIES
5 year warranty on enclosure. 3 year warranty on all electrical components. No warranty on plug in timers or other parts not supplied by Focus Industries.

WT LED TRANSFORMERS SERIES
Heavy-duty extruded aluminum housing (0.125") 6063-T6 with lockable slide cover
Powder coated black polyester (optional finishes available). On/off control via rocker switch
Rain tight enclosure, above grade (Nema 3R)
U.L. 1838 and 1598 listed. The Standard for Low Voltage Landscape Lighting Systems

OMNI LED • ARROW MR16 LED



FL-LED-OMNI27K & FL-LED-OMNI2-27K
2 MODELS: 1.5 WATT 35,000 HOUR & 2.5 WATT 50,000 HOUR AVERAGE RATING
UNIVERSAL PLUG & PLAY BAYONET STYLE S.C. LED'S
4 YEAR WARRANTY (OMNI) / 5 YEAR WARRANTY (OMNI-2)
WARM WHITE (2800K) HIGH LUMEN OUTPUT
OPERATES ON 12V TO 24V AC/DC SYSTEMS (OPTIMUM RANGE 10V-18V)
INTERCHANGEABLE LED DIODES AVAILABLE IN RED, AMBER, BLUE AND GREEN (OMNI ONLY)
MUST USE WITH MAGNETIC TRANSFORMERS ONLY

FL-LED-MR16
4 WATT UNIVERSAL PLUG & PLAY MR16 BI-PIN STYLE LED
2 POPULAR BEAM SPREADS: 35° (BAB) AND 12° (ESX)
50,000 HOURS AVERAGE RATING • **10 YEAR WARRANTY**
12V OR 120V MODELS
WARM WHITE (2900K) HIGH POWER/HIGH LUMEN OUTPUT
OPERATES ON 12V AC/DC SYSTEMS (OPTIMUM RANGE 10V-15V)
MUST USE WITH MAGNETIC TRANSFORMERS ONLY



landscape • entertainment • architectural • hospitality • illumination

NEW PRODUCTS

The Remedy RX TRANSFORMERS



RX TRANSFORMERS SERIES

RXT-12-60MV: 60w, MV (12.5,13.5,14.5)

RXT-12-120MV: 120w, MV (12.5,13.5,14.5)

RXT-12-180MV: 180w, MV (12.5,13.5,14.5)

U.L. 1838 and 1598 listed. The Standard for Low Voltage Landscape Lighting Systems

AL-20 "SATURN" LIGHT



12v/120v

AL-20-AH-COP / AL-20-SM-AH-COP

SATURN RING HAT COPPER AREA LIGHTS WITH 8" OR 5.75" HATS
ADJUSTABLE HUB (12V ONLY)

AL-20-SM: 4.5" X 13" • AL-20: 8" X 19.75"

20W T3/S.C. HALOGEN - 10,000 HOURS AVERAGE RATING

NATURAL BAMBOO STEM



IMPROVED BAMBOO STEM

FOR AL-18-LG

IMPROVED BAMBOO STEM FOR AL-18-LG

WE'VE IMPROVED OUR NATURAL BAMBOO STEM. WE NOW USE 2" BAMBOO TO PROVIDE MORE STABILITY.

ADD (-NB) FOR NATURAL BAMBOO TO CATALOG NUMBER

12v

COPPER TUBE SHIELD PENDENT LIGHTS



RXS-07-COP / RXS-08-COP / RXS-09-COP

UNFINISHED COPPER TUBE SHIELD PENDENT LIGHT

FLAT GLASS, 12" COPPER POLE

MR8 / MR11 / MR16

12v

The Remedy SURFACE LIGHT IMPROVED TUBE SHIELD VERSION



RXS-04-COP/RXS-05-COP/RXS-06-COP

UNFINISHED COPPER BULLET, J-BOX, 18" BRASS CHAIN


RXS-04-COP: EXTRUDED COPPER CYLINDER BULLET, MR16 (BAB) • 2.37" X 3.25"

RXS-05-COP: EXTRUDED COPPER CYLINDER BULLET, MR11 (FTD) • 1.87" X 3"

RXS-06-COP: EXTRUDED COPPER CYLINDER BULLET, MR8 (NFL) • 1.5" X 3"

12v

The Remedy DIRECTIONAL LIGHT NEW TUBE SHIELD VERSION



RXD-02-TS-COP/RXD-03-TS-COP/RXD-04-TS-COP

RXD-02-TS-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR16 (BAB) • 2.125 X 5.5

RXD-03-TS-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR11 (FTD) • 1.75" X 4.75"

RXD-04-TS-COP: EXTRUDED COPPER CYLINDER BULLET, BRASS SWIVEL, MR8 (NFL) • 1.4" X 3.5"

12v



landscape • entertainment • architectural • hospitality • illumination

NEW PRODUCTS

PAR 20/30/38 LED SERIES

arrow LED

FL-LED-P2015-27K
 FL-LED-P2040-27K
 FL-LED-P3015-27K
 FL-LED-P3040-27K
 FL-LED-P3815-27K
 FL-LED-P3840-27K

PAR20/PAR30/PAR38 LED • 5 YEAR WARRANTY • WARM WHITE OUTPUT 120v
 9W PAR20, 2700K, 15° OR 40° • 50,000 HOURS AVERAGE RATING
 15W PAR30, 2700K, 15° OR 40° • 50,000 HOURS AVERAGE RATING
 21W PAR38, 2700K, 15° OR 40° • 50,000 HOURS AVERAGE RATING

MR11 LED SERIES

arrow LED

FL-LED-MR11 12v
 4 WATT UNIVERSAL PLUG & PLAY MR11 BI-PIN STYLE LED/2 POPULAR BEAM SPREADS: 15° SPOT AND 40° FLOOD
 50,000 HOURS AVERAGE RATING •
 WARM WHITE (2900K) HIGH POWER/HIGH LUMEN OUTPUT
 OPERATES ON 12V AC/DC SYSTEMS (OPTIMUM RANGE 10V-15V)
 MUST USE WITH MAGNETIC TRANSFORMERS ONLY

MEDIUM CAST MOUNTING CANOPY

FA-24-MD-CST MOUNTING CANOPY 12v
 FA-24-MD-CST-POST
 FA-24-MD-CST-POST-2 (Telescopic pole)
 FA-24-MD-CST/-BRS
 FA-24-MD-CST-TREE • Tree mount

THE REMEDY PAR20 TUBE SHIELD HANGING LIGHTS

PAR20 TUBE SHIELD HANGING LIGHTS

RXS-10-BLT/-BRS/-COP • RXS-11-BLT/-BRS/-COP 120v
RXS-10: ALUMINUM, BRASS OR COPPER TUBE SHIELD PENDENT LIGHT WITH FLAT GLASS LENS & 12" ALUMINUM POLE
RXS-11: ALUMINUM, BRASS OR COPPER TUBE SHIELD HANGING LIGHT WITH FLAT GLASS LENS & 18" CHAIN

THE REMEDY PAR20 DIRECTIONAL BULLETS

PAR20 ANGLE CUT & TUBE SHIELD BULLETS

RXD-05-BLT/-BRS/-COP • RXD-05-TS-BLT/-BRS/-COP 120v
RXD-05: ALUMINUM, BRASS OR COPPER PAR20 ANGLE CUT DIRECTIONAL BULLET WITH CONVEX GLASS LENS AND MATCHING ALUMINUM OR BRASS SWIVEL
RXD-05-TS: ALUMINUM, BRASS OR COPPER PAR20 TUBE SHIELD DIRECTIONAL BULLET WITH CONVEX GLASS LENS AND MATCHING ALUMINUM OR BRASS SWIVEL

