



**BESA**  
LIGHTING

Supplement

2009

## Sensibly Contemporary...



### Choice equals solutions...

For over 20 years, Besa Lighting has been creating decorative lighting solutions that offer residential and commercial customers a broad range of choices.

Our designs harmonize functional light with flair. This sophisticated collection ranges from contemporary exterior lighting to vibrant pendant lighting, to functional yet stylish ceiling and wall luminaires.

Besa Lighting offers a unique reality of choice in lighting solutions in design, function and quality. All our luminaires feature glass in astounding variety, plus a myriad of unique luminaire styles, glass options, metal finishes and lamping types.

### Service...

Besa Lighting is committed to achieving the highest level of quality and service. We welcome the opportunity to earn your trust through consistent attention to your needs, and to be a company upon which you can rely for lighting solutions.

6695 Taylor Rd.  
Blacklick, Ohio 43004

Tel 614-475-7046  
800-446-2372  
Fax 614-475-7048

[info@besalighting.com](mailto:info@besalighting.com)  
[www.besalighting.com](http://www.besalighting.com)

## Using Our Catalog

Our product line encompasses a variety of categories, styles and options. With so many choices available, we have chosen to portray representative images of each series of product. Alternative glass decors and metal finish options are described in the form of color "swatches". Item ordering information is listed on each page.

This catalog is organized by product category and then within each category by a Series name or number. To make finding a specific item within our catalog easy, we've created a numeric index based upon the unique item number and a second index based upon name and or series numbers. You'll find both located on the inside back cover.

## Besa Lighting On-Line

Our website address is [www.besalighting.com](http://www.besalighting.com). Visit our site to obtain the most up-to-date information about Besa products, including a complete library of product specification sheets and our dynamic product knowledge database.

## It's All About Glass

Our luminaires make extensive use of glass in their design. Traditionally, glass has been a primary material for creating fine luminaires. It offers beauty while effectively directing or diffusing the light output. Each piece is handcrafted using traditional methods, passed down from generation to generation. The personal experience and artistry of the individual glassmaker is infused into each piece.

We capitalize on this strength and creativity throughout our diverse collection. This traditional art adds real value to your contemporary lighting. Natural variations will occur. These small variations in thickness, color or pattern and dimensions are normal. You may find a few air bubbles and many glasses will appear noticeably different when illuminated than when not. This is the essence of handcrafted lighting glass and is what lends character and distinction to Besa Lighting luminaires.

## Purchasing and Support

### LIGHTING PROFESSIONALS

Besa sales representatives are available throughout North America to provide information and assist in any purchase or specification needs. To contact the Besa representative in your area you may visit our website [www.besalighting.com](http://www.besalighting.com) or call our customer service at **800-446-2372**.

### CONSUMERS

Besa Lighting products are sold exclusively via authorized lighting distributors such as lighting showrooms and on-line retailers. Visit our website [www.besalighting.com](http://www.besalighting.com) to locate a Besa Lighting distributor in your area. Contact our toll free consumer support line **866-917-8760** for questions or assistance about specific products.

## Pendants

### 120V

#### B SERIES & Q SERIES, J SERIES, KG & KV SERIES

Glass Families .....	2-8
Wireform Accessories .....	9



## Ceiling Luminaires

### FLUSH-MOUNT

Incandescent and CFL .....	10-11
----------------------------	-------



## Wall Luminaires

### 120V SCONCES

Interior-only, ADA-Compliant .....	12-15
------------------------------------	-------

### 12V SWING-ARM

1WU Series & 1WW Series .....	16-17
-------------------------------	-------

### 120V MINI SCONCES

1SW & 1SX Series .....	18-28
------------------------	-------

### 120V VANITY

WS-7735 Series, ADA-Compliant .....	29
-------------------------------------	----




## Accessories/Reference


GU-24 CFL Information .....	30
Standard CFL Information .....	31
Technical Reference.....	32
Index .....	33

## Amelia 6

**Amelia 6 Glass:**  
6.0" Dia. x 6.0" H  
**Cord:** 10' SVT-type provided



Canopy Style	Shade	Metal Finish
<b>1BC</b> 1 Lt Dome ( <i>Incand</i> )	<b>4477BD</b> Black Damask	<b>BR</b> Bronze
<b>1BT</b> 1 Lt Flat ("")	<b>4477CS</b> Cosmic	<b>SN</b> Satin Nickel
<b>3BB</b> 3 Lt Linear ("")	<b>4477WD</b> White Damask	
<b>3BC</b> 3 Lt Round ("")		
<b>3BV</b> 3 Lt Bar ("")		
<b>6BC</b> 6 Lt Round ("")		
<b>1QC</b> 1 Lt Dome ( <i>Halogen</i> )		
<b>1QT</b> 1 Lt Flat ("")		
<b>3QB</b> 3 Lt Linear ("")		
<b>3QC</b> 3 Lt Round ("")		
<b>3QV</b> 3 Lt Bar ("")		
<b>6QC</b> 6 Lt Round ("")		




### B Series Features:


- Candelabra-base lampholders, use either 40W B10 or G16½ incand. or 50W E12 xenon lamps (*Not included*)
- Single or multi-light canopy styles
- Suitable for sloped ceilings
- Interior use only (Damp Location Listed)



#### 1 LIGHT DOME:



#### 3 LIGHT ROUND:



#### 6 LIGHT ROUND:




### Q Series Features:


- 40W G9 halogen lamps (*Included*)
- Suitable for sloped ceilings
- Interior use only (Damp Location Listed)




#### 1 LIGHT FLAT:



#### 3 LIGHT LINEAR:



#### 3 LIGHT BAR:



#### METAL FINISHES:




## Amelia 9, 12, 15 & 18



### AMELIA 9:

**Glass:** 8.65" Dia. x 10.65" H  
**Lamp:** 1x 100W A19




1 | K | G

Canopy Style	Shade	Metal Finish
1KG 1x 100W 120V	4286BD Black Damask	BR Bronze
	4286CS Cosmic	SN Satin Nickel
	4286WD White Damask	

### AMELIA 12:

**Glass:** 11.75" Dia. x 8.25" H  
**Lamp:** 1x 150W 120V A21




1 | K | G

Canopy Style	Shade	Metal Finish
1KG 1x 150W 120V	4393BD Black Damask	BR Bronze
	4393CS Cosmic	SN Satin Nickel
	4393WD White Damask	

### AMELIA 15:

**Glass:** 15.0" Dia. x 10.4" H  
**Lamp:** 3x 100W A19




1 | K | V

Canopy Style	Shade	Metal Finish
1KV 3x 100W 120V	4340BD Black Damask	BR Bronze
	4340CS Cosmic	SN Satin Nickel
	4340WD White Damask	

### AMELIA 18:

**Glass:** 18.25" Dia. x 12.5" H  
**Lamp:** 3x 100W A19



1 | K | V

Canopy Style	Shade	Metal Finish
1KV 3x 100W 120V	4394BD Black Damask	BR Bronze
	4394CS Cosmic	SN Satin Nickel
	4394WD White Damask	


Pendants 120V

Tamburo 8, 12 & 16

New Decors!



Tamburo 16  
Stone Silver Foil • Satin Nickel  
1KG-4390SF-SN



Tamburo 16  
White Rings • Satin Nickel  
1KV-4007WB-SN



Tamburo 16  
Opal Stone • Satin Nickel  
1KV-4390OS-SN

TAMBURO 8 shown in all 6 new decors



Tamburo 8  
White Rings • Satin Nickel  
1KG-4006WB-SN

Tamburo 8  
Stone Copper Foil • Satin Nickel  
1KG-4387CF-SN

Tamburo 8  
Stone Gold Foil • Satin Nickel  
1KG-4387GF-SN


Tamburo 8  
Opal Stone • Satin Nickel  
1KG-4387OS-SN

Tamburo 8  
Stone Silver Foil • Satin Nickel  
1KG-4387SF-SN

Tamburo 8  
Clear Stone • Satin Nickel  
1KG-438700-SN

## TAMBURO 8:

**Glass:** 7.875" Dia. x 9.875" H  
**Lamp:** 1x 100W 120V A19




1 | K | G | - | | | | | | | | | | | | | | | |

Canopy Style	Shade	Metal Finish
<b>1KG</b> 1x 100W 120V	<b>400607</b> Opal Matte	<b>BR</b> Bronze
	<b>400614</b> Stripes-Black	<b>SN</b> Satin Nickel
	<b>400680</b> Amber	
	<b>4006BK</b> Black Matte	
	<b>4006CF</b> Copper Foil	
	<b>4006GF</b> Gold Foil	
	<b>4006HB</b> Habanero	
	<b>4006MA</b> Magma	
	<b>4006MC</b> Mirror Canali	
	<b>4006SF</b> Silver Foil	
	<b>4006VM</b> Vanilla Matte	
	<b>4006WB</b> White Rings	
	<b>4387CF</b> Stone Copper Foil	
	<b>4387GF</b> Stone Gold Foil	
	<b>4387OS</b> Opal Stone	
	<b>4387SF</b> Stone Silver Foil	
	<b>438700</b> Clear Stone	

## TAMBURO 12:

**Glass:** 11.75" Dia. x 10.625" H  
**Lamp:** 1x 150W 120V A21




1 | K | G | - | | | | | | | | | | | | | | | |

Canopy Style	Shade	Metal Finish
<b>1KG</b> 1x 150W 120V	<b>418407</b> Opal Matte	<b>BR</b> Bronze
	<b>418414</b> Stripes-Black	<b>SN</b> Satin Nickel
	<b>418480</b> Amber	
	<b>4184BK</b> Black Matte	
	<b>4184CF</b> Copper Foil	
	<b>4184GF</b> Gold Foil	
	<b>4184HB</b> Habanero	
	<b>4184MA</b> Magma	
	<b>4184MC</b> Mirror Canali	
	<b>4184SF</b> Silver Foil	
	<b>4184VM</b> Vanilla Matte	
	<b>4184WB</b> White Rings	
	<b>4388CF</b> Stone Copper Foil	
	<b>4388GF</b> Stone Gold Foil	
	<b>4388OS</b> Opal Stone	
	<b>4388SF</b> Stone Silver Foil	
	<b>438800</b> Clear Stone	



## TAMBURO 16:

**Glass:** 15.75" Dia. x 11.75" H  
**Lamp:** 3x 100W 120V A19



1 | K | V | - | | | | | | | | | | | | | | | |

Canopy Style	Shade	Metal Finish
<b>1KV</b> 3x 100W 120V	<b>400707</b> Opal Matte	<b>BR</b> Bronze
	<b>400714</b> Stripes-Black	<b>SN</b> Satin Nickel
	<b>400780</b> Amber	
	<b>4007BK</b> Black Matte	
	<b>4007CF</b> Copper Foil	
	<b>4007GF</b> Gold Foil	
	<b>4007HB</b> Habanero	
	<b>4007MA</b> Magma	
	<b>4007MC</b> Mirror Canali	
	<b>4007SF</b> Silver Foil	
	<b>4007VM</b> Vanilla Matte	
	<b>4007WB</b> White Rings	
	<b>4390CF</b> Stone Copper Foil	
	<b>4390GF</b> Stone Gold Foil	
	<b>4390OS</b> Opal Stone	
	<b>4390SF</b> Stone Silver Foil	
	<b>439000</b> Clear Stone	



### METAL FINISHES:






Sofi 12  
1KG-4287VY-SN  
White Ivy • Satin Nickel



Sofi 16  
1KV-4288VY-SN  
White Ivy • Satin Nickel


### SOFI 12:

**Glass:** 12.625" Dia. x 9.875" H  
**Lamp:** 1x 100W A19



### SOFI 16:

**Glass:** 16.5" Dia. x 9.25" H  
**Lamp:** 3x 100W A19



Canopy Style	Shade	Metal Finish
1KG 1x 100W 120V	4287VY White Ivy	BR Bronze SN Satin Nickel

Canopy Style	Shade	Metal Finish
1KV 3x 100W 120V	4288VY White Ivy	BR Bronze SN Satin Nickel

### METAL FINISHES:






## Vila & Tania

*New Decor!*


### VILA

**Glass:** 7.0" Dia. x 6.5" H  
**Cord:** 10' SVT-type provided  
**Lamp:** 75W 120V A19



### TANIA

**Glass:** 9.75" Dia. x 7.25" H  
**Cord:** 10' teflon-coated 3-wire type  
**Lamp:** 100W 120V A19



Vila  
1JC-4470VN-SN  
White Vine • Satin Nickel

Tania  
1JC-4471VN-SN  
White Vine • Satin Nickel

### VILA:

Canopy Style	Shade	Metal Finish
<b>1JC</b> 1 Lt Dome	<b>4470VN</b> White Vine	<b>BR</b> Bronze
<b>1JT</b> 1 Lt Flat		<b>SN</b> Satin Nickel
<b>3JB</b> 3 Lt Linear		
<b>3JC</b> 3 Lt Round		
<b>3JV</b> 3 Lt Bar		
<b>6JC</b> 6 Lt Round		

### TANIA:


Canopy Style	Shade	Metal Finish
<b>1JC</b> 1 Lt Dome	<b>4471VN</b> White Vine	<b>BR</b> Bronze
<b>1JT</b> 1 Lt Flat		<b>SN</b> Satin Nickel
<b>3JB</b> 3 Lt Linear		
<b>3JC</b> 3 Lt Round		
<b>3JV</b> 3 Lt Bar		
<b>6JC</b> 6 Lt Round		

## J Series Features:


- Medium-base lampholders (120V) 
- 75W or 100W max. A19 lamps (*Not included*)
- Self-ballasted **GU-24 CFL** options available, see page 30 
- Suitable for sloped ceilings
- Single or multi-light canopy styles
- Interior use only (Damp Location Listed)

For information on other glass decors and options for Vila and Tania pendants, please see our [www.besalighting.com](http://www.besalighting.com) or our 2007-2008 full line catalog.

### METAL FINISHES:




### 1 LIGHT DOME: 1JC




### 3 LIGHT ROUND: 3JC

- 3x stemhooks included




### 6 LIGHT ROUND: 6JC

- 6x stemhooks included




### 1 LIGHT FLAT: 1JT




### 3 LIGHT LINEAR: 3JB

- 2x stemhooks included



### 3 LIGHT BAR: 3JV

- Some offset installation possible



## Torre

**DAMP  
INTERIOR**


Large cone-shaped glass is great for highlighting our distressed foil appliqué decors.

**Torre Glass:**

13.0" Dia. x 17.5" H


**Lamp:** 1x 150W 120V A21

**Cord:** 10' SVT-type provided  
3x Cable Support



Torre  
1KG-4902CF-SN  
Copper Foil • Satin Nickel


1   K   G -										
Canopy Style		Shade				Metal Finish				
<b>1KG</b>	1x 150W 120V	<b>4902CF</b>	Copper Foil				<b>BR</b> Bronze			
		<b>4902GF</b>	Gold Foil				<b>SN</b> Satin Nickel			
		<b>4902SF</b>	Silver Foil							



METAL FINISHES:



## Wireform Accessories



Use "Wireform" accessories to enhance the appearance of Besa glass pendants (pendants ordered separately).

### TuTu Wireform: B Series/Q Series\* TuTu

Item Number	Style	A	B
C4121A-BR	A (straight) Bronze		
C4121A-SL	A (straight) Silver		
C4121B-BR	B (curved) Bronze		
C4121B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Suzi Wireform: J Series\* Suzi

Item Number	Style	A	B
C4897A-BR	A (straight) Bronze		
C4897A-SL	A (straight) Silver		
C4897B-BR	B (curved) Bronze		
C4897B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Tara Wireform: K Series\* Tara

Item Number	Style	A	B
C4127A-BR	A (straight) Bronze		
C4127A-SL	A (straight) Silver		
C4127B-BR	B (curved) Bronze		
C4127B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Copa Wireform: X Series 12V\* Copa

Item Number	Style	A	B
C4930A-BR	A (straight) Bronze		
C4930A-SL	A (straight) Silver		
C4930B-BR	B (curved) Bronze		
C4930B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Iona Wireform: B Series/Q Series\* Iona

Item Number	Style	A	B
C4123A-BR	A (straight) Bronze		
C4123A-SL	A (straight) Silver		
C4123B-BR	B (curved) Bronze		
C4123B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Stilo Wireform: J Series\* Stilo

Item Number	Style	A	B
C7224A-BR	A (straight) Bronze		
C7224A-SL	A (straight) Silver		
C7224B-BR	B (curved) Bronze		
C7224B-SL	B (curved) Silver		

NOTE: Pendant ordered separately

### Tondo Wireform: K Series\* Tondo

Item Number	Style	A	B
C4128A-BR	A (straight) Bronze		
C4128A-SL	A (straight) Silver		
C4128B-BR	B (curved) Bronze		
C4128B-SL	B (curved) Silver		

NOTE: Pendant ordered separately





### Also Available:

#### 7042 Wireform: 7042 Series\*

Item Number	Style
C7042A-BR	A (straight) Bronze
C7042A-SL	A (straight) Silver
C7042B-BR	B (curved) Bronze
C7042B-SL	B (curved) Silver

NOTE: Sconce ordered separately



C7042B-SL Shown with 7042 sconce

### POWDERCOAT FINISHES:



\*For complete information on these products, please see our 2007-2008 full line catalog or our website.

# Ceiling Luminaires *Flush*

## Slipstream 11, 13 & 16 Series

**DAMP**  
INTERIOR

Clean, narrow glass profile.

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 120V Medium-base lampholders
- Lamps not included
- Interior use only (Damp Location Listed)
- Dimmable with standard incandescent dimmer

### 4-Pin CFL OPTIONS:

- Energy-efficient electronic ballasts
- Lamp not included
- Non-dimmable
- Consult factory for other configurations (including TBX-type lamps)



### SB-CFL OPTIONS:


See page 30 for **GU-24** self-ballasted lamp options



Slipstream 16  
9040WB-AL  
White Rings • Brushed Aluminum

### Slipstream 16:

3x 60W A19 (or CFL options)




### Slipstream 13:

2x 60W A19 (or CFL options)



### Slipstream 11:

1x 60W A19 (or CFL options)



07 Opal Matte

CS Cosmic

VN White Vine

VY White Ivy



WB White Rings

WD White Damask

### POWDERCOAT FINISHES:



AL Br. Aluminum

WH White

9 0 4 0				
Fixture Style	Glass	(Lamping Option)	Metal Finish	
<b>9040</b> 16.5" Dia.	<b>07</b> Opal Matte	<b>(blank)</b> Incandescent	<b>AL</b> Br. Alum	
	<b>CS</b> Cosmic	<b>D2</b> 2x 13W Quad 120V	<b>WH</b> White	
	<b>VN</b> White Vine	<b>E2</b> 2x 18W Quad 120V		
	<b>VY</b> White Ivy	<b>H2</b> 2x 26W Quad 120V		
	<b>WB</b> White Rings	<b>K1</b> 1x 32W TBX 120V		
	<b>WD</b> White Damask	<b>L1</b> 1x 42W TBX 120V		
		<b>M2</b> 2x 13W Quad 277V		
		<b>N2</b> 2x 18W Quad 277V		
		<b>Q2</b> 2x 26W Quad 277V		
		<b>T1</b> 1x 32W TBX 277V		
		<b>U1</b> 1x 42W TBX 277V		
		<b>V3</b> 3x 13W GU-24 120V		

9 0 3 9				
Fixture Style	Glass	(Lamping Option)	Metal Finish	
<b>9039</b> 13.4" Dia.	<b>07</b> Opal Matte	<b>(blank)</b> Incandescent	<b>AL</b> Br. Alum	
	<b>CS</b> Cosmic	<b>D2</b> 2x 13W Quad 120V	<b>WH</b> White	
	<b>VN</b> White Vine	<b>E1</b> 1x 18W Quad 120V		
	<b>VY</b> White Ivy	<b>I1</b> 1x 26W TBX 120V		
	<b>WB</b> White Rings	<b>K1</b> 1x 32W TBX 120V		
	<b>WD</b> White Damask	<b>M2</b> 2x 13W Quad 277V		
		<b>N1</b> 1x 18W Quad 277V		
		<b>R1</b> 1x 26W TBX 277V		
		<b>T1</b> 1x 32W TBX 277V		
		<b>V2</b> 2x 13W GU-24 120V		

9 0 3 8				
Fixture Style	Glass	(Lamping Option)	Metal Finish	
<b>9038</b> 11" Dia.	<b>07</b> Opal Matte	<b>(blank)</b> Incandescent	<b>AL</b> Br. Alum	
	<b>CS</b> Cosmic	<b>D1</b> 1x 13W Quad 120V	<b>WH</b> White	
	<b>VN</b> White Vine	<b>M1</b> 1x 13W Quad 277V		
	<b>VY</b> White Ivy	<b>V1</b> 1x 13W GU-24 120V		
	<b>WB</b> White Rings			
	<b>WD</b> White Damask			

### 977 Series with Glass Ring

White glass diffuser with decorative glass ring, now available with our unique distressed metallic foil appliqué decor.

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 60W Max. A19 lamps (Not included)
- Interior or exterior use (Damp Location Listed)
- Dimmable with standard incandescent dimmer

#### 4-Pin CFL OPTIONS:

- Energy-efficient electronic ballasts
- Lamp not included
- Non-dimmable
- Consult factory for other configurations (including TBX-type lamps)


*New Foil Decors!*



9770CFC  
Copper Foil

#### 9770 with glass ring:

3x 60W A19 (or CFL options)




9	7	7	0		C	-	
Fixture Style			Ring Decor			(Lamping Option)	
9770	19.0"	Dia.	25	Frost	(blank)	Incandescent	
			86	Graphite	D2	2x 13W Quad 120V	
			87	Blue	E2	2x 18W Quad 120V	
			97	Champagne	H2	2x 26W Quad 120V	
			CF	Copper Foil	K1	1x 32W TBX 120V	
			GF	Gold Foil	L1	1x 42W TBX 120V	
			SF	Silver Foil	M2	2x 13W Quad 277V	
					N2	2x 18W Quad 277V	
					Q2	2x 26W Quad 277V	
					T1	1x 32W TBX 277V	
					U1	1x 42W TBX 277V	

#### 9771 with glass ring:

2x 60W A19 (or CFL options)



9	7	7	1		C	-	
Fixture Style			Ring Decor			(Lamping Option)	
9771	15.5"	Dia.	25	Frost	(blank)	Incandescent	
			86	Graphite	D2	2x 13W Quad 120V	
			87	Blue	E1	1x 18W Quad 120V	
			97	Champagne	I1	1x 26W TBX 120V	
			CF	Copper Foil	K1	1x 32W TBX 120V	
			GF	Gold Foil	M2	2x 13W Quad 277V	
			SF	Silver Foil	N1	1x 18W Quad 277V	
					R1	1x 26W TBX 277V	
					T1	1x 32W TBX 277V	



# Wall Luminaires 120V Sconce

## Tamburo 8, 11 & 12 Wall Series

### • ADA-COMPLIANT

- Handcrafted glasses
- 120V Medium-base lampholder
- 75W Max. A19 lamp (Not included)
- Dimmable with standard incandescent dimmer
- Interior use only (Damp Location Listed)
- 75°C supply wire required

### 4-Pin CFL OPTIONS:

- Energy-efficient electronic ballasts
- Lamp not included
- Non-dimmable
- Consult factory for other configurations (including TBX-type lamps)



### SB-CFL OPTIONS:


See page 30 for **GU-24** self-ballasted lamp options



Tamburo 8  
7089BD-SN  
Black Damask • Satin Nickel

### Tamburo 8 Wall:

1x 75W A19 Lamp



Fixture/Decor	(Lamping Option)	Metal Finish
<b>7089BD</b> Black Damask	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>7089CF</b> Copper Foil	<b>E1</b> 1x 18W Quad 120V	<b>BR</b> Bronze
<b>7089CS</b> Cosmic	<b>N1</b> 1x 18W Quad 277V	<b>CR</b> Chrome
<b>7089GF</b> Gold Foil	<b>W1</b> 1x 18W GU-24 120V	<b>SN</b> Satin Nickel
<b>7089MC</b> Mirror Canali		<b>WH</b> White
<b>7089SF</b> Silver Foil		
<b>7089VN</b> White Vine		
<b>7089VY</b> White Ivy		
<b>7089WB</b> White Rings		
<b>7089WD</b> White Damask		
<b>7090CF</b> Stone Copper Foil		
<b>7090GF</b> Stone Gold Foil		
<b>7090OS</b> Opal Stone		
<b>7090SF</b> Stone Silver Foil		




# 120V Sconce Wall Luminaires

**ADA** **DAMP**  
**INTERIOR**

## Tamburo 11 Wall:

1x 75W A19 or CFL Options



Tamburo 11  
7118GF-SN  
Stone Gold Foil • Satin Nickel


Fixture/Decor	(Lamping Option)	Metal Finish
<b>7118CF</b> Stone Copper Foil	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>7118GF</b> Stone Gold Foil	<b>E2</b> 2x 18W Quad 120V	<b>BR</b> Bronze
<b>7118OS</b> Opal Stone	<b>K1</b> 1x 32W TBX 120V	<b>CR</b> Chrome
<b>7118SF</b> Stone Silver Foil	<b>N2</b> 2x 18W Quad 277V	<b>SN</b> Satin Nickel
	<b>T1</b> 1x 32W TBX 277V	<b>WH</b> White
	<b>W2</b> 2x 18W GU-24 120V	




Tamburo 12  
842307-SN  
Frosted White • Satin Nickel

## Tamburo 12 Wall:

1x 75W A19 or CFL Options



Fixture/Decor	(Lamping Option)	Metal Finish
<b>842307</b> Frosted White	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>8423CF</b> Copper Foil	<b>E2</b> 2x 18W Quad 120V	<b>BR</b> Bronze
<b>8423GF</b> Gold Foil	<b>K1</b> 1x 32W TBX 120V	<b>CR</b> Chrome
<b>8423SF</b> Silver Foil	<b>N2</b> 2x 18W Quad 277V	<b>SN</b> Satin Nickel
<b>8423VN</b> White Vine	<b>T1</b> 1x 32W TBX 277V	<b>WH</b> White
<b>8423WB</b> White Rings	<b>W2</b> 2x 18W GU-24 120V	
<b>8423WD</b> White Damask		



## Mistral

- **ADA-COMPLIANT**
- Handcrafted glasses
- 120V Medium-base lampholders
- 100W Max. A19 lamps (*Not included*)
- Dimmable with standard incandescent dimmer
- Interior use only (Damp Location Listed)
- 75°C supply wire required

### 4-Pin CFL OPTIONS:

- Energy-efficient electronic ballasts
- Lamp not included
- Non-dimmable
- Consult factory for other configurations (including TBX-type or Twin T5-type lamps)



### SB-CFL OPTIONS:


See page 30 for **GU-24** self-ballasted lamp options 



Mistral  
7112VM-SN  
Vanilla Matte • Satin Nickel

### 7112:


2x 100W A19 or CFL Options



Fixture/Decor	(Lamping Option)	Metal Finish
711207 Opal Matte	(blank) Incandescent	<b>BK</b> Black
7112VM Vanilla Matte	<b>H2</b> 2x 26W Quad 120V	<b>BR</b> Bronze
	<b>Q2</b> 2x 26W Quad 277V	<b>CR</b> Chrome
	<b>X2</b> 2x 27W GU-24 120V	<b>SN</b> Satin Nickel
		<b>WH</b> White



711207  
Opal Matte



7112VM  
Vanilla Matte



### Torre 14, 18 & 22 Wall Series

**• ADA-COMPLIANT**

- Handcrafted glasses
- 120V Medium-base lampholders
- Max. A19 lamps (Not included)
- Dimmable with standard incandescent dimmer
- Interior use only (Damp Location Listed)
- 75°C supply wire required

**4-Pin CFL OPTIONS:**

- Energy-efficient electronic ballasts
- Lamp not included
- Non-dimmable
- Consult factory for other configurations (including TBX-type or Twin T5-type lamps)



**SB-CFL OPTIONS:**

See page 30 for **GU-24** self-ballasted lamp options



Torre 14  
8192SF-SN  
Silver Foil • Satin Nickel




Torre 18  
8193CF-SN  
Copper Foil • Satin Nickel



Torre 22  
8194GF-SN  
Gold Foil • Satin Nickel


**Torre 14 Wall:**

1x 75W A19 Lamp or CFL Options




**Torre 18 Wall:**

2x 75W A19 or CFL Options



**Torre 22 Wall:**

2x 100W A19 or CFL Options




Fixture/Decor	(Lamping Option)	Metal Finish
<b>819207</b> White Matte	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>8192CF</b> Copper Foil	<b>E1</b> 1x 18W Quad 120V	<b>BR</b> Bronze
<b>8192GF</b> Gold Foil	<b>N1</b> 1x 18W Quad 277V	<b>CR</b> Chrome
<b>8192SF</b> Silver Foil	<b>W1</b> 1x 18W GU-24 120V	<b>SN</b> Satin Nickel
		<b>WH</b> White

For information on all our other glass decors for Torre 14 sconce, please see our website or our full line catalog.

Fixture/Decor	(Lamping Option)	Metal Finish
<b>819307</b> White Matte	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>8193CF</b> Copper Foil	<b>E2</b> 2x 18W Quad 120V	<b>BR</b> Bronze
<b>8193GF</b> Gold Foil	<b>N2</b> 2x 18W Quad 277V	<b>CR</b> Chrome
<b>8193SF</b> Silver Foil	<b>W2</b> 2x 18W GU-24 120V	<b>SN</b> Satin Nickel
		<b>WH</b> White

Fixture/Decor	(Lamping Option)	Metal Finish
<b>819407</b> White Matte	<b>(blank)</b> Incandescent	<b>BK</b> Black
<b>8194CF</b> Copper Foil	<b>H2</b> 2x 26W Quad 120V	<b>BR</b> Bronze
<b>8194GF</b> Gold Foil	<b>Q2</b> 2x 26W Quad 277V	<b>CR</b> Chrome
<b>8194SF</b> Silver Foil	<b>X2</b> 2x 27W GU-24 120V	<b>SN</b> Satin Nickel
		<b>WH</b> White



## 1WU & 1WW Divi

### New Decors!

- Handcrafted glasses
- 60W Class 2 electronic transformer
- Integrated full-range rotary dimmer
- Interior use only (Damp Location Listed)
- 2 metal finishes available:  
Bronze (BR) or Satin Nickel (SN)

**Glass:** 3.375" Dia. x 2.625" H

**Lamp:** 50W 12V MR16  
Shielded Flood (included)

#### 1WU:

- Arm rotates 155° and pivots at center
- Lamp head rotates & pivots

#### 1WW:

- Arm rotates 130° and raises/lowers
- Lamp head pivots




1WU-1858SW-SN  
Silver Dicro Wavy • Satin Nickel

1WW-1858VN-SN  
White Vine • Satin Nickel

#### OPTIONS:


##### CORD/PLUG KIT

When no junction box is available, the T120 kit allows any 1WU to become a fully UL Listed "fixed portable." Includes an 18" wire guide/cover and 6' of cord.




**T120-SN** Satin Nickel  
**T120-BR** Bronze


#### 1WU Divi:



#### 1WW Divi:



Fixture Style	Shade	Metal Finish
1WU Swing-arm	1758CF Copper Foil	BR Bronze
1WW Swing-arm	1758GF Gold Foil	SN Satin Nickel
	1758SF Silver Foil	
	185802 Trans. Topaz	
	185807 Opal Matte	
	185831 Trans. Red	
	185849 Trans. Turquoise	
	185891 Trans. Amethyst	
	185892 Trans. Blue	
	185893 Dicro	
	185895 Pearl	
	1858DW Black Dicro Wavy	
	1858MB Metal Bronze	
	1858MN Metal Satin Nickel	
	1858SW Silver Dicro Wavy	
	1858VB Black Dicro Vine	
	1858VN White Vine	



1758CF  
Copper Foil

1758GF  
Gold Foil

1758SF  
Silver Foil

185802  
Trans. Topaz

185807  
Opal Matte

185831  
Trans. Red

185849  
Trans. Turquoise

185891  
Trans. Amethyst

185892  
Trans. Blue

185893  
Dicro\*

185895  
Pearl

1858DW  
Black Dicro Wavy

1858MB  
Metal Bronze

1858MN  
Metal Satin Nickel

1858SW  
Silver Dicro Wavy

1858VB  
Black Dicro Vine

1858VN  
White Vine

\*Dicro glass is shown lit.  
Appears mirror-like when unlit.

#### METAL FINISHES:



BR Bronze

SN Satin Nickel

# 12V Swing Arm

## Wall Luminaires

DAMP  
INTERIOR

### 1WW Nico 3 & Tamburo 3

- Handcrafted glasses
- 60W Class 2 electronic transformer
- Arm rotates 130° and raises/lowers
- Lamp head pivots
- Integrated full-range rotary dimmer
- Interior use only (Damp Location Listed)
- 2 metal finishes available:  
Bronze (BR) or Satin Nickel (SN)

**Nico 3 Glass:** 3.25" Dia. x 3.0" H


**Lamp:** 50W 12V Bi-Pin GY6.35  
low pressure halogen lamp included

**Tamburo 3 Glass:** 3.0" Dia. x 3.0" H

**Lamp:** 50W 12V Bi-Pin GY6.35  
low pressure halogen lamp included



Nico 3  
1WW-514500-SN  
Clear Stone • Satin Nickel




#### NICO 3:

1	W	W		
Fixture Style	Shade		Metal Finish	
<b>1WW</b> Swing-arm	<b>5145CF</b> Stone Copper Foil	<b>BR</b> Bronze		
	<b>5145GF</b> Stone Gold Foil	<b>SN</b> Satin Nickel		
	<b>5145OS</b> Opal Stone			
	<b>5145SF</b> Stone Silver Foil			
	<b>514500</b> Clear Stone			




Tamburo 3  
1WW-5144GF-SN  
Stone Gold Foil • Satin Nickel



#### TAMBURO 3:

1	W	W		
Fixture Style	Shade		Metal Finish	
<b>1WW</b> Swing-arm	<b>5144CF</b> Stone Copper Foil	<b>BR</b> Bronze		
	<b>5144GF</b> Stone Gold Foil	<b>SN</b> Satin Nickel		
	<b>5144OS</b> Opal Stone			
	<b>5144SF</b> Stone Silver Foil			
	<b>514400</b> Clear Stone			



#### METAL FINISHES:



## 1SW Nico 3 & 4

- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Nico 3 Glass:** 3.25" Dia. x 3.0" H

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)

**Nico 4 Glass:** 3.5" Dia. x 3.75" H

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)




Nico 3  
1SW-5145CF-BR  
Stone Copper Foil • Bronze



Nico 4  
1SW-5125SF-SN  
Stone Silver Foil • Satin Nickel



### NICO 3:

1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	5145CF	Stone Copper Foil	BR	Bronze		
	5145GF	Stone Gold Foil	CR	Chrome		
	5145OS	Opal Stone	SN	Satin Nickel		
	5145SF	Stone Silver Foil				
	514500	Clear Stone				



### NICO 4:

1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	5125CF	Stone Copper Foil	BR	Bronze		
	5125GF	Stone Gold Foil	CR	Chrome		
	5125OS	Opal Stone	SN	Satin Nickel		
	5125SF	Stone Silver Foil				
	512500	Clear Stone				



# 120V Mini Sconce

## Wall Luminaires

### 1SW Tamburo 3 & 4

DAMP  
INTERIOR

- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Tamburo 3 Glass:** 3.0" Dia. x 3.0" H

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)

**Tamburo 4 Glass:** 3.0" Dia. x 4.125" H


**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)



Tamburo 3  
1SW-5144OS-SN  
Opal Stone • Satin Nickel

#### TAMBURO 3:




1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	5144CF	Stone Copper Foil	BR	Bronze		
	5144GF	Stone Gold Foil	CR	Chrome		
	5144OS	Opal Stone	SN	Satin Nickel		
	5144SF	Stone Silver Foil				
	514400	Clear Stone				



Tamburo 4  
1SW-5124GF-SN  
Stone Gold Foil • Satin Nickel

#### TAMBURO 4:

1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	5124CF	Stone Copper Foil	BR	Bronze		
	5124GF	Stone Gold Foil	CR	Chrome		
	5124OS	Opal Stone	SN	Satin Nickel		
	5124SF	Stone Silver Foil				
	512400	Clear Stone				



#### METAL FINISHES:



## 1SW Mia


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR), or Satin Nickel (SN)

**Glass:** 5.0" Dia. x 4.5" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-1779SF-SN  
Silver Foil • Satin Nickel



1	S	W			
Fixture Style	Shade		Metal Finish		
1SW Mini sconce	177907	Opal Matte	BR	Bronze	
	177908	Wheat	CR	Chrome	
	177909	Java	SN	Satin Nickel	
	177918	Amber Cloud			
	177919	Carrera			
	177936	White Swirl			
	177941	Garnet			
	177945	Granite			
	177946	Linen			
	177954	Zebra			
	177963	Jewel			
	177968	White Cloud			
	177983	Blue Swirl			
	177986	Blue Cloud			
	177989	Opal-Frost			
	177996	Confetti			
	1779CF	Copper Foil			
	1779CH	Cherry			
	1779GF	Gold Foil			
	1779HB	Habanero			
	1779HV	Halva			
	1779MA	Magma			
	1779MG	Marble Grigio			
	1779OK	Oak			
	1779SF	Silver Foil			
	1779TN	Titan			
	1779VN	White Vine			
	5146CF	Stone Copper Foil			
	5146GF	Stone Gold Foil			
	5146OS	Opal Stone			
	5146SF	Stone Silver Foil			



METAL FINISHES:



# 120V Mini Sconce

## Wall Luminaires

DAMP  
INTERIOR

### 1SW Domi


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

Glass: 5.0" Dia. x 2.875" H


Lamp: 40W G9 Halogen 120V low pressure lamp (included)



1SW-574393-SN  
Dicro Ribbed • Satin Nickel



1	S	W	-								-		
Fixture Style			Shade								Metal Finish		
1SW	Mini sconce		165225	Frost Ribbed	BR	Bronze							
			174307	White		CR	Chrome						
			174309	Kandi		SN	Satin Nickel						
			174317	Pina									
			174331	Red									
			174337	Green									
			174352	Marble									
			174378	White Crackle									
			174383	Mocha									
			174387	Blue									
			1743CH	Cherry									
			1743OK	Oak									
			1743SL	Solare									
			1743TN	Titan									
			184313	Opal-Gold									
			184344	Bluegrass									
184369	Opal-Cut												
184380	Amber												
184395	Pearl												
574393	Dicro Ribbed												



#### METAL FINISHES:



## 1SW Kani


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 5.75" Dia. x 4.5" H


**Lamp:** 40W G9 Halogen 120V low pressure lamp *(included)*



1SW-5121RM-SN  
Ruby Matte • Satin Nickel



1	S	W					-					-
Fixture Style		Shade				Metal Finish						
1SW	Mini sconce	512107	Opal Matte				BR	Bronze				
		512118	Amber Cloud					CR	Chrome			
		512141	Garnet						SN	Satin Nickel		
		512168	White Cloud									
		512180	Amber									
		512186	Blue Cloud									
		5121AM	Apricot Matte									
		5121CM	Cobalt Blue Matte									
		5121FC	Fiero									
		5121HV	Halva									
		5121RM	Ruby Matte									
		5121VM	Vanilla Matte									



METAL FINISHES:





# 120V Mini Sconce

## Wall Luminaires

### 1SW Kona

DAMP  
INTERIOR



- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 5.5" Dia. x 2.5" H

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)



1SW-117607-SN  
White • Satin Nickel



1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	117607	White	BR	Bronze		
	117652	Marble	CR	Chrome		
	117681	Sunset	SN	Satin Nickel		
	117687	Blue				
	117691	Bi-Color				
	117695	Mango				
	282453	White Starpoint				
	282484	Blue Starpoint				
	282490	Mango Starpoint				
	550493	Dicro Swirl				

### 1SW Sabrina

DAMP  
INTERIOR


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 4.5" Dia. x 3.5" H

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)



1SW-5440VB-SN  
Black Dicro Vine • Satin Nickel



1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	5440DW	Black Dicro Wavy	BR	Bronze		
	5440SW	Silver Dicro Wavy	CR	Chrome		
	5440VB	Black Dicro Vine	SN	Satin Nickel		

## 1SW Palla



- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 4.75" Dia. x 3.875" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-565814-SN  
Stripes-Black • Satin Nickel



1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	565807	Opal Matte	BR	Bronze		
	565814	Stripes-Black	CR	Chrome		
	565824	Dots	SN	Satin Nickel		
	5658HB	Habanero				
	5658MA	Magma				
	5658VG	Vanilla Glossy				

## 1SW Peri



- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 5.375" Dia. x 3.125" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-541017-BR  
Pina • Bronze



1	S	W				
Fixture Style	Shade		Metal Finish			
1SW Mini sconce	541007	Opal Matte	BR	Bronze		
	541017	Pina	CR	Chrome		
	541035	Lime	SN	Satin Nickel		
	541080	Amber				
	541087	Blue				

# 120V Mini Sconce

## Wall Luminaires

### 1SW Brella

DAMP  
INTERIOR


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 6.0" Dia. x 4.0" H


**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)



1SW-467983-BR  
Mocha • Bronze



1	S	W				
Fixture Style	Shade		Metal Finish			
<b>1SW</b> Mini sconce	<b>467907</b> White	White	<b>BR</b> Bronze			
	<b>467917</b> Pina	Pina	<b>CR</b> Chrome			
	<b>467952</b> Marble	Marble	<b>SN</b> Satin Nickel			
	<b>467983</b> Mocha	Mocha				
	<b>4679CH</b> Cherry	Cherry				
	<b>4679OK</b> Oak	Oak				
	<b>4679SL</b> Solare	Solare				
	<b>4679TN</b> Titan	Titan				



### 1SW Hopi

DAMP  
INTERIOR


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 7.5" L x 5.5" x 2.75" H  
*This glass is asymmetric*

**Lamp:** 40W G9 Halogen 120V  
low pressure lamp (included)



1SW-191352-SN  
Marble • Satin Nickel



1	S	W				
Fixture Style	Shade		Metal Finish			
<b>1SW</b> Mini sconce	<b>181304</b> Marble/Clear	Marble/Clear	<b>BR</b> Bronze			
	<b>181331</b> Marble/Red	Marble/Red	<b>CR</b> Chrome			
	<b>181334</b> Marble/Green	Marble/Green	<b>SN</b> Satin Nickel			
	<b>181384</b> Marble/Blue	Marble/Blue				
	<b>191352</b> Marble	Marble				
	<b>191383</b> Mocha	Mocha				



## 1SW Lexi


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 5.5" Dia. x 3.625" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-B34407-SN  
Blue/Opal • Satin Nickel



1 S W - - - - -

Fixture Style	Shade	Metal Finish
<b>1SW</b> Mini sconce	<b>A34407</b> Amethyst/Opal	<b>BR</b> Bronze
	<b>B34407</b> Blue/Opal	<b>CR</b> Chrome
	<b>C34407</b> Clear/Opal	<b>SN</b> Satin Nickel
	<b>M34407</b> Transmirror/Opal	
	<b>Q34407</b> Turquoise/Opal	
	<b>R34407</b> Red/Opal	
	<b>T34407</b> Topaz/Opal	



## 1SW Canto


- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 4.0" Dia. x 4.125" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)




1SW-513154-SN  
Zebra • Satin Nickel



1 S W - - - - -

Fixture Style	Shade	Metal Finish
<b>1SW</b> Mini sconce	<b>513107</b> Opal Matte	<b>BR</b> Bronze
	<b>513154</b> Zebra	<b>CR</b> Chrome
	<b>5131DN</b> Dune	<b>SN</b> Satin Nickel
	<b>5131VM</b> Vanilla Matte	
	<b>5131VY</b> White Ivy	



# 120V Mini Sconce

## Wall Luminaires

DAMP  
INTERIOR

### 1SW Tay Tay



- Handcrafted glasses
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 4.125" Dia. x 3.875" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-560545-SN  
Granite • Satin Nickel



1	S	W	-																												
Fixture Style		Shade										Metal Finish																			
1	S	W	-																												
1SW	Mini sconce	560507	Opal Matte	BR	Bronze	560518	Amber Cloud	CR	Chrome	560519	Carrera	SN	Satin Nickel	560545	Granite	560560	Cocoon	5605AM	Apricot Matte	5605CM	Cobalt Blue Matte	5605FC	Fiero	5605GM	Armagnac Matte	5605HB	Habanero	5605MA	Magma	5605VM	Vanilla Matte


### 1SW Lasso

DAMP  
INTERIOR


- Handcrafted glass
- Wall-mount only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

**Glass:** 4.75" Dia. x 3.0" H

**Lamp:** 40W G9 Halogen 120V low pressure lamp (included)



1SW-561207-SN  
Opal Ribbed • Satin Nickel



1	S	W	-	5	6	1	2	0	7	-									
Fixture Style		Shade										Metal Finish							
1	S	W	-	5	6	1	2	0	7	-									
1SW	Mini sconce	561207	Opal Ribbed	BR	Bronze	CR	Chrome	SN	Satin Nickel										

1SX Silo

DAMP INTERIOR


1SX Karli

DAMP INTERIOR

- Handcrafted glasses
- Convenient snap-in glassholder
- Wall-mount only
- Install in glass-up orientation only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

Glass: 3.125" Dia. x 7.875" H

Lamp: 40W G9 Halogen 120V low pressure lamp (included)




1SX-492580-SN  
Amber • Satin Nickel

- Handcrafted glasses
- Convenient snap-in glassholder
- Wall-mount only
- Install in glass-up orientation only
- Dimmable with std. incandescent dimmer
- Interior use only (Damp Location Listed)
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

Glass: 4.0" Dia. x 7.5" H



Lamp: 40W G9 Halogen 120V low pressure lamp (included)



1SX-719807-SN  
Opal Matte • Satin Nickel

1	S	X				
Fixture Style	Shade		Metal Finish			
1SX Mini sconce	492507	Opal Matte	BR	Bronze		
	492517	Pina	CR	Chrome		
	492535	Lime	SN	Satin Nickel		
	492580	Amber				
	492587	Blue				

1	S	X				
Fixture Style	Shade		Metal Finish			
1SX Mini sconce	719807	Opal Matte	BR	Bronze		
	719818	Amber Cloud	CR	Chrome		
	719841	Garnet	SN	Satin Nickel		
	719868	White Cloud				
	719886	Blue Cloud				
	7198FC	Fiero				



# 120V Vanity

## Wall Luminaires

**ADA** DAMP INTERIOR

### WS-7735 Series

- **ADA-COMPLIANT**
- Handcrafted glasses
- 1, 2, 3, 4 or 5 light versions
- 120v G9 lampholders
- Halogen 50W G9 lamps (included)
- Wall-mount only
- Interior use only (Damp Location Listed)
- Dimmable with standard incandescent dimmer
- 3 metal finishes available: Bronze (BR), Chrome (CR) or Satin Nickel (SN)

*New Foil Decors!*

#### Two Light Luminaire:

14.625" L x 6.3125" H x 3.75" D



2WS-7735SF-CR



1WS-7735SF-SN  
Opal/Silver Foil • Satin Nickel



1WS-7735CF-BR  
Opal/Copper Foil • Bronze

#### Three Light Luminaire:

22.5" L x 6.3125" H x 3.75" D



3WS-7735GF-BR



1WS-7735GF-BR  
Opal/Gold Foil • Bronze

#### Four Light Luminaire:

30.375" L x 6.3125" H x 3.75" D




4WS-7735CF-BR

#### Five Light Luminaire:


38.125" L x 6.3125" H x 3.75" D



5WS-7735SF-SN



Fixture	Shade	Metal Finish
1WS 1 Light	7735CF Opal/Copper Foil	BR Bronze
2WS 2 Light	7735GF Opal/Gold Foil	CR Chrome
3WS 3 Light	7735SF Opal/Silver Foil	SN Satin Nickel
4WS 4 Light		
5WS 5 Light		



For information on the other glass decors for this product, please see our website or our full line catalog.

#### METAL FINISHES:



# Self-Ballasted Compact Fluorescent Options



Besa now offers a number of luminaires with optional GU-24 lampholder(s). The GU-24 lampholder is designed to accept only high efficacy lamps. The benefits of these self-ballasted compact fluorescent lamps include:

- Spring shape designed to directly replace A-type incandescent lamps
- The electronic ballast is built into the lamp
- Unique bi-pin socket prevents mislamping
- Saves energy, less heat
- Non-dimmable, 120V only, 2700° K

**Lamp Ordering**

<b>13W</b> GU-24 Item #B5532	<b>18W</b> GU-24 Item #B5518	<b>27W*</b> GU-24 Item #B5527



For ordering information, visit [www.besalighting.com](http://www.besalighting.com) or call Customer Service at 800-446-2372

## Available on the following luminaires:

 <b>Series 1189</b> Catalog 2007-8 Pg. 183 Ordering: 1x 13W 1 1 8 9 0  -V 1	 <b>Series 1190</b> Catalog 2007-8 Pg. 183 Ordering: 2x 13W 1 1 9 0  -V 2	 <b>Series 2725</b> Catalog 2007-8 Pg. 186 Ordering: 2x 13W 2 7 2 5  -V 2	 <b>Series 2726</b> Catalog 2007-8 Pg. 186 Ordering: 3x 13W 2 7 2 6  -V 3
 <b>Series 2728</b> Catalog 2007-8 Pg. 188 Ordering: 2x 13W 2 7 2 8  -V 2	 <b>Series 2729</b> Catalog 2007-8 Pg. 188 Ordering: 3x 13W 2 7 2 9  -V 3	 <b>Series 7030</b> Catalog 2007-8 Pg. 173 Ordering: 1x 18W 7 0 3 0  -W 1	 <b>Series 7041</b> Catalog 2007-8 Pg. 174 Ordering: 1x 18W 7 0 4 1  -W 1
 <b>Series 7042</b> Catalog 2007-8 Pg. 175 Ordering: 1x 18W 7 0 4 2  -W 1	 <b>Series 7043</b> Catalog 2007-8 Pg. 176 Ordering: 1x 18W 7 0 4 3  -W 1	 <b>7049 Caesar</b> Catalog 2007-8 Pg. 179 Ordering: 1x 18W 7 0 4 9  -W 1	 <b>7083 Lina</b> Catalog 2007-8 Pg. 179 Ordering: 1x 18W 7 0 8 3  -W 1
 <b>7089 Tamburo 8</b> Pg. 12 Ordering: 1x 18W 7 0 8 9  -W 1	 <b>7112 Mistral</b> Pg. 14 Ordering: 2x 27W* 7 1 1 2  -X 2	 <b>7118 Tamburo 11</b> Pg. 13 Ordering: 2x 18W 7 1 1 8  -W 2	 <b>8192 Torre 14</b> Pg. 15 Ordering: 1x 18W 8 1 9 2  -W 1
 <b>8193 Torre 18</b> Pg. 15 Ordering: 2x 18W 8 1 9 3  -W 2	 <b>8194 Torre 22</b> Pg. 15 Ordering: 2x 27W* 8 1 9 4  -X 2	 <b>8423 Tamburo 12</b> Pg. 13 Ordering: 2x 18W 8 4 2 3  -W 2	 <b>9038 Slipstream 11</b> Pg. 10 Ordering: 1x 13W 9 0 3 8  -V 1
 <b>9039 Slipstream 13</b> Pg. 10 Ordering: 2x 13W 9 0 3 9  -V 2	 <b>9040 Slipstream 16</b> Pg. 10 Ordering: 3x 13W 9 0 4 0  -V 3	 <b>Caesar 5 Pendant</b> Catalog 2007-8 Pg. 73 Ordering: 1x 27W* J X-4 0 9 3  -	 <b>Cierro Pendant</b> Catalog 2007-8 Pg. 57 Ordering: 1x 27W* J X-4 1 2 4  -
 <b>Juli Pendant</b> Catalog 2007-8 Pg. 56 Ordering: 1x 27W* J X-4 1 2 5  -	 <b>Kimo Pendant</b> Catalog 2007-8 Pg. 72 Ordering: 1x 18W J W-4 8 4 1  -	 <b>Lola Pendant</b> Catalog 2007-8 Pg. 68 Ordering: 1x 18W J W-1 5 1 0  -	 <b>Lucia Pendant</b> Catalog 2007-8 Pg. 55 Ordering: 1x 18W J W-1 6 9 7  -
 <b>Luna Pendant</b> Catalog 2007-8 Pg. 60 Ordering: 1x 27W* J X-4 7 7 6  -	 <b>Pape Pendant</b> Catalog 2007-8 Pg. 73 Ordering: 1x 27W* J X-4 9 1 3  -	 <b>Pera Pendant</b> Catalog 2007-8 Pg. 64 Ordering: 1x 27W* J X-4 1 2 6  -	 <b>Riva Pendant</b> Catalog 2007-8 Pg. 69 Ordering: 1x 13W J V-7 5 1 0  -
 <b>Stilo Pendant</b> Catalog 2007-8 Pg. 59 Ordering: 1x 27W* J X-7 2 2 4  -	 <b>Suzi Pendant</b> Catalog 2007-8 Pg. 61 Ordering: 1x 27W* J X-4 8 9 7  -	 <b>Tania Pendant</b> Pg. 7 Ordering: 1x 27W* J X-4 4 7 1  -	 <b>Vila Pendant</b> Pg. 7 Ordering: 1x 18W J W-4 4 7 0  -

\*26W or 27W lamps may be provided



# Standard Compact Fluorescent Options

Besa offers an extensive variety of energy-efficient standard compact fluorescent (CFL) options. In each of our catalogs, every luminaire that is available with a compact fluorescent option is clearly denoted, and the ordering code for each specific lamp/ballast configuration is indicated. Our numbering system for these CFL options is a 2-digit alpha-numeric code that is added to the luminaire's item number. Below is information about the CFL options available for the products in this catalog.




- Besa standard CFL luminaires utilize Electronic Ballasts (*see details below*).
- Besa standard CFL luminaires employ either instant start or rapid start electronic ballasts (*see details below*).
- 120V or 277V ballasts are available.
- **Besa standard CFL luminaires are not suitable for use with dimmer switches.**

## 4-Pin CFL Lamps:


A number of Besa luminaires in this catalog are available with the following lamp types (dependent upon the specific luminaire series). Lamps are not provided with our 4-pin CFL luminaires. It is important to select the proper lamp type to match the luminaire ballast/lamp/holder configuration. For other lamp/ballast options, please contact the factory.




**13 Watt Quad:**  
To order luminaires with this lamp(s) the alpha code is **D** (120V) or **M** (277V). The base is G24q-1. MOL 5.2". For use with Electronic Ballast.



**18 Watt Quad:**  
To order luminaires with this lamp(s) the alpha code is **E** (120V) or **N** (277V). The base is G24q-2. MOL 5.8". For use with Electronic Ballast.




**26 Watt Quad:**  
To order luminaires with this lamp(s) the alpha code is **H** (120V) or **Q** (277V). The base is G24q-3. MOL 6.5". For use with Electronic Ballast.



**26 Watt TBX:**  
To order luminaires with this lamp(s) the alpha code is **I** (120V) or **R** (277V). The base is GX24q-3. MOL 5.2". For use with Electronic Ballast.



**32 Watt TBX:**  
To order luminaires with this lamp(s) the alpha code is **K** (120V) or **T** (277V). The base is GX24q-3. MOL 5.8". For use with Electronic Ballast.



**42 Watt TBX (4-Pin):**  
To order luminaires with this lamp(s) the alpha code is **L** (120V) or **U** (277V). The base is GX24q-4. MOL 6.42". For use with Electronic Ballast.

## Electronic CFL Ballasts:

Electronic ballasts operating at a frequency above 20,000 Hz offer excellent energy efficiency and cold temperature starting. Electronic ballasts use solid-state electronic circuits to control the voltage to the fluorescent lamp, allowing for efficiency and performance. The solid-state controls allow for flicker-free starting. Besa utilizes two types of electronic ballasts: Instant Start and Rapid Start. Instant start will cause the lamp to start within 1 second but results in shorter lamp life. Rapid start will start the lamp slightly slower than instant start, but will improve the lamp life in frequent switching situations. There are variations within these "start" types, dependent upon the ballast manufacturer.

If you desire a specific ballast type, such as rapid start or instant start, then it is important to consult with customer service prior to ordering.

**For other lamp/ballast options, please contact the factory**

## 4-Pin CFL Lamp Usage in this Catalog:

CFL OPTIONS		Wall and Ceiling Luminaires											
		13W Quad G24q-1 Electronic		18W Quad G24q-2 Electronic		26W Quad G24q-3 Electronic		26W TBX GX24q-3 Electronic		32W TBX GX24q-3 Electronic		42W TBX GX24q-4 Electronic	
SERIES	PAGE	D 120V	M 277V	E 120V	N 277V	H 120V	Q 277V	I 120V	R 277V	K 120V	T 277V	L 120V	U 277V
<b>WALL</b>													
7089 Tamburo 8	12				1								
7112 Mistral	14						2						
7118 Tamburo 11	13				2						1		
8192 Torre 14	15				1								
8193 Torre 18	15				2								
8194 Torre 22	15						2						
8423 Tamburo 12	13				2						1		
<b>CEILING</b>													
9038 Slipstream 11	10		1										
9039 Slipstream 13	10		2		1				1		1		
9040 Slipstream 16	10		2		2		2				1		1
9770	11		2		2		2				1		1
9771	11		2		1				1		1		

## Dimming

The ability to control light levels via dimmer controls is often desired in interior lighting schemes. All Besa incandescent (including halogen) luminaires are suitable for use with dimmer switches.

**Besa CFL luminaires are NOT suitable for use with dimmer switches.**


### Dimming 120V Incandescent Luminaires:

Besa 120V incandescent luminaires require the use of a standard incandescent dimmer rated for the total wattage controlled. Besa compact fluorescent luminaires are NOT dimmable. The use of a dimmer control switch with Besa compact fluorescent luminaires will damage the ballast.

## Supply Wire Ratings


Supply wiring must meet the temperature requirements of the luminaire. Many Besa luminaires require that the supply wire ratings be either 75°C or 90°C.

All Besa incandescent (including halogen) flush mount ceiling luminaires require supply wiring rated to 90°C. The installation of a luminaire to supply wiring not rated as required may result in failure of the supply wiring insulation, causing a fire or shock hazard. If in doubt, consult a qualified electrician or the Local Authority Having Jurisdiction.




## Orientation

Some Besa luminaires are offered in both wall mount and ceiling mount versions. Besa wall mount and ceiling mount luminaires are manufactured to different specifications and it is extremely important to order the luminaire based upon its intended use. Ceiling mount luminaires require additional safeguards to prevent unsafe operating temperatures (see *Supply Wire Ratings*). Besa wall luminaires (marked as such) may not be safely installed on ceilings.



## ADA Compliance

The Americans with Disabilities Act is commonly referred to as the ADA. The ADA created guidelines for objects projecting from walls and ceilings in virtually all non-residential publicly accessible places. Where applicable, wall luminaires that are positioned between 27" and 80" above the finished floor shall not protrude more than 4" into passageways (aisles, corridors, halls, etc.) Besa wall luminaires that meet this requirement within this catalog are noted with this symbol, indicating compliance with the ADA.



**ADA**

## Pendant Cord Types And Colors

When ordering any of Besa's pendants that utilize a cord, it is important to understand the different cord styles, colors and lengths offered.

### 120V Pendants: B, Q, J and E Series

Our B, Q, J and E Series employ a 3-wire SVT cord with a PVC jacket.

- **Clear** jacket provided when **Satin Nickel** hardware finish is ordered
- **Bronze** jacket provided when **Bronze** hardware finish is ordered

### 120V Cable Pendants:

Our K Series employ the same SVT cords as our B, Q, J and E Series pendants. The glass is suspended by stainless steel aircraft cable.

- **Clear** jacket and cables provided when **Satin Nickel** hardware finish is ordered
- **Bronze** jacket provided when **Bronze** hardware finish is ordered

## Installation Locations

Understanding DRY, DAMP and WET location types is critical for proper installation and safe use of all luminaires. Besa manufactures luminaires in each of these three location types. Every effort has been made to indicate location types throughout this catalog. Further, location types are clearly marked on every Besa luminaire. Installing a luminaire in an improper location is a safety hazard. If in doubt, contact the Local Authority Having Jurisdiction.

**DRY DRY LOCATIONS:** Locations not normally subject to dampness or wetness. A luminaire marked as suitable for use in a damp or wet location may also be used in a dry location.

**DAMP INTERIOR DAMP LOCATIONS:** Locations protected from direct precipitation but subject to moderate degrees of moisture. Partially protected outdoor locations such as under roofed open porches and interior locations such as bathrooms and basements.

**Important Note:** Many Besa luminaires that are marked as suitable for Damp Locations are not recommended for use in exterior Damp Locations. Examples of this are luminaires designed for use as bath/vanity lighting. Such distinctions are noted throughout this catalog. Luminaires marked as suitable for wet locations may be utilized in damp locations.

**WET WET LOCATIONS:** Unprotected locations subject to direct exposure to water or precipitation. Besa luminaires marked as suitable for use in wet locations are intended to be utilized in exterior environments.

**Use of Besa wet location luminaires in interior wet locations such as showers or bathtub areas is not recommended as there are stringent safety codes governing such use. If in doubt about such use, consult the Local Authority Having Jurisdiction.**

## Product Listings

All Besa products are engineered/manufactured to the highest possible standards. Every Besa luminaire carries the listing mark of a Nationally Recognized Testing Laboratory (either UL, ETL or CSA), ensuring that they have been determined to meet the nationally recognized standards for safety. **It is the responsibility of the installer of Besa luminaires to understand and follow all national and local electric codes as they pertain to specific installations.** Attention must be given to using luminaires in the proper location (see *Locations*). If in doubt as to correct installation or proper location for a luminaire, please consult the Local Authority Having Jurisdiction, which has the authority and experience to assure proper and safe luminaire installation and use. Besa assumes NO liability for improperly installed luminaires.

## BY NAME OR SERIES

1176xx	23
1652xx	21
1743xx	21
1758xx (WU Series)	16
1758xx (WW Series)	16
1779xx	20
1813xx	25
1843xx	21
1858xx (WU Series)	16
1858xx (WW Series)	16
1913xx	25
2824xx	23
4006xx	5
4007xx	5
4184xx	5
4286xx	3
4287xx	6
4288xx	6
4340xx	3
4387xx	5
4388xx	5
4390xx	5
4393xx	3
4394xx	3
4470xx	7
4471xx	7
4477xx	2
4679xx	25
4902xx	8
4925xx	28
5121xx	22
5124xx	19
5125xx	18
5131xx	26
5144xx (SW Series)	19
5144xx (WW Series)	15
5145xx (SW Series)	18
5145xx (WW Series)	15
5146xx	20
5410xx	24
5440xx	23
5504xx	23
5605xx	27
5612xx	27
5658xx	24
5743xx	21
7089xx	12
7090xx	12
7118xx	13
7198xx	28
7735xx	29
8192xx	15

8193xx	15
8194xx	15
8423xx	13
9038xx	10
9039xx	10
9040xx	10
9770xx	11
9771xx	11
Amelia	2-3
Brella	25
C4121	9
C4123	9
C4127	9
C4128	9
C4897	9
C4930	9
C7042	9
C7224	9
Canto	26
Divi (WU Series)	16
Divi (WW Series)	16
Domi	21
Hopi	25
Kani	22
Karli	28
Kona	23
Lasso	27
Lexi	26
Mia	20
Mistral	14
Nico 3 (SW Series)	18
Nico 3 (WW Series)	17
Nico 4	18
Palla	24
Peri	24
Sabrina	23
Silo	28
Slipstream	10
Sofi	6
Tamburo 3 (SW Series)	19
Tamburo 3 (WW Series)	17
Tamburo 4	19
Tamburo Cable Pendants	4-5
Tamburo Wall Sconces	12-13
Tania	7
Tay Tay	27
Torre Cable Pendant	8
Torre Wall Sconces	15
Vila	7
Wireform Accessories	9
x34407	26

## BY PART NUMBER

1BC-4477xx	2
1BT-4477xx	2
1JC-4470xx	7
1JC-4471xx	7
1JT-4470xx	7
1JT-4471xx	7
1KG-4006xx	5
1KG-4184xx	5
1KG-4286xx	3
1KG-4287xx	6
1KG-4387xx	5
1KG-4388xx	5
1KG-4393xx	3
1KG-4902xx	8
1KV-4007xx	5
1KV-4288xx	6
1KV-4340xx	3
1KV-4390xx	5
1KV-4394xx	3
1QC-4477xx	2
1QT-4477xx	2
1SW-1176xx	23
1SW-1652xx	21
1SW-1743xx	21
1SW-1779xx	20
1SW-1813xx	25
1SW-1843xx	21
1SW-1913xx	25
1SW-2824xx	23
1SW-4679xx	25
1SW-5121xx	22
1SW-5124xx	19
1SW-5125xx	18
1SW-5131xx	26
1SW-5144XX	19
1SW-5145XX	18
1SW-5146xx	20
1SW-5410xx	24
1SW-5440xx	23
1SW-5504xx	23
1SW-5605xx	27
1SW-5612xx	27
1SW-5658xx	24
1SW-5743xx	21
1SW-x34407	26
1SX-4925xx	28
1SX-7198xx	28
1WS-7735xx	29
1WU-1758xx	16
1WU-1858xx	16
1WW-1758xx	16
1WW-1858xx	16

1WW-5144xx	17
1WW-5145xx	17
2WS-7735xx	29
3BB-4477xx	2
3BC-4477xx	2
3BV-4477xx	2
3JB-4470xx	7
3JB-4471xx	7
3JC-4470xx	7
3JC-4471xx	7
3JV-4470xx	7
3JV-4471xx	7
3QB-4477xx	2
3QC-4477xx	2
3QV-4477xx	2
3WS-7735xx	29
4WS-7735xx	29
5WS-7735xx	29
6BC-4477xx	2
6JC-4470xx	7
6JC-4471xx	7
6QC-4477xx	2
7089xx	12
7090xx	12
7112xx	14
7118xx	13
8192xx	15
8193xx	15
8194xx	15
8423xx	13
9038xx	10
9039xx	10
9040xx	10
9770xx	11
9771xx	11
C4121A	9
C4121B	9
C4123A	9
C4123B	9
C4127A	9
C4127B	9
C4128A	9
C4128B	9
C4897A	9
C4897B	9
C4930A	9
C4930B	9
C7042A	9
C7042B	9
C7224A	9
C7224B	9

Every effort has been made to ensure the accuracy of the information contained within this catalog. We regret any errors, oversights or omissions. We reserve the right to make any corrections without liability.

Besa Lighting reserves the right to make design changes without prior notice. In the event that design changes are required (in order to comply with regulatory, safety laboratory requirements or due to availability of supplies), Besa assumes no responsibility for the previous design of the modified items should that previous design become unusable or obsolete.

Receipt or possession of this catalog does not constitute an agreement to sell. All orders between buyer and seller (Besa Lighting Co., Inc.) shall be governed by and construed in accordance with the laws of the State of Ohio, applicable to contracts made and to be performed in that state.

All of the products, images, designs, layouts and text in this catalog are considered the unique intellectual property of Besa Lighting Co., Inc. and are protected by U.S. and international law. Many of the designs shown herein are patented or patent pending. Design infringement will not be tolerated and violators will be prosecuted to the fullest extent of the law.



Sensibly Contemporary...

6695 Taylor Rd.  
Blacklick, Ohio 43004

Tel 614-475-7046  
800-446-2372  
Fax 614-475-7048

[info@besalighting.com](mailto:info@besalighting.com)  
[www.besalighting.com](http://www.besalighting.com)