

Flush & Semi-flush Ceiling Luminaires



977 Series

DAMP

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation



977007C



977119C

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.

contemporary

Clean and contemporary! Our "twist & lock" bayonet mount holds the glass diffuser to the aluminum fitter, no unsightly set screws.


9770:

3x 60W A19 (or CFL options)



9771:

2x 60W A19 (or CFL options)




Ordering:

9 7 7 0	C		
Fixture Style	Glass Decor	(Lamping Option)	
9770 19.625" Dia.	07 White	(blank) Incandescent	
	19 Carrera	A2 2x 9W Quad Mag 120V	
	71 White Raindrop	B2 2x 13W Quad Mag 120V	
	78 White Crackle	D2 2x 13W Quad 120V	
		E2 2x 18W Quad 120V	
		F2 2x 18W TBX 120V	
		H2 2x 26W Quad 120V	
		I2 2x 26W TBX 120V	
		K1 1x 32W TBX 120V	
		L1 1x 42W TBX 120V	
		M2 2x 13W Quad 277V	
		N2 2x 18W Quad 277V	
		O2 2x 18W TBX 277V	
		Q2 2x 26W Quad 277V	
		R2 2x 26W TBX 277V	
		T1 1x 32W TBX 277V	
		U1 1x 42W TBX 277V	

9 7 7 1	C		
Fixture Style	Glass Decor	(Lamping Option)	
9771 12.5" Dia.	07 White	(blank) Incandescent	
	19 Carrera	A2 2x 9W Quad Mag 120V	
	71 White Raindrop	B2 2x 13W Quad Mag 120V	
	78 White Crackle	D2 2x 13W Quad 120V	
		E1 1x 18W Quad 120V	
		F1 1x 18W TBX 120V	
		I1 1x 26W TBX 120V	
		K1 1x 32W TBX 120V	
		M2 2x 13W Quad 277V	
		N1 1x 18W Quad 277V	
		O1 1x 18W TBX 277V	
		R1 1x 26W TBX 277V	
		T1 1x 32W TBX 277V	

GLASS DECORS:



07 White

19 Carrera

71 White Raindrop

78 White Crackle

977 Series *with Glass Ring*

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.



977087C

Four decorative glass rings are available with white glass versions of the 977 Series.


9770 with glass ring:

3x 60W A19 (or CFL options)



9771 with glass ring:

2x 60W A19 (or CFL options)




Ordering:

9	7	7	0			C	-		
Fixture Style				Ring Decor		(Lamping Option)			
9770	19.0" Dia.	25	Frost	(blank)	Incandescent				
		86	Graphite	A2	2x 9W Quad Mag 120V				
		87	Blue	B2	2x 13W Quad Mag 120V				
		97	Champagne	D2	2x 13W Quad 120V				
				E2	2x 18W Quad 120V				
				F2	2x 18W TBX 120V				
				H2	2x 26W Quad 120V				
				I2	2x 26W TBX 120V				
				K1	1x 32W TBX 120V				
				L1	1x 42W TBX 120V				
				M2	2x 13W Quad 277V				
				N2	2x 18W Quad 277V				
				O2	2x 18W TBX 277V				
				Q2	2x 26W Quad 277V				
				R2	2x 26W TBX 277V				
		T1	1x 32W TBX 277V						
		U1	1x 42W TBX 277V						

9	7	7	1			C	-			
Fixture Style				Ring Decor		(Lamping Option)				
9771	15.5" Dia.			25	Frost	(blank)	Incandescent			
				86	Graphite	A2	2x 9W Quad Mag 120V			
				87	Blue	B2	2x 13W Quad Mag 120V			
				97	Champagne	D2	2x 13W Quad 120V			
						E1	1x 18W Quad 120V			
						F1	1x 18W TBX 120V			
						I1	1x 26W TBX 120V			
						K1	1x 32W TBX 120V			
						M2	2x 13W Quad 277V			
						N1	1x 18W Quad 277V			
						O1	1x 18W TBX 277V			
						R1	1x 26W TBX 277V			
						T1	1x 32W TBX 277V			

GLASS RING DECORS:



25
Frost

86
Graphite

87
Blue

97
Champagne

Doppio 15 & Doppio 18

DAMP

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior use only (Damp Location Listed)
- Dimmable with standard incandescent dimmer
- 90°C supply wire required



CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.

decorative
All glass! Decorative glass ring lights up and fits near-flush to the ceiling.


Doppio 15:

1x 100W A19 (or CFL options)



Doppio 18:

2x 75W A19 (or CFL options)



Ordering:

2 2 9 7					
Fixture Style	Glass Decor	(Lamping Option)			
2297 14.75" Dia.	AB Amber	(blank) Incandescent			
	AC Amber Cloud	D2 2x 13W Quad 120V			
	CA Mocha	E1 1x 18W Quad 120V			
	CH Cherry	F1 1x 18W TBX 120V			
	CM Cobalt Blue Matte	I1 1x 26W TBX 120V			
	GN Granite	K1 1x 32W TBX 120V			
	HB Habanero	M2 2x 13W Quad 277V			
	MA Magma	N1 1x 18W Quad 277V			
	OK Oak	O1 1x 18W TBX 277V			
	VM Vanilla Matte	R1 1x 26W TBX 277V			
	WC White Cloud	T1 1x 32W TBX 277V			
	WH White				

2 2 9 8					
Fixture Style	Glass Decor	(Lamping Option)			
2298 18.125" Dia.	AB Amber	(blank) Incandescent			
	AC Amber Cloud	D2 2x 13W Quad 120V			
	CA Mocha	E2 2x 18W Quad 120V			
	CH Cherry	F2 2x 18W TBX 120V			
	CM Cobalt Blue Matte	H2 2x 26W Quad 120V			
	GN Granite	I2 2x 26W TBX 120V			
	HB Habanero	K1 1x 32W TBX 120V			
	MA Magma	L1 1x 42W TBX 120V			
	OK Oak	M2 2x 13W Quad 277V			
	VM Vanilla Matte	N2 2x 18W Quad 277V			
	WC White Cloud	O2 2x 18W TBX 277V			
	WH White	Q2 2x 26W Quad 277V			
		R2 2x 26W TBX 277V			
		T1 1x 32W TBX 277V			
		U1 1x 42W TBX 277V			

GLASS DECORS:



928 Series

- Handcrafted glasses
- Twist & Lock bayonet glass diffuser
- Aluminum fitter
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.




928807



928952


9288:

3x 60W A19 (or CFL options)



9289:

2x 60W A19 (or CFL options)



Ordering:

9	2	8	8			C	-		
Fixture Style				Glass Decor		(Lamping Option)			
9288	19.625" Dia.	07	Opal	(blank)	Incandescent				
		52	Marble	A2	2x 9W Quad Mag 120V				
	B2	2x 13W Quad Mag 120V							
	D2	2x 13W Quad 120V							
	E2	2x 18W Quad 120V							
	F2	2x 18W TBX 120V							
	H2	2x 26W Quad 120V							
	I2	2x 26W TBX 120V							
	K1	1x 32W TBX 120V							
	L1	1x 42W TBX 120V							
	M2	2x 13W Quad 277V							
	N2	2x 18W Quad 277V							
	O2	2x 18W TBX 277V							
	Q2	2x 26W Quad 277V							
	R2	2x 26W TBX 277V							
	T1	1x 32W TBX 277V							
U1	1x 42W TBX 277V								

9	2	8	9			C	-		
Fixture Style				Glass Decor		(Lamping Option)			
9289	15.75" Dia.			07	Opal	(blank)	Incandescent		
				52	Marble	A2	2x 9W Quad Mag 120V		
						B2	2x 13W Quad Mag 120V		
						D2	2x 13W Quad 120V		
						E1	1x 18W Quad 120V		
						F1	1x 18W TBX 120V		
						I1	1x 26W TBX 120V		
						K1	1x 32W TBX 120V		
						M2	2x 13W Quad 277V		
						N1	1x 18W Quad 277V		
						O1	1x 18W TBX 277V		
						R1	1x 26W TBX 277V		
						T1	1x 32W TBX 277V		

GLASS DECORS:



07
White



52
Marble

967 & 968 Series

DAMP

- Handcrafted glasses
- Aluminum fitter
- Interior use only (Damp Location Listed)

967: Halogen

- Energy-efficient
- 3.125" Halogen lamps (Included)
- Thermally protected
- 90°C supply wire required

968: Incandescent

- 120V Medium-base lampholders
- 100W Max. A19 lamps (Not included)
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

968: CFL Options

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast,
- Lamps not included
- Non-dimmable



967052-WH


9670:

2x 150W Halogen




9671:

1x 150W Halogen



9672:

1x 150W Halogen



Halogen Ordering:

9 6 7 0			-		
Fixture Style	Glass Decor	Clip Finish			
9670 19.75" Dia.	07 White	BR Bronze			
	25 Frost Ribbed	CR Chrome			
	52 Marble	SG Satin Gold			
	53 White Starpoint	SN Satin Nickel			
	71 White Raindrop	WH White			

9 6 7 1			-		
Fixture Style	Glass Decor	Clip Finish			
9671 15.75" Dia.	07 White	BR Bronze			
	25 Frost Ribbed	CR Chrome			
	52 Marble	SG Satin Gold			
	53 White Starpoint	SN Satin Nickel			
	71 White Raindrop	WH White			

9 6 7 2			-		
Fixture Style	Glass Decor	Clip Finish			
9672 11.75" Dia.	07 White	BR Bronze			
	25 Frost Ribbed	CR Chrome			
	52 Marble	SG Satin Gold			
	53 White Starpoint	SN Satin Nickel			
	71 White Raindrop	WH White			




Besa halogen fixtures are equipped with thermal cut-off devices. This safety feature is designed to prevent unsafe operation due to over-lamping wattage or other overheating conditions. See page 254 for more information.

GLASS DECORS:



CLIP FINISHES:



Incandescent or CFL Ordering:


9 6 8 0					
Fixture Style	Glass Decor	(Lamping Option)	Clip Finish		
9680 19.75" Dia.	07 White	(blank) Incandescent	BR Bronze		
	25 Frost Ribbed	A3 3x 9W Quad Mag 120V	CR Chrome		
	52 Marble	B3 3x 13W Quad Mag 120V	SG Satin Gold		
	53 White Starpoint	C3 3x 13W Twin Mag 120V	SN Satin Nickel		
	71 White Raindrop	D2 2x 13W Quad 120V	WH White		
		E2 2x 18W Quad 120V			
		F2 2x 18W TBX 120V			
		H2 2x 26W Quad 120V			
		I2 2x 26W TBX 120V			
		K2 2x 32W TBX 120V			
		L1 1x 42W TBX 120V			
		M2 2x 13W Quad 277V			
		N2 2x 18W Quad 277V			
		O2 2x 18W TBX 277V			
		Q2 2x 26W Quad 277V			
		R2 2x 26W TBX 277V			
		T2 2x 32W TBX 277V			
		U1 1x 42W TBX 277V			



968007-SN

9680:

3x 100W A19 (or CFL options)




9 6 8 1					
Fixture Style	Glass Decor	(Lamping Option)	Clip Finish		
9681 15.75" Dia.	07 White	(blank) Incandescent	BR Bronze		
	25 Frost Ribbed	A2 2x 9W Quad Mag 120V	CR Chrome		
	52 Marble	B2 2x 13W Quad Mag 120V	SG Satin Gold		
	53 White Starpoint	C2 2x 13W Twin Mag 120V	SN Satin Nickel		
	71 White Raindrop	D2 2x 13W Quad 120V	WH White		
		E2 2x 18W Quad 120V			
		F2 2x 18W TBX 120V			
		H2 2x 26W Quad 120V			
		I2 2x 26W TBX 120V			
		K2 2x 32W TBX 120V			
		L1 1x 42W TBX 120V			
		M2 2x 13W Quad 277V			
		N2 2x 18W Quad 277V			
		O2 2x 18W TBX 277V			
		Q2 2x 26W Quad 277V			
		R2 2x 26W TBX 277V			
		T2 2x 32W TBX 277V			
		U1 1x 42W TBX 277V			



968107-SN

9681:

2x 100W A19 (or CFL options)




9 6 8 2					
Fixture Style	Glass Decor	(Lamping Option)	Clip Finish		
9682 11.75" Dia.	07 White	(blank) Incandescent	BR Bronze		
	25 Frost Ribbed	A1 1x 9W Quad Mag 120V	CR Chrome		
	52 Marble	B1 1x 13W Quad Mag 120V	SG Satin Gold		
	53 White Starpoint	D1 1x 13W Quad 120V	SN Satin Nickel		
	71 White Raindrop	E1 1x 18W Quad 120V	WH White		
		F1 1x 18W TBX 120V			
		I1 1x 26W TBX 120V			
		M1 1x 13W Quad 277V			
		N1 1x 18W Quad 277V			
		O1 1x 18W TBX 277V			
		R1 1x 26W TBX 277V			



968207-SN

9682:

1x 100W A19 (or CFL options)



911 Series

DAMP

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation



911060C


CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.


9110:

2x 60W A19 (or CFL options)



9111:

1x 60W A19 (or CFL options)



Ordering:

9 1 1 0	C	-	
Fixture Style	Glass Decor	(Lamping Option)	
9110 12.0" Dia.	38 Latte	(blank)	Incandescent
	52 Marble	A2	2x 9W Quad Mag 120V
	60 Aurora	B2	2x 13W Quad Mag 120V
		D2	2x 13W Quad 120V
		E1	1x 18W Quad 120V
		F1	1x 18W TBX 120V
		I1	1x 26W TBX 120V
		K1	1x 32W TBX 120V
		M2	2x 13W Quad 277V
		N1	1x 18W Quad 277V
		O1	1x 18W TBX 277V
		R1	1x 26W TBX 277V
		T1	1x 32W TBX 277V

9 1 1 1	C	-	
Fixture Style	Glass Decor	(Lamping Option)	
9111 10.0" Dia.	38 Latte	(blank)	Incandescent
	52 Marble	A1	1x 9W Quad Mag 120V
	60 Aurora	B1	1x 13W Quad Mag 120V
		D1	1x 13W Quad 120V
		M1	1x 13W Quad 277V

GLASS DECORS:



38
Latte



52
Marble



60
Aurora

9694

- Handcrafted glass
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable


For more information on compact fluorescent lamps and ballasts, see pages 256-259.



969452C

9694:

1x 60W A19 (or CFL options)



Ordering:

9 6 9 4 5 2 C -			
Fixture/Decor Style		(Lamping Option)	
969452	Marble	(blank)	Incandescent
		A1	1x 9W Quad Mag 120V
		B1	1x 13W Quad Mag 120V
		D1	1x 13W Quad 120V
		M1	1x 13W Quad 277V

GLASS DECOR:



969452
Marble

943 Series

DAMP

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation




943007C

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable


9433:

3x 60W A19




9430:

3x 60W A19




9431:

2x 60W A19



9432:

1x 60W A19



Ordering:

9	4	3	3		C	-		
Fixture Style				Glass Decor		(Lamping Option)		
9433 19.0" Dia.				07	Opal	(blank)	Incandescent	
				39	Opal-Clear	A3	3x 9W Quad Mag 120V	
				52	Marble	B3	3x 13W Quad Mag 120V	
				71	White Raindrop	C3	3x 13W Twin Mag 120V	
						D2	2x 13W Quad 120V	
						E2	2x 18W Quad 120V	
						F2	2x 18W TBX 120V	
						H2	2x 26W Quad 120V	
						I2	2x 26W TBX 120V	
						K1	1x 32W TBX 120V	
						L1	1x 42W TBX 120V	
						M2	2x 13W Quad 277V	
						N2	2x 18W Quad 277V	
						O2	2x 18W TBX 277V	
						Q2	2x 26W Quad 277V	
						R2	2x 26W TBX 277V	
						T1	1x 32W TBX 277V	
						U1	1x 42W TBX 277V	

9	4	3	0		C	-		
Fixture Style				Glass Decor		(Lamping Option)		
9430 16.0" Dia.				07	Opal	(blank)	Incandescent	
				39	Opal-Clear	A3	3x 9W Quad Mag 120V	
				52	Marble	B3	3x 13W Quad Mag 120V	
				71	White Raindrop	C3	3x 13W Twin Mag 120V	
						D2	2x 13W Quad 120V	
						E2	2x 18W Quad 120V	
						F2	2x 18W TBX 120V	
						H2	2x 26W Quad 120V	
						I2	2x 26W TBX 120V	
						K1	1x 32W TBX 120V	
						L1	1x 42W TBX 120V	
						M2	2x 13W Quad 277V	
						N2	2x 18W Quad 277V	
						O2	2x 18W TBX 277V	
						Q2	2x 26W Quad 277V	
						R2	2x 26W TBX 277V	
						T1	1x 32W TBX 277V	
						U1	1x 42W TBX 277V	

9	4	3	1		C	-		
Fixture Style				Glass Decor		(Lamping Option)		
9431 12.5" Dia.				07	Opal	(blank)	Incandescent	
				39	Opal-Clear	A2	2x 9W Quad Mag 120V	
				52	Marble	B2	2x 13W Quad Mag 120V	
				71	White Raindrop	D1	2x 13W Quad 120V	
						E1	1x 18W Quad 120V	
						F1	1x 18W TBX 120V	
						I1	1x 26W TBX 120V	
						K1	1x 32W TBX 120V	
						M2	2x 13W Quad 277V	
						N1	1x 18W Quad 277V	
						O1	1x 18W TBX 277V	
						R1	1x 26W TBX 277V	
						T1	1x 32W TBX 277V	

9	4	3	2		C	-		
Fixture Style				Glass Decor		(Lamping Option)		
9432 10.0" Dia.				07	Opal	(blank)	Incandescent	
				39	Opal-Clear	A1	1x 9W Quad Mag 120V	
				52	Marble	B1	1x 13W Quad Mag 120V	
				71	White Raindrop	D1	1x 13W Quad 120V	
						M1	1x 13W Quad 277V	



07
Opal



39
Opal-Clear



52
Marble



71
White Raindrop

945 Series

- Handcrafted glass
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:


- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.




945007:

2x 60W A19 (or CFL options)



945107:

1x 60W A19 (or CFL options)



Ordering:

9	4	5	0	0	7	C	-		
Fixture/Decor Style						(Lamping Option)			
945007	Opal Ribbed					(blank)	Incandescent		
						A2	2x 9W Quad Mag 120V		
						B2	2x 13W Quad Mag 120V		
						D2	2x 13W Quad 120V		
						E1	1x 18W Quad 120V		
						F1	1x 18W TBX 120V		
						I1	1x 26W TBX 120V		
						K1	1x 32W TBX 120V		
						M2	2x 13W Quad 277V		
						N1	1x 18W Quad 277V		
						O1	1x 18W TBX 277V		
						R1	1x 26W TBX 277V		
						T1	1x 32W TBX 277V		

9	4	5	1	0	7	C	-		
Fixture/Decor Style						(Lamping Option)			
945107	Opal Ribbed					(blank)	Incandescent		
						A1	1x 9W Quad Mag 120V		
						B1	1x 13W Quad Mag 120V		
						D1	1x 13W Quad 120V		
						M1	1x 13W Quad 277V		

GLASS DECOR:



07
Opal Ribbed

930 Series

DAMP

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation



930004C



930155C


CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.


9300:

2x 60W A19 (or CFL options)



9301:

1x 60W A19 (or CFL options)




Ordering:

9 3 0 0	C	(Lamping Option)
Fixture Style	Glass Decor	
9300 12.0" Dia.	04 Frost/Clear	(blank) Incandescent
	55 Opal/Black	A2 2x 9W Quad Mag 120V
	99 Opal/Rust	B2 2x 13W Quad Mag 120V
		D2 2x 13W Quad 120V
		E1 1x 18W Quad 120V
		F1 1x 18W TBX 120V
		I1 1x 26W TBX 120V
		K1 1x 32W TBX 120V
		M2 2x 13W Quad 277V
		N1 1x 18W Quad 277V
		O1 1x 18W TBX 277V
		R1 1x 26W TBX 277V
		T1 1x 32W TBX 277V

9 3 0 1	C	(Lamping Option)
Fixture Style	Glass Decor	
9301 10.0" Dia.	04 Frost/Clear	(blank) Incandescent
	55 Opal/Black	A1 1x 9W Quad Mag 120V
	99 Opal/Rust	B1 1x 13W Quad Mag 120V
		D1 1x 13W Quad 120V
		M1 1x 13W Quad 277V

GLASS DECORS:



04
Frost/Clear



55
Opal/Black



99
Opal/Rust

9191 Series

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.

An attractive *crafted* angular pattern is crafted into this series of blown glass diffusers to create an enticing ceiling luminaire design.




919104C



919199C

9191:

1x 60W A19 (or CFL options)



Ordering:

Fixture/Decor Style		C - (Lamping Option)
919104	Frost/Clear	(blank) Incandescent
919155	Frost/Black	A1 1x 9W Quad Mag 120V
919199	Frost/Rust	B1 1x 13W Quad Mag 120V
		D1 1x 13W Quad 120V
		M1 1x 13W Quad 277V

GLASS DECORS:



919104
Frost/Clear



919155
Frost/Black



919199
Frost/Rust

9624 Series

DAMP

- Handcrafted glass
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation



962407C


CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable

For more information on compact fluorescent lamps and ballasts, see pages 256-259.

9624:

2x 60W A19 (or CFL options)



Ordering:



C

(Lamping Option)

Fixture/Decor Style	(blank)	(Lamping Option)
962407	Opal	A2 2x 9W Quad Mag 120V
962452	Marble	B2 2x 13W Quad Mag 120V
962459	Frost/Seedy	D2 2x 13W Quad 120V
		E1 1x 18W Quad 120V
		F1 1x 18W TBX 120V
		I1 1x 26W TBX 120V
		K1 1x 32W TBX 120V
		M2 2x 13W Quad 277V
		N1 1x 18W Quad 277V
		O1 1x 18W TBX 277V
		R1 1x 26W TBX 277V
		T1 1x 32W TBX 277V

GLASS DECORS:



962407
White



962452
Marble



962459
Frost-Seedy

888 Series

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable


For more information on compact fluorescent lamps and ballasts, see pages 256-259.

This series of ceiling luminaires is *ideal* for use in rooms that have humid conditions such as the bath or laundry. *(Note: Not for use inside shower areas)*




8883:

2x 60W A19 (or CFL options)



8884:

1x 60W A19 (or CFL options)




Ordering:

8	8	8	3			C	-		
Fixture Style			Glass Decor		(Lamping Option)				
8883	11.0" Sq.	07	Opal	(blank)	Incandescent				
		52	Marble	A2	2x 9W Quad Mag 120V				
		71	White Raindrop	B2	2x 13W Quad Mag 120V				
				D2	2x 13W Quad 120V				
				E1	1x 18W Quad 120V				
				F1	1x 18W TBX 120V				
				I1	1x 26W TBX 120V				
				K1	1x 32W TBX 120V				
				M2	2x 13W Quad 277V				
				N1	1x 18W Quad 277V				
		O1	1x 18W TBX 277V						
		R1	1x 26W TBX 277V						
		T1	1x 32W TBX 277V						

							-		
Fixture Style				Glass Decor		(Lamping Option)			
8884 9.0" Sq.				07	Opal		(blank)	Incandescent	
				52	Marble		A1	1x 9W Quad Mag 120V	
				71	White Raindrop		B1	1x 13W Quad Mag 120V	
							D1	1x 13W Quad 120V	
							M1	1x 13W Quad 277V	

GLASS DECORS:



932 Series

DAMP

- Handcrafted glasses
- Aluminum fitter
- Set-screw mounting
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior or exterior use (Damp Location Listed)*
- Dimmable with standard incandescent dimmer
- 90°C supply wire required

* Exterior damp locations protected from direct precipitation



932052C



932038C

CFL Options:

- Variety of energy-efficient wattage options
- Electronic or magnetic ballast
- Lamps not included
- Non-dimmable


For more information on compact fluorescent lamps and ballasts, see pages 256-259.

distinguished

These ceiling luminaires are distinguished by unique, blown glass “tear drop” diffusers.


9320:

3x 60W A19 (or CFL options)



9321:

2x 60W A19 (or CFL options)



Ordering:

9 3 2 0	C	-		
Fixture Style	Glass Decor	(Lamping Option)		
9320 16.0" Dia.	38 Latte	(blank) Incandescent		
	52 Marble	A3 3x 9W Quad Mag 120V		
	60 Aurora	B3 3x 13W Quad Mag 120V		
		C3 3x 13W Twin Mag 120V		
		D2 2x 13W Quad 120V		
		E2 2x 18W Quad 120V		
		F2 2x 18W TBX 120V		
		H2 2x 26W Quad 120V		
		I2 2x 26W TBX 120V		
		K1 1x 32W TBX 120V		
		L1 1x 42W TBX 120V		
		M2 2x 13W Quad 277V		
		N2 2x 18W Quad 277V		
		O2 2x 18W TBX 277V		
		Q2 2x 26W Quad 277V		
		R2 2x 26W TBX 277V		
		T1 1x 32W TBX 277V		
		U1 1x 42W TBX 277V		

9 3 2 1	C	-		
Fixture Style	Glass Decor	(Lamping Option)		
9321 12.0" Dia.	38 Latte	(blank) Incandescent		
	52 Marble	A2 2x 9W Quad Mag 120V		
	60 Aurora	B2 2x 13W Quad Mag 120V		
		D2 2x 13W Quad 120V		
		E1 1x 18W Quad 120V		
		F1 1x 18W TBX 120V		
		I1 1x 26W TBX 120V		
		K1 1x 32W TBX 120V		
		M2 2x 13W Quad 277V		
		N1 1x 18W Quad 277V		
		O1 1x 18W TBX 277V		
		R1 1x 26W TBX 277V		
		T1 1x 32W TBX 277V		

GLASS DECORS:



38
Latte



52
Marble



60
Aurora

TG Series

- Handcrafted glasses
- 120V Medium-base lampholders
- 60W Max. A19 lamps *(Not included)*
- Interior use only (Damp Location Listed)
- Bronze (BR) or Satin Nickel (SN) metal finish
- Dimmable with standard incandescent dimmer
- 75°C supply wire required

Designed for ceiling applications, these elegant luminaires may also be wall mounted.




4TG-417107-SN




3TG-417107-BR

4TG:

4x 60W A19 Lamps

**3TG:**

3x 60W A19 Lamps



Ordering:

3 T G - - - - -		
Fixture Style	Glass Decor	Metal Finish
3TG 3x 60W A19	417007 White	BR Bronze
	417078 White Crackle	SN Satin Nickel

4 T G - - - - -		
Fixture Style	Glass Decor	Metal Finish
4TG 4x 60W A19	417107 White	BR Bronze
	417178 White Crackle	SN Satin Nickel

GLASS DECORS:




METAL FINISHES:



1SC Riva

- Handcrafted glasses
- Suitable for sloped ceilings
- 120V Medium-base lampholder
- 100W Max. A19 lamp *(Not included)*
- Interior use only (Damp Location Listed)
- Bronze (BR) or Satin Nickel (SN) metal finish




1SC-751080-SN

Ordering:

1 S C -											
Fixture Style		Glass Decor								Metal Finish	
1SC	1 Light	751007	Opal Matte							BR	Bronze
		751008	Wheat							SN	Satin Nickel
		751035	Lime								
		751052	Marble								
		751080	Amber								
		751087	Blue								
		7510CH	Cherry								
		7510MG	Marble Grigio								
		75100K	Oak								
		7510SL	Solare								
		7510TN	Titan								

METAL FINISHES:



BR Bronze




SN Satin Nickel

GLASS DECORS:



751007
Opal Matte




751008
Wheat



751035
Lime




751052
Marble



751080
Amber




751087
Blue




7510CH
Cherry



7510MG
Marble Grigio



75100K
Oak



7510SL
Solare




7510TN
Titan

1SC Lucia

DAMP

- Handcrafted glasses
- Suitable for sloped ceilings
- 120V Medium-base lampholder
- 100W Max. A19 lamp (*Not included*)
- Interior use only (Damp Location Listed)
- Bronze (BR) or Satin Nickel (SN) metal finish




1SC-169707-SN

Ordering:

	1	S	C	-						-			
	Fixture Style				Glass Decor						Metal Finish		
	1SC	1 Light			169707	Opal Matte						BR	Bronze
					169708	Wheat						SN	Satin Nickel
					169718	Amber Cloud							
					169741	Garnet							
					169744	Orca							
					169768	White Cloud							
					169786	Blue Cloud							
					1697AM	Apricot Matte							
					1697CH	Cherry							
					1697CM	Cobalt Blue Matte							
					1697FC	Fiero							
					1697GM	Armagnac Matte							
					1697GW	Armagnac Wavy							
					1697MG	Marble Grigio							
					1697OK	Oak							
					1697QM	Aqua Matte							
					1697TN	Titan							
					1697VM	Vanilla Matte							

GLASS DECORS:




METAL FINISHES:



1SC Vila

DAMP

- Handcrafted glasses
- Suitable for sloped ceilings
- 120V Medium-base lampholder
- 100W Max. A19 lamp *(Not included)*
- Interior use only (Damp Location Listed)
- Bronze (BR) or Satin Nickel (SN) metal finish



1SC-447018-SN

Ordering:

1 S C - - - - -			
Fixture Style	Glass Decor	Metal Finish	
1SC 1 Light	447007 Opal Matte	BR	Bronze
	447009 Java	SN	Satin Nickel
	447018 Amber Cloud		
	447019 Carrera		
	447036 White Swirl		
	447041 Garnet		
	447045 Granite		
	447046 Linen		
	447054 Zebra		
	447063 Jewel		
	447068 White Cloud		
	447083 Blue Swirl		
	447086 Blue Cloud		
	447089 Opal-Frost		
	447096 Confetti		
	4470CH Cherry		
	4470HB Habanero		
	4470HV Halva		
	4470MA Magma		
	4470MG Marble Grigio		
	4470OK Oak		
	4470TN Titan		

GLASS DECORS:



METAL FINISHES:

