



SYSTEMS

MonoLine Open System Components

Project: _____

Fixture Type: _____

Location: _____

Contact/Phone: _____

ML4 MonoLine 4 Foot Rail Section (Includes Two MLE)



PRODUCT DESCRIPTION

Hand bendable aluminum core track. 20 amp max.
End caps included.
13/16" Height 48" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
ML4	STN	ML4-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

ML8 MonoLine 8 Foot Rail Section (Includes Two MLE)



PRODUCT DESCRIPTION

Hand bendable aluminum core track. 20 amp max.
End caps included.
13/16" Height 96" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
ML8	STN	ML8-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLE Monoline Standard End Cap (Set of 2)



PRODUCT DESCRIPTION

For MonoLine Track Section. Installs with MonoLine Track.
13/16" Height 1/4" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLE	CLR	MLE-CLR
	CLR Clear	
	BLK Black	

MLE2 Monoline Decorative End Cap (Set of 2)



PRODUCT DESCRIPTION

For MonoLine Track Section. Installs over MLE end cap
supplied with MonoLine Track.
7/8" Height 11/16" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLE2	STN	MLE2-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLJ1 MonoLine Conductive Straight Joiner



PRODUCT DESCRIPTION

Mechanically joins and carries current from one track
section to another. 20 amp max. Adds 1/2" length between
track sections.
1-1/4" Height 1-7/8" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ1	STN	MLJ1-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLJ2 MonoLine Non-Conductive Straight Joiner



PRODUCT DESCRIPTION

Mechanically joins one track section to another. Adds 1/2"
length between track sections.
1-1/4" Height 1-7/8" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ2	STN	MLJ2-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



SYSTEMS

MonoLine Open System Components

MLJ3 MonoLine Conductive Flexible Joiner



PRODUCT DESCRIPTION

Joins two track sections at various angles. Carries current from one track section to another. 20 amp max.

8-1/8" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ3	STN	MLJ3-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLJ4 MonoLine Conductive Hinged "L" Joiner



PRODUCT DESCRIPTION

Adjusts from straight to 90° angle. Mechanically connects and carries current from one section to another. 20 amp max.

2-3/16" Offset

ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ4	STN	MLJ4-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS1 MonoLine Standard Stem Support for Rigid Ceilings



PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Order "RSE" Extensions to increase length if necessary.

5-1/4" Overall Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS1	STN	MLS1-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS2 MonoLine Standard Stem Support for T-Bar Ceilings



PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Order "RSE" Extensions to increase length if necessary.

5-1/4" Overall Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS2	STN	MLS2-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS3 MonoLine Cable Support



PRODUCT DESCRIPTION

Single screw mounting to ceiling. 12' aircraft cable. Easily adjusts with set screw.

12' Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS3	STN	MLS3-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS10 MonoLine Conductive Connecting Support for Rigid Ceilings



PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Mechanically joins and carries current from one track section to another. 20 amp max. Adds 1/2" length between track sections. Order "RSE" Extensions to increase length if necessary.

5" Height 1-7/8" Length

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS10	STN	MLS10-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



SYSTEMS

MonoLine Open System Components

MLS11 MonoLine Non-Conductive Connecting Support for Rigid Ceilings



PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Mechanically joins one track section to another. Adds 1/2" length between track sections. Order "RSE" Extensions to increase length if necessary. **1-7/8" Length**

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS11	STN	MLS11-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS50 MonoLine Sloped Ceiling Support



PRODUCT DESCRIPTION

Includes 12" stem. "RSE" Extensions may be required, order separately. Custom lengths can be ordered pre-assembled. Consult factory.

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS50	STN	MLS50-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS30 MonoLine Conductive Connecting Cable Support



PRODUCT DESCRIPTION

Single screw mounting to ceiling. 10' aircraft cable. Mechanically joins and carries current from one track section to another. 20 amp max. Adds 1/2" length between track sections. Easily adjusts with set screw. **12'**

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS30	STN	MLS30-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS31 MonoLine Non-Conductive Connecting Cable Support



PRODUCT DESCRIPTION

Single screw mounting to ceiling. 10' aircraft cable. Mechanically joins one track section to another. Adds 1/2" length between track sections. Easily adjusts with set screw. **12'**

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS31	STN	MLS31-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLS64 MonoLine Wall End Support



PRODUCT DESCRIPTION

Supports MonoLine termination to a perpendicular wall. **4 1/2" Diameter Canopy**

ORDERING INFORMATION

Model	Hardware Finish	Example
MLS64	STN	MLS64-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP164 MonoLine End Power Feed



PRODUCT DESCRIPTION

Mounts over J-box. Allows end feed from wall. 20 amp max. **4 1/2" Diameter Canopy**

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP164	STN	MLP164-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



SYSTEMS

MonoLine Open System Components

MLP104 MonoLine 4 Foot Floating Power Feed



PRODUCT DESCRIPTION

Powers system at any point along the track. Flexible cable shield protects wiring. Mounts over J-Box. Field cuttable to length. 20 amp max.

48" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP104	STN	MLP104-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP112 MonoLine 12 Foot Floating Power Feed



PRODUCT DESCRIPTION

Powers system at any point along the track. Flexible cable shield protects wiring. Mounts over J-Box. Field cuttable to length. 20 amp max.

144" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP112	STN	MLP112-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP140 MonoLine Standard Stem Power Feed



PRODUCT DESCRIPTION

Mounts Track at standard 5" offset. Mounts over J-Box. 20 amp max.

5" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP140	STN	MLP140-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP142 MonoLine 12" Power Feed



PRODUCT DESCRIPTION

Field cuttable to length. 20 amp max.

12" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP142	STN	MLP142-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP144 MonoLine 24" Power Feed



PRODUCT DESCRIPTION

Field cuttable to length. 20 amp max.

24" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP144	STN	MLP144-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP146 MonoLine 36" Power Feed



PRODUCT DESCRIPTION

Field cuttable to length. 20 amp max.

36" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP146	STN	MLP146-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



SYSTEMS

MonoLine Open System Components

MLP148 MonoLine 48" Power Feed



PRODUCT DESCRIPTION

Field cuttable to length. 20 amp max.
48" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP148	STN	MLP148-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP150 MonoLine Sloped Ceiling Power Feed



PRODUCT DESCRIPTION

12" length—field cuttable. 20 amp max. Mounts over J-Box. Can be extended up to 48" with RSF-EXT. (Order separately).

12" Length 4 1/2" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP150	STN	MLP150-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP242 MonoLine Dual 12" Power Feed



PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Field cuttable to length. 2 x 20 amp max.
12" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP242	BRZ	MLP242-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP244 MonoLine Dual 24" Power Feed



PRODUCT DESCRIPTION

With 24" offset. Mounts over J-Box. Field cuttable to length. 2 x 20 amp max.
24" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP244	BRZ	MLP244-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP246 MonoLine Dual 36" Power Feed



PRODUCT DESCRIPTION

With 36" offset. Mounts over J-Box. Field cuttable to length. 2 x 20 amp max.
36" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP246	BRZ	MLP246-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP248 MonoLine Dual 48" Power Feed



PRODUCT DESCRIPTION

With 48" offset. Mounts over J-Box. Field cuttable to length. 2 x 20 amp max.
48" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP248	BRZ	MLP248-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



SYSTEMS

MonoLine Open System Components

MLP342 MonoLine Triple 12" Power Feed



PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Field cuttable to length. 3 x 20 amp max.

12" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP342	BRZ	MLP342-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLP442 MonoLine Quad 12" Power Feed



PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Field cuttable to length. 4 x 20 amp max.

12" Length 6" Diameter Canopy

ORDERING INFORMATION

Model	Hardware Finish	Example
MLP442	STN	MLP442-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

MLTQJ75 MonoLine QJS Transformer Adapter



PRODUCT DESCRIPTION

12V, 75W electronic transformer. For all QJS fixtures/pendants using the Quick Jack connector.

4-5/16" Overall Height 2-1/16" Width

ORDERING INFORMATION

Model	Hardware Finish	Example
MLTQJ75	STN	MLTQJ75-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

RSE Support Extensions



PRODUCT DESCRIPTION

Field cuttable. Multiple units can be coupled together with RSJ connector (order separately). Use with MLS1, MLS2, MLS10, MLS11 or MLS50 supports.

ORDERING INFORMATION

Model	Hardware Finish	Example
RSE-12	STN	RSE-12-STN
RSE-12 12" Length	BRZ Vintage Bronze	
RSE-24 24" Length	CHR Chrome	
RSE-36 36" Length	STN Satin Nickel	
RSE-48 48" Length		

MLF-EXT Power Feed Extensions



PRODUCT DESCRIPTION

Field cuttable.

ORDERING INFORMATION

Model	Hardware Finish	Example
RSF-EXT12	STN	MLF-EXT12-STN
MLF-EXT12 12" Length	BRZ Vintage Bronze	
MLF-EXT24 24" Length	CHR Chrome	
MLF-EXT36 36" Length	STN Satin Nickel	
MLF-EXT48 48" Length	WHT White	

Monoline system is UL listed for use in the U.S. and Canada.