



# SYSTEMS

## MonoLine Open System Components

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Location: \_\_\_\_\_

Contact/Phone: \_\_\_\_\_

### ML4 MonoLine 4 Foot Rail Section (Includes Two MLE)



#### PRODUCT DESCRIPTION

Hand bendable aluminum core track. 20 amp max.  
End caps included.  
**13/16" Height 48" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
ML4	STN	ML4-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### ML8 MonoLine 8 Foot Rail Section (Includes Two MLE)



#### PRODUCT DESCRIPTION

Hand bendable aluminum core track. 20 amp max.  
End caps included.  
**13/16" Height 96" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
ML8	STN	ML8-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLE Monoline Standard End Cap (Set of 2)



#### PRODUCT DESCRIPTION

For MonoLine Track Section. Installs with Monoline Track.  
**13/16" Height 1/4" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLE	CLR	MLE-CLR
	CLR Clear	
	BRZ Vintage Bronze	

### MLE2 Monoline Decorative End Cap (Set of 2)



#### PRODUCT DESCRIPTION

For MonoLine Track Section. Installs over MLE end cap  
supplied with Monoline Track.  
**7/8" Height 11/16" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLE2	STN	MLE2-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLJ1 MonoLine Conductive Straight Joiner



#### PRODUCT DESCRIPTION

Mechanically joins and carries current from one track  
section to another. 20 amp max. Adds 1/2" length between  
track sections.  
**1-1/4" Height 1-7/8" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ1	STN	MLJ1-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLJ2 MonoLine Non-Conductive Straight Joiner



#### PRODUCT DESCRIPTION

Mechanically joins one track section to another. Adds 1/2"  
length between track sections.  
**1-1/4" Height 1-7/8" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLJ2	STN	MLJ2-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



# SYSTEMS

## MonoLine Open System Components

### MLJ3 MonoLine Conductive Flexible Joiner



#### PRODUCT DESCRIPTION

Joins two track sections at various angles. Carries current from one track section to another. 20 amp max.  
**8-1/8" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLJ3</b>	<b>STN</b>	<b>MLJ3-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	

### MLJ4 MonoLine Conductive Hinged "L" Joiner



#### PRODUCT DESCRIPTION

Adjusts from straight to 90° angle. Mechanically connects and carries current from one section to another. 20 amp max.  
**2-3/16" Offset**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLJ4</b>	<b>STN</b>	<b>MLJ4-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	

### MLS1 MonoLine Standard Stem Support for Rigid Ceilings



#### PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Order "RSE" Extensions to increase length if necessary.  
**5-1/4" Overall Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLS1</b>	<b>STN</b>	<b>MLS1-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	

### MLS2 MonoLine Standard Stem Support for T-Bar Ceilings



#### PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Order "RSE" Extensions to increase length if necessary.  
**5-1/4" Overall Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLS2</b>	<b>STN</b>	<b>MLS2-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	

### MLS3 MonoLine Cable Support



#### PRODUCT DESCRIPTION

Single screw mounting to ceiling. 12' aircraft cable. Easily adjusts with set screw.  
**12' Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLS3</b>	<b>STN</b>	<b>MLS3-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	

### MLS10 MonoLine Conductive Connecting Support for Rigid Ceilings



#### PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Mechanically joins and carries current from one track section to another. 20 amp max. Adds 1/2" length between track sections. Order "RSE" Extensions to increase length if necessary.  
**5" Height 1-7/8" Length**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
<b>MLS10</b>	<b>STN</b>	<b>MLS10-STN</b>
	<b>WHT</b> White	
	<b>STN</b> Satin Nickel	
	<b>BRZ</b> Vintage Bronze	



# SYSTEMS

## MonoLine Open System Components

### MLS11 MonoLine Non-Conductive Connecting Support for Rigid Ceilings

#### PRODUCT DESCRIPTION

Supports MonoLine at standard 5" system height. Mechanically joins one track section to another. Adds 1/2" length between track sections. Order "RSE" Extensions to increase length if necessary. **1-7/8" Length**



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS11	STN	MLS11-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLS50 MonoLine Sloped Ceiling Support

#### PRODUCT DESCRIPTION

Includes 12" stem. "RSE" Extensions may be required, order separately. Custom lengths can be ordered pre-assembled. Consult factory.



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS50	STN	MLS50-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLS30 MonoLine Conductive Connecting Cable Support

#### PRODUCT DESCRIPTION

Single screw mounting to ceiling. 12' aircraft cable. Mechanically joins and carries current from one track section to another. 20 amp max. Adds 1/2" length between track sections. Easily adjusts with set screw. **12'**



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS30	STN	MLS30-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLS31 MonoLine Non-Conductive Connecting Cable Support

#### PRODUCT DESCRIPTION

Single screw mounting to ceiling. 12' aircraft cable. Mechanically joins one track section to another. Adds 1/2" length between track sections. Easily adjusts with set screw. **12'**



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS31	STN	MLS31-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLS64 MonoLine Wall End Support

#### PRODUCT DESCRIPTION

Supports MonoLine termination to a perpendicular wall. **4 1/2" Diameter Canopy**



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS64	STN	MLS64-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP164 MonoLine End Power Feed

#### PRODUCT DESCRIPTION

Mounts over J-box. Allows end feed from wall. 20 amp max. **4 1/2" Diameter Canopy**



#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLS164	STN	MLS164-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



# SYSTEMS

## MonoLine Open System Components

### MLP104 MonoLine 4 Foot Floating Power Feed



#### PRODUCT DESCRIPTION

Powers system at any point along the track. Flexible cable shield protects wiring. Mounts over J-Box. Field cuttable to length. 20 amp max.

**48" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP104	STN	MLP104-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP112 MonoLine 12 Foot Floating Power Feed



#### PRODUCT DESCRIPTION

Powers system at any point along the track. Flexible cable shield protects wiring. Mounts over J-Box. Field cuttable to length. 20 amp max.

**144" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP112	STN	MLP112-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP140 MonoLine Standard Stem Power Feed



#### PRODUCT DESCRIPTION

Mounts Track at standard 5" offset. Mounts over J-Box. Length cannot be extended. 20 amp max.

**5" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP140	STN	MLP140-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP142 MonoLine Long Stem Power Feed



#### PRODUCT DESCRIPTION

Field cuttable to length. Can be extended up to 48" with MLF-EXT. 20 amp max.

**12" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP142	STN	MLP142-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP144 MonoLine Long Stem Power Feed



#### PRODUCT DESCRIPTION

Field cuttable to length. Can be extended up to 48" with MLF-EXT. 20 amp max.

**24" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP144	STN	MLP144-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP146 MonoLine Long Stem Power Feed



#### PRODUCT DESCRIPTION

Field cuttable to length. Can be extended up to 48" with MLF-EXT. 20 amp max.

**36" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP146	STN	MLP146-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



# SYSTEMS

## MonoLine Open System Components

### MLP148 MonoLine Long Stem Power Feed



#### PRODUCT DESCRIPTION

Field cuttable to length. Can be extended up to 48" with MLF-EXT. 20 amp max.  
**48" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP148	STN	MLP148-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP150 MonoLine Sloped Ceiling Power Feed



#### PRODUCT DESCRIPTION

12" length—field cuttable. 20 amp max. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. (Order separately).  
**12" Length 4 1/2" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP150	STN	MLP150-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP242 MonoLine Dual Power Feed



#### PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 2 x 20 amp max.  
**12" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP242	BRZ	MLP242-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP244 MonoLine Dual Power Feed



#### PRODUCT DESCRIPTION

With 24" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 2 x 20 amp max.  
**24" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP244	BRZ	MLP244-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP246 MonoLine Dual Power Feed



#### PRODUCT DESCRIPTION

With 36" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 2 x 20 amp max.  
**36" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP246	BRZ	MLP246-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP248 MonoLine Dual Power Feed



#### PRODUCT DESCRIPTION

With 48" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 2 x 20 amp max.  
**48" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP248	BRZ	MLP248-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	



# SYSTEMS

## MonoLine Open System Components

### MLP342 MonoLine Triple Power Feed



#### PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 3 x 20 amp max.

**12" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP342	BRZ	MLP342-BRZ
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLP442 MonoLine Quad Power Feed



#### PRODUCT DESCRIPTION

With 12" offset. Mounts over J-Box. Can be extended up to 48" with MLF-EXT. Field cuttable to length. 4 x 20 amp max.

**12" Length 6" Diameter Canopy**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLP442	STN	MLP442-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLTQJ75 MonoLine QJS Transformer Adapter



#### PRODUCT DESCRIPTION

12V, 75W electronic transformer. For all QJS fixtures/pendants using the Quick Jack connector.

**4-5/16" Overall Height 2-1/16" Width**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLTQJ75	STN	MLTQJ75-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### MLTQJL75 MonoLine LED QJS Transformer Adapter



NEW

#### PRODUCT DESCRIPTION

12V, 60W electronic transformer. For all LED QJS fixtures/pendants using the Quick Jack connector.

**4-5/16" Overall Height 2-1/16" Width**

#### ORDERING INFORMATION

Model	Hardware Finish	Example
MLTQJL75	STN	MLTQJL75-STN
	WHT White	
	STN Satin Nickel	
	BRZ Vintage Bronze	

### RSE Support Extensions



#### PRODUCT DESCRIPTION

Field cuttable. Multiple units can be coupled together with RSJ connector (order separately). Use with ARJ06, ARJ06R, ARRW5, ARJ10 or ARJ11 joiners.

#### ORDERING INFORMATION

Model	Hardware Finish	Example
RSE-12	STN	RSE-12-STN
RSE-12	BRZ Vintage Bronze	
RSE-24	CHR Chrome	
RSE-36	STN Satin Nickel	
RSE-48		

### RSF-EXT Power Feed Extensions



#### PRODUCT DESCRIPTION

Field cuttable.

#### ORDERING INFORMATION

Model	Hardware Finish	Example
RSF-EXT12	STN	RSF-EXT12-STN
RSF-EXT12	BRZ Vintage Bronze	
RSF-EXT24	CHR Chrome	
RSF-EXT36	STN Satin Nickel	
RSF-EXT48		

MonoLine system is UL listed for use in the U.S. and Canada.