Product Specifications Report



Job Name:	Job Type:
Comments:	Quantity:

Product Number: 1105



1105 - Incandescent Non-IC Recessed Housing

Non-IC 4" Housing New Construction

Adjustable Socket Plate: Adjustable socket assembly provides flexibility in lampting options and precise lamp placement with various trims

Bar Hanger: Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation.

Bar Hanger Locking Tabs: Squeeze tabs with pliers to lock bar hangers in place.

Housing Adjustment: Housing adjusts vertically for various ceiling thicknesses.

Quick Hit: Integral captive nails included and positioned for fast, easy installation.

Junction Box with Integral Romex Connector: Junction box with integral romex connector, quick-push and lock connector and through circuit wiring with 4 in, 4 out #12 wire, saves installation time

Safe - Thermally Protected/Listed for Damp Location: Non-IC housings are approved for use where insulation is kept at least 3" away from housing.

UPC #: 785652110504 Product Type: Recessed

Light

Dimensions:

Diameter: 4 1/4" Switch Type: N/A

Length: 13 1/2" Mounting Proc.: Other

Width: 5 1/4"

Height: 5 5/8"

Material List:

1 Housing - Steel - Raw Steel

Saftey Listing:

cUL Listed for Damp Locations / Non-IC UL Listed for Damp Locations / Non-IC

Instruction Sheets

English (A-725L)

Trim



11090AT-15

4" Pin Hole Trim

White Aluminum Reflector White Steel Trim Maximum Wattage: 35w Par20



11091AT-15

4" Wall Wash Trim

White Steel Baffle White Aluminum Reflector White Steel Trim Maximum Wattage: 35w Par20



11092AT-15

4" Shower Trim

Frosted Glass Glass White Aluminum Reflector White Aluminum Trim Maximum Wattage: 35w Par20 Suitable For Shower Light



11094AT-14

4"pen Shower Trim

White Trim / Baffle Aluminum Trim Maximum Wattage: 50w Par20 Suitable For Shower Light



1152AT-15

Recessed Trim

Frosted Glass Glass Polished Aluminum Aluminum Reflector White Steel Trim Maximum Wattage: 35w Par20 Suitable For Shower Light



1153AT-15

Recessed Trim

Clear Glass Glass Polished Aluminum Aluminum Reflector White Steel Trim Maximum Wattage: 35w Par20 Suitable For Shower Light



1156AT-14

Recessed Trim

White Trim / Baffle Steel Baffle White Steel Trim Maximum Wattage: 50w Par20



1156AT-15

Recessed Trim

Black Steel Baffle White Steel Trim Maximum Wattage: 50w Par20



1162AT-14

Recessed Trim

White Trim / Baffle Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 50w Par20



1162AT-172

4" Multiplier Trim

Antique Bronze - White Aluminum Reflector White Steel Trim Maximum Wattage: 50w Par20



1162AT-19

Recessed Trim

Metallic Gold Aluminum Baffle White Aluminum Trim Maximum Wattage: 50w Par20



1162AT-22

Recessed Trim

Polished Aluminum Aluminum Baffle White Aluminum Trim Maximum Wattage: 50w Par20



1162AT-71

4" Multiplier Trim

Antique Bronze Aluminum Reflector Antique Bronze Steel Trim Maximum Wattage: 50w Par20



1162AT-849

4" Multiplier Trim

Satin Nickel Aluminum Reflector Satin Nickel Steel Trim Maximum Wattage: 50w Par20



1162AT-861

4" Multiplier Trim

Satin Nickel - White Aluminum Reflector White Steel Trim Maximum Wattage: 50w Par20



1166AT-15

Single-Light Recessed Tri

White Steel Housing White Steel Trim Maximum Wattage: 50w Par20

Package Type	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship	Label
Individual	1	785652110504	14.38	7.5	5.58	0.348	2.75	Yes	
Master Pack	6	10785652110501	20.38	17.38	6.75	1.384	18.7	Yes	A M-1
NJ Pallet	336		48	40	72	80	1048	No	
NV Pallet	336		48	40	72	80	1048	No	