

# CASABLANCA<sup>®</sup> FAN COMPANY

2010 PRODUCT CATALOG





## THE CASABLANCA DIFFERENCE

Casablanca Fan Company, maker of the World's Finest Ceiling Fans,<sup>™</sup> is dedicated to bringing consumers Quality in Every Detail.<sup>™</sup> Each Casablanca fan is created with an eye for timeless design, assembled with care from the highest quality parts, and engineered for superior energy efficiency, to be a classic fixture in the home that is enjoyed for generations.

Casablanca products represent the successful synergy of elegance, versatility, efficiency, endurance, and comfort. Our goal is guaranteed satisfaction in our long-term relationships with customers, which is why we offer the most comprehensive warranty and service programs in the industry.

**INTR DU TI N**

- What's New . . . . . 2-3
- Comprehensive Warranty . . . . . 4
- Why Buy a Ceiling Fan? . . . . . 5
- All Ceiling Fans Are Not Created Equal . . . . . 6-7
- Quality in Every Detail . . . . . 8-9
- The " LP High-Performance Motor . . . . . 10

**FANS**

**ANDELIER** . . . . . 13

Candelier . . . . . 14

**NTE RAR** . . . . . 15

- Vita . . . . . 16-17
- Stealth . . . . . 18-19
- Star . . . . . 20
- Starlet . . . . . 21
- Modena II . . . . . 22
- Malibu Star . . . . . 23
- S3 . . . . . 24
- Verrazano . . . . . 25
- Le Grande . . . . . 26
- Trident . . . . . 27

**ERI D DE RS E IFI** . . . . . 28

- Marrakesh . . . . . 29
- Wilderness Collection . . . . . 30-31
- Key Largo II . . . . . 32
- Seacoast . . . . . 33
- Mission . . . . . 34
- 19th Century . . . . . 35
- New Orleans Centennial . . . . . 36
- Victorian . . . . . 37
- Barolo . . . . . 38
- Reverie . . . . . 39
- La Fleur . . . . . 40
- Bungalow . . . . . 41
- Cottage . . . . . 42

**TRANSITI NAL** . . . . . 43

- Holliston . . . . . 44-45
- Veneto . . . . . 46
- Alessandria . . . . . 47
- Whitman . . . . . 48-49
- Bel Air . . . . . 50
- Bel Air Halo . . . . . 51
- Serra . . . . . 52
- Siena . . . . . 53
- Academy . . . . . 54
- Academy Gallery . . . . . 55
- Brescia . . . . . 56-57
- Metropolitan . . . . . 58

**L R FILE** . . . . . 59

- Isotope . . . . . 60-61
- Vermont . . . . . 62
- Silhouette II . . . . . 63
- Four Seasons III Hugger . . . . . 64

**TRADITI NAL** . . . . . 65

- Panama . . . . . 66-67
- Panama Halo . . . . . 68
- Ventura . . . . . 69
- Concentra . . . . . 70
- Capistrano . . . . . 71
- Four Seasons III . . . . . 72
- Four Seasons III Gallery . . . . . 73

**IND R UTD R** . . . . . 74

- Heritage . . . . . 76-77
- Atria . . . . . 78
- Continental . . . . . 79
- Twain . . . . . 80
- Cottage Wet . . . . . 81
- Lanai . . . . . 82
- Estrada . . . . . 83
- Utopian . . . . . 84
- Panama Damp . . . . . 85
- Wailea . . . . . 86
- Four Seasons III Outsider . . . . . 87

**RTA LE** . . . . . 88

- Øephair . . . . . 89-90

**ACCESSORIES**

**LADES**

- Badge-Style . . . . . 93
- Standard-Style . . . . . 94
- All-Weather . . . . . 95
- South Seas Collection . . . . . 96
- Avalon Blade System . . . . . 97
- Beadboard Collection . . . . . 98
- Carved Wood Collection . . . . . 99

**LIGHT FIXTURES AND GLASS**

- Concert Breeze Light Fixture . . . . . 100-101
- Complete Light Fixtures . . . . . 102-104
- Socket-Ring Light Fixtures: Fitters / Glass . . . . . 104-105
- Bowl Light Fixtures: Fitters / Bowls . . . . . 106
- Low-Profile Light Fixtures: Fitters / Glass . . . . . 107
- Thumbscrew Light Fixtures: Fitters / Glass . . . . . 108-111
- Shade Light Fixtures: Fitters / Shades . . . . . 112

**SPECIFICATIONS REFERENCE CHARTS**

- Light Fixture Ø Bulb Specifications . . . . . 115
- Light Fixture Compatibility Ø Dimensions . . . . . 116
- Hanging System . . . . . 117
- Control Options . . . . . 118-119
- Fan Finishes . . . . . 120
- Model Number Reference Chart . . . . . 121-123
- Blade Selection Chart . . . . . 124
- Blade Finishes . . . . . 125
- Product Specifications . . . . . 126

**2010 FAN AND BLADE INDEX**

- By Model Number . . . . . 127-128
- In Alphabetical Order . . . . . 129-130

LEGEND		
<b>SPECIAL FEATURES</b>	<b>BLADES</b>	<b>LIGHTING</b>
Includes " LP Motor 	Compatible with Badge-Style Blades 	Includes Uplight or Accent Light 
ENERGY STAR® qualified 	Compatible with Standard-Style Blades 	Includes Downlight 
	Compatible with Exclusive Blades 	





Veneto  
(See pages 46 for details)

# WHAT'S NEW

Casablanca's latest introductions include ceiling fans in every design category, complementing the full spectrum of architectural styles.

Looking for a dramatic focal point for your entry hall? Been thinking about updating the lighting in your office with a contemporary fixture? How about extending the comfort of your home to outdoor or humid living spaces with a fan designed for wet or damp environments? Casablanca has the answer, with 16 new energy-efficient ceiling fans in an array of timeless styles that will add a breath of fresh air to every room of your home — indoors and out.



Starlet  
(See page 21 for details)

Star  
(See page 20 for details)



Key Largo II  
(See page 32 for details)




Isotope  
(See pages 60-61 for details)



Academy Gallery  
(See pages 55 for details)



Modena II  
(See page 22 for details)



Holliston  
(See pages 44-45 for details)

# YES, OUR WARRANTY DOES INCLUDE HOUSE CALLS.



## EVERY CASABLANCA FAN IS BACKED BY 120-DAY IN-HOME SERVICE

Should your Casablanca fan not meet your satisfaction, we will send a trained representative to your home to service it.

Simply call us at 1-800-715-0393 for referral to your local Authorized Service Center. If In-Home Service is not available in your area, Casablanca offers pre-paid freight to make it easy for you to send the fan to the Casablanca Factory Service Center. It will be repaired and returned to you at no charge.

Casablanca's Comprehensive Warranty, the most extensive in the ceiling fan industry, also includes:

### LIFETIME MOTOR WARRANTY

All Casablanca fan motors, even on Damp- and Wet-rated models, are guaranteed for life.

### ONE-YEAR PARTS AND ELECTRONICS WARRANTY

Each fan includes a one-year warranty on finish, component parts, accessories, and electronics.

WITH THIS EXTENSIVE COVERAGE, YOU CAN ENJOY THE BEAUTY, QUALITY, AND PERFORMANCE OF YOUR CASABLANCA PRODUCTS FOR DECADES TO COME.



## U A CEILING FAN

In today's environment of increased energy consciousness, quality design also mandates greater efficiency. With this in mind, Casablanca is dedicated to creating fans that work smarter, not harder, so that each element is fine-tuned to contribute to overall savings in energy costs. The powerful Casablanca motors move more cubic feet of air per minute (CFM) while using significantly less energy. Fan blades are set at the optimum pitch to provide maximum airflow at each speed setting. Even at the highest setting, each fan consumes about the same amount of power as a 100-watt lightbulb. Furthermore, a large number of Casablanca fans are ENERGY STAR® qualified and provide even greater energy efficiency (look for the ENERGY STAR logo throughout this catalog). Consumers can realize additional savings on energy costs by using the forward and reverse settings, which allow for increased circulation of air in the summer and winter. Better yet, consumers can save up to 40 percent on cooling costs and 10 percent on heating costs by operating a Casablanca fan year-round. Whoever said getting the utility bill had to be a bad experience



Casablanca Fan Company is proud to offer you ENERGY STAR® qualified ceiling fans that help you save energy and money and help protect the environment, without sacrificing features or performance.

### What is ENERGY STAR?

Products that earn the ENERGY STAR use less energy and prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and the Department of Energy. With energy costs and global warming top of mind for consumers, Casablanca is committed to offering solutions that help conserve energy and improve the quality of our environment.

### ENERGY STAR-qualified ceiling fans:

- Move air 15-20 percent more efficiently than conventional ceiling fans
- Are 50% more energy efficient when coupled with an ENERGY STAR-qualified ceiling fan light kit

### ENERGY STAR not only saves you money, it helps protect the environment.

Did you know that the average house can be responsible for twice the greenhouse gas emissions as the average car? That's because every time you flip on a light switch or turn on your air conditioner you use energy, which means more greenhouse gas emissions from power plants. So the more energy you can save through energy efficiency, the more you help to reduce greenhouse gases and the risks of global warming.

Join Casablanca in making a difference with ENERGY STAR. Go to [www.energystar-go.com](http://www.energystar-go.com) for more information.

Without Fan

With Fan



Without Fan

With Fan



### SUMMER

Ceiling fans cool PEOPLE, not rooms. In hot weather, operate the fan in the NORMAL (counterclockwise) direction. This creates a cooling "wind chill" effect to make you feel up to 8 degrees cooler. You can then raise the thermostat setting, resulting in reduced air conditioning energy consumption of 40 percent or more. Remember: Operating a fan in an empty room just wastes energy, so turn it off when you leave the room.

### WINTER

In cold weather, operate the fan in the REVERSE (clockwise) direction at slow speed. This creates a gentle updraft, which recirculates the hot air trapped at the ceiling to provide even, comfortable heat throughout your room. The recirculation of warm air allows you to lower the room's thermostat setting, resulting in energy savings of 10 percent or more.

# ALL CEILING FANS ARE NOT CREATED EQUAL

From the furniture-grade wood veneer on the blades to the bearings in the motor, the exquisite craftsmanship of a Casablanca fan extends deep beneath its finish. Discerning consumers know that quality construction and meticulous attention to detail create a superior product, which ultimately yields superior performance and lasting durability. To see the process behind Casablanca's legendary reputation for quality and reliability, join us on a "behind the scenes" tour of the various phases of development as one of Casablanca's flagship products, the 19th Century fan, evolves from inception through final inspection.

## PHASE ONE CONCEPT DEVELOPMENT

The process begins with ideation—small, quick sketches to investigate various design directions. Once these sketches have captured the essence of the product, they move to the digital world. Using state-of-the-art Alias 3D software, our designers begin to construct virtual products. This software allows us to make subtle yet critical refinements, create photorealistic renderings, and utilize rapid prototyping techniques to quickly develop models for evaluation.



## PHASE TWO ENGINEERING

Once the designs have been completed and approved for development, they are transferred digitally to Casablanca's Engineering Department. Using Pro Engineer software, our engineers seamlessly continue the development of the product, ensuring that the design integrity remains intact and the product is produced as designed. Completed engineering assemblies are transferred digitally to our manufacturing partners to maintain a high level of quality and performance.

## PHASE THREE RAW MATERIALS

Each 19th Century component was created for a specific purpose. Materials were chosen for quality, durability, and beauty. Use of virgin zinc (not remelted scrap) creates detailed die-cast housings, blade holders, and other components of structural integrity and inherent beauty. Furniture-grade wood veneer blades and custom hand-blown glass add to the overall elegance of the product.

# ALL CEILING FANS ARE NOT CREATED EQUAL



## PHASE FOUR FINISHED METAL

There are no less than 15 different steps in the plating process of the 19th Century fan. The finishes are applied in meticulous steps for exceptional durability and a brilliant jewel-like finish. Several steps of the plating process are shown below.



## PHASE FIVE TESTING AND INSPECTION

Before being packed for shipping, every component of the 19th Century fan is inspected carefully. Every detail is given meticulous attention under strict quality control standards, and the final product is inspected to ensure proper form, fit, and function.



## PHASE SIX RETAIL SHOWROOM

The best way to experience "The Casablanca Difference" is to visit your local Authorized Casablanca Dealer. With the assistance of a thoroughly trained Casablanca Specialist, you will be able to see firsthand the Quality in Every Detail™ of a Casablanca ceiling fan.

## PHASE SEVEN CUSTOMER SUPPORT

Casablanca provides the most comprehensive service in the industry. Customers receive outstanding support from a dedicated team of seasoned professionals at Casablanca headquarters as well as through a network of more than 450 Authorized Service Centers nationwide.

**1** **OTTO PLATE**

The bottom plate encloses the lower part of the motor housing. Casablanca uses a variety of materials including solid die-cast virgin zinc, heavy-gauge deep-drawn steel, and structurally reinforced resin for enhanced beauty, protection, and quiet operation.

**2** **SWITCH HOUSING**

The switch housing encloses primary fan controls. It features heavy-duty, die-cast virgin zinc or steel for exceptional durability. In addition, the exclusive design allows for easy installation of Casablanca light fixtures, providing a finished, integrated look.

**4** **PERMALOCK**

The Perma-Lock™ system connects the fan to the downrod. Casablanca's 3/4"-diameter Perma-Lock™ design provides improved appearance and stable connection. This works in perfect combination with the patented Hang-Tru® canopy. (See page 111 for more details.)

**5** **BLADES**

Unrivaled in the industry, Casablanca's blades are crafted with six layers of wood in a cross-laminated pattern and finished with two outer layers of real furniture-grade wood veneer for lasting beauty and durability.


**6** **BLADE HOLDERS**

Casablanca's blade holders provide an essential link between blades and motor. The blade holders are made of heavy-duty, reinforced die-cast virgin zinc and are tested thoroughly for reliable performance.

**3** **MOTOR HOUSING**

Only Casablanca offers die-cast and steel construction, for unmatched motor durability. The housing's plated or handpainted finish stays bright and beautiful throughout decades of use, with no more care required than dusting with a soft cloth.

Magnified Cross-Section of a Casablanca Blade (Actual size 3/16")



**QUALITY IN EVERY DETAIL**

Casablanca stands alone in its approach to the design, engineering, and manufacturing of ceiling fans. We have made a long-term commitment to quality and invite you to compare the features of a Casablanca fan with any competitive product. Every detail is given meticulous attention from design to components and manufacturing to ease of installation. Casablanca's attention to detail adds value to every fan, providing unprecedented performance for the life of your investment.



**MOTOR**

The heart of a fan, the motor is designed for quiet operation while supplying the power to drive fan blades for optimum air movement. Rather than buy "off the shelf" generic motors, Casablanca designs, engineers, and manufactures motors for a variety of applications.

**XLP-2000® and XLP-2100®**

The "LP" motor has been the workhorse of the Casablanca product line for more than 10 years and is used in a number of top-selling models. With a UL Class A rating from Underwriters Laboratories, the "LP-2000" and "LP-2100" deliver unprecedented performance and noise-free operation for the life of the fan.

**XLP Plus®**

The "LP Plus", an enhanced version of the "LP" motor, incorporates premium steel and copper, superior material densities, and added insulation to ensure cooler operating temperatures and longer life. The "LP Plus" is larger and more powerful than any competing motor in its class and is utilized in bigger fans and those with longer blade spans.

**XTR200®**

The "TR200" strikes the perfect balance between power and efficiency and is utilized on higher-end, indoor/outdoor models to provide maximum movement. Its precision engineering contributes to cooler fan operation, which in turn leads to longer motor life.

**Direct Drive™**

Casablanca's Direct Drive™ motors are designed and engineered for specific applications to work flawlessly for the life of the fan. Many Direct Drive™ models are ENERGY STAR® qualified.

#### MAXIMUM POWER

The XLP-2000®, XLP-2100®, and XLP Plus® are the largest and most powerful motors in their class.

#### MAINTENANCE FREE

Lifetime lubricated precision ball bearings ensure maintenance-free performance.

#### ENERGY EFFICIENCY

Heavy-gauge copper windings and larger stack heights provide quieter, cooler operation.

#### SUPERIOR ENGINEERING

Each component of XLP and XLP Plus® motors has been meticulously crafted for a lifetime of superior operation.

#### LIFETIME WARRANTY

Casablanca motors are backed by the highest level of support, including 120-Day In-Home Service, a lifetime warranty, and service centers from coast to coast.

#### SILENT OPERATION

The dynamically balanced rubber Silent-Flex® flywheel absorbs vibration and eliminates noise.

## NO OTHER FAN COMPANY HAS THE GUTS TO SAY THIS.

**Casablanca's XLP and XLP Plus® motors set the industry standard for Performance, Power, Efficiency, and Reliability. They are the only motors in their category to receive a UL Class A rating.**

Unlike most ceiling fan companies, Casablanca designs and manufactures its own motors. Each is meticulously crafted from premium components and incorporates industry-leading design innovations that create more power while maintaining cooler operating temperatures.

The XLP-2000®, XLP-2100®, and XLP Plus® were engineered to provide more power. Increased power generates greater air movement, which adds to environmental comfort. In conjunction with Casablanca's patented Silent-Flex® flywheel, which absorbs vibration and dampens sound, XLP and XLP Plus® motors run smoothly and are virtually noise-free.

Fans with XLP and XLP Plus® motors are ultra-efficient, returning their cost in energy savings while adding value to your home. Because XLP and XLP Plus® motors draw less than one amp of energy—the equivalent of a 100-watt lightbulb—the cost to operate the ceiling fan is only about 6 cents a day. This is 50 times less energy than that used by an air conditioner. Consumers can save up to 40% on cooling costs and 10% on heating costs by operating a Casablanca fan year-round.

All of these features combine to provide unparalleled power, silent performance, and reliability over decades of daily use. Ask your retail sales associate to learn more.

**CASABLANCA®**  
FAN COMPANY

## FANS

CANDELIER

CONTEMPORARY

PERIOD / DECOR SPECIFIC


TRANSITIONAL

LOW PROFILE

TRADITIONAL

INDOOR / OUTDOOR

PORTABLE



**Candelier C16G73T**  
Oil-Rubbed Bronze fixture and motor  
with Candelier Dark Walnut blades






**C16G73T**  
Oil-Rubbed Bronze fixture and motor with  
Candelier Dark Walnut blades

# CANDELIER™

Add the warm, intimate ambience of candlelight to a spacious room with the *Candelier* ceiling fan. The fixture's ingenious design features 48 genuine wax candles in varying heights and colors nestled around an Oil-Rubbed Bronze ring that houses a sleek, three-blade ceiling fan. Each candle is fitted with a three-watt bulb that effectively captures the natural flickering motion and incandescent glow of a real candle.



Design copyright-protected / Patent pending

FEATURES		ENERGY INFORMATION							
<ul style="list-style-type: none"> <li>• 1" LP Plus® motor / lifetime motor warranty</li> <li>• 48" diameter / 30" blade span / 20° blade pitch</li> <li>• Set of 3 exclusive Candelier Dark Walnut blades included</li> <li>• Includes uplight with 48 3-watt flickering bulbs and 48 wax candles treated with a protective coating</li> </ul>		<p style="text-align: center;">AT HIGH SPEED</p> <table border="1"> <tr> <td><b>Airflow</b> 2,920 Cubic Feet Per Minute</td> <td><b>Electricity Use</b> 66 Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt</td> <td colspan="2"></td> </tr> </table> <p>Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>			<b>Airflow</b> 2,920 Cubic Feet Per Minute	<b>Electricity Use</b> 66 Watts (excludes lights)	<b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt		
<b>Airflow</b> 2,920 Cubic Feet Per Minute	<b>Electricity Use</b> 66 Watts (excludes lights)	<b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt							
<ul style="list-style-type: none"> <li>• Includes eight 20-watt halogen downlights with bulbs</li> <li>• Minimum 9' ceiling required</li> <li>• Includes exclusive hanging system</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Intelli-Touch® four-speed wall control</li> </ul>									
FINISH	CONTROL								
C16G73T Oil-Rubbed Bronze (Candelier Dark Walnut blades)	 <p>The Candelier's Intelli-Touch® wall-mounted system controls four variable fan speeds (in forward and reverse).</p>								



**Vita C17G664A**  
Matte Silver motor with Carbon Fiber blades



**C17G546A**  
Brushed Cocoa motor with Mahogany blades

# VITA™

With its angled planes and streamlined curves, the distinctive Vita is the first contemporary offering from Casablanca to include an uplight, which casts a soft, incandescent glow on the ceiling above. Additional lighting is provided by a halogen-lit center bowl that indirectly illuminates a glass outer ring.



**C17G199A**  
Chrome motor with Matte Snow White blades



**C17G8A**  
Matte Black motor with Matte Black blades



**C17G664A**  
Matte Silver motor with Carbon Fiber blades



**C17G97A**  
Antique Pewter motor with Mahogany blades




**C17G667A**  
Cherry Bronze motor with Mahogany blades




FEATURES	
<ul style="list-style-type: none"> <li>• " LP Plus® motor / lifetime motor warranty</li> <li>• 52" blade span / 13° blade pitch</li> <li>• Set of 5 exclusive blades included</li> <li>• Includes integrated 90-watt incandescent uplight and 100-watt halogen downlight with bulbs</li> </ul>	<ul style="list-style-type: none"> <li>• Uplight and downlight can be controlled independently</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Requires additional hanging support (included)</li> <li>• Includes Advan-Touch® six-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,885 Cubic Feet Per Minute	<b>Electricity Use</b> 120 Watts (excludes lights)	<b>Airflow Efficiency</b> 57.6 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISHES	
C17G8A	Matte Black (Matte Black blades)
C17G97A	Antique Pewter (Mahogany blades)
C17G199A	Chrome (Matte Snow White blades)
C17G546A	Brushed Cocoa (Mahogany blades)
C17G664A	Matte Silver (Carbon Fiber blades)
C17G667A	Cherry Bronze (Mahogany blades)

CONTROL	
 Advan-Touch (A) W-63	Wall-mounted or hand-held, the Advan-Touch® remote control combines a user-friendly design with a large LCD display and intuitive controls for fan and lighting. Programmable features include Safe-Exit™ (when equipped with an optional light fixture) and Home-Safe™. Use one Advan-Touch® to control several fans, or purchase an extra control to operate one fan from different locations.





3245A  
Brushed Nickel motor shown  
with B32-DW Dark Walnut blades

# STEALTH®

In the spirit of contemporary design, form follows function in fluid contours, swept wing blades, and integrated halogen lighting. This original classic appeals to many tastes because of its timeless beauty and selection of finish options.



3232T  
Weathered Copper motor shown with B32-DC Dark Cherry blades




3211T  
Snow White motor shown with B32-11 Hi-Gloss Snow White blades



3268T  
Graphite motor shown with B32-68 Graphite blades and STLHC-68 no-light cap



3212A  
Glossy Black motor shown with B32-12 Hi-Gloss Black blades



3272T  
Architectural White motor shown with B32-MP Maple blades



3245T  
Brushed Nickel motor shown  
with B32-DC Dark Cherry blades

**FEATURES**

- " LP-2000® motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- 5 blade configuration / exclusive blades sold separately
- 100-watt integrated halogen downlight with bulb
- No-light cap option (STLHC-xx) not available in -72 finish
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)
- Includes Advan•Touch® or Intelli•Touch® six-speed control

**ENERGY INFORMATION**

AT HIGH SPEED		
<b>Airflow</b> 6,251 Cubic Feet Per Minute	<b>Electricity Use</b> 118 Watts (excludes lights)	<b>Airflow Efficiency</b> 52.9 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

**MOTOR FINISHES**

- 3211A/T Snow White
- 3212A/T Glossy Black
- 3232A/T Weathered Copper
- 3245A/T Brushed Nickel
- 3268A/T Graphite
- 3272A/T Architectural White

**BLADE OPTIONS**

- B32-11 Snow White
- B32-12 Glossy Black
- B32-68 Graphite
- B32-72 Architectural White
- B32-79 Platinum
- B32-BO Bleached Oak
- B32-DC Dark Cherry
- B32-DW Dark Walnut **NEW**
- B32-MG Mahogany
- B32-MP Maple
- B32-TX Teak

**CONTROL OPTIONS**



Advan•Touch (A)  
W-62



Intelli•Touch (T)  
W-32

Advan•Touch models available while supplies last.

# STAR™ **NEW**

Art and engineering converge in the graphic silhouette and aerodynamic performance of the Star ceiling fan. This sleek model features a streamlined three-blade configuration, integrated halogen downlight, and sweeping 52-inch blade span, bringing comfort and style to contemporary interiors.



C28G12M  
Glossy Black motor and blades



C28G11M  
Snow White motor and blades



# STARLET™ **NEW**

The Starlet adds an element of sculptural design and efficient performance to smaller-scale contemporary spaces. With its fluid contours, integrated halogen downlight, powerful motor, and clean cutaway detailing, this fan is an ideal choice for hallways, dressing areas, and other compact quarters.



C29G11M  
Snow White motor and blades



C29G12M  
Glossy Black motor and blades



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 15° blade pitch
- Set of 3 exclusive injection-molded ABS blades included
- Includes integrated 75-watt halogen downlight with bulb
- Includes Versa-Touch2® three-speed remote control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>6,498</b> Cubic Feet Per Minute	<b>75.7</b> Watts (excludes lights)	<b>86</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 36" blade span / 15° blade pitch
- Set of 3 exclusive injection-molded ABS blades included
- Includes integrated 75-watt halogen downlight with bulb
- Includes Versa-Touch2® three-speed remote control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>3,074</b> Cubic Feet Per Minute	<b>50</b> Watts (excludes lights)	<b>62</b> Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- C28G11M Snow White (Snow White blades)
- C28G12M Glossy Black (Glossy Black blades)

### CONTROL



Versa-Touch2 (M)  
W-72

The hand-held, user-friendly Versa-Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa-Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

### FINISHES

- C29G11M Snow White (Snow White blades)
- C29G12M Glossy Black (Glossy Black blades)

### CONTROL




Versa-Touch2 (M)  
W-72

The hand-held, user-friendly Versa-Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa-Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.




C10G199M  
Chrome motor with Matte Black blades



23B002  
Snow White motor with MS2 White blades

## MODENA® II NEW

The streamlined curves, contemporary styling, and quality craftsmanship that are hallmarks of classic Italian design have been incorporated into the • odena •. This graceful fan features an integrated halogen light and Dynamic Blade™ engineering with injection-molded ABS blades.



C10G11M  
Snow White motor with Snow White blades



C10G8M  
Matte Black motor with Mahogany blades

## MALIBU STAR®

The refreshing design of the • alibu Star will captivate your imagination. A bicycle sprocket serves as the hub, and the nautical look results from the airy silk fabric blades tensioned by fiberglass fishing rods. This large fan will become the focal point of any room.




FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 47" blade span / patented Dynamic Blade™ engineering</li> <li>• Set of 5 exclusive injection-molded ABS blades included</li> <li>• Includes integrated 100-watt halogen downlight with bulb</li> </ul>	<ul style="list-style-type: none"> <li>• Sloped Ceiling Adapter (SCA) is not compatible without part 192220xx (see page 117)</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 5,832 Cubic Feet Per Minute	<b>Electricity Use</b> 72 Watts (excludes lights)	<b>Airflow Efficiency</b> 81 Cubic Feet Per Minute Per Watt
Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FEATURES	
<ul style="list-style-type: none"> <li>• " LP-2000® motor / lifetime motor warranty</li> <li>• 84" blade span / 15° blade pitch</li> <li>• Set of 5 exclusive silk blades included</li> <li>• Chrome hardware accents</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> </ul>	<ul style="list-style-type: none"> <li>• Minimum 9' ceiling required</li> <li>• Uses 12" downrod (included)</li> <li>• Includes W-81 four-speed wall control (no reverse function)</li> <li>• Optional controls available (see pages 118-119 for details)</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 5,170 Cubic Feet Per Minute	<b>Electricity Use</b> 109 Watts (excludes lights)	<b>Airflow Efficiency</b> 47.4 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISHES	
C10G8M	Matte Black (Mahogany blades)
C10G11M	Snow White (Snow White blades)
C10G199M	Chrome (Matte Black blades)


CONTROL	
 <p>Versa•Touch2 (M) W-72</p>	The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

FINISH	
23B002 Snow White (White blades)	
COMPATIBLE LIGHT FIXTURES	
⌘1⌘, ⌘102, ⌘103, ⌘134, ⌘164, ⌘2A, ⌘2⌘, ⌘33L, ⌘33R, ⌘33T, ⌘4, ⌘4⌘, ⌘4M, ⌘G1", ⌘G210, ⌘G4W (see Light Fixtures section beginning on page 102)	

CONTROL	
 <p>W-81 (Adapt•Touch optional)</p>	The exclusive W-81 wall-mounted system controls four forward fan speeds and full-range light dimming (when equipped with optional light fixture). Installation of a light kit requires a third wire for light dimming.



93045M  
Brushed Nickel motor with reversible  
Platinum / Maple blades



93045M  
Brushed Nickel motor with reversible Platinum / Maple  
blades, shown with S3C-45 no-light cap



93068M  
Graphite motor with reversible Dark Cherry / Graphite  
blades

# S™

The S• fan, inspired by a European sports coupe, features a sleek three-blade configuration. The choice of contemporary finishes include Brushed Nickel, Graphite, and Snow White. Exceptional value is further reinforced with integrated halogen lighting and the Versa•Touch2® control system.



65G45D  
Brushed Nickel motor with  
Mahogany blades

# VERRAZANO®

Inspired by the drama of suspension bridges and sophisticated machinery, the Verra•ano is truly unique among ceiling fans. The Brushed Nickel metal surfaces combined with Mahogany blades speak of contemporary elegance. Design elements include an exposed motor shaft, blades connected by cables, and a stationary integrated halogen light.




FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 15° blade pitch</li> <li>• Set of 3 exclusive reversible blades included</li> <li>• Includes integrated 100-watt integrated downlight with bulb</li> </ul>	<ul style="list-style-type: none"> <li>• No-light cap option available (S3C-xx)</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Sloped Ceiling Adapter (SCA) is not compatible without part 192220xx (see page 117)</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 7,440 Cubic Feet Per Minute	<b>Electricity Use</b> 86 Watts (excludes lights)	<b>Airflow Efficiency</b> 89.8 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FEATURES	
<ul style="list-style-type: none"> <li>• " LP-2000® motor / lifetime motor warranty</li> <li>• 54" blade span / 13° blade pitch</li> <li>• Set of 4 exclusive Mahogany blades included</li> <li>• 100-watt integrated halogen downlight with bulb</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> </ul>	<ul style="list-style-type: none"> <li>• Sloped Ceiling Adapter (SCA) is not compatible without part 19222045 (see page 117)</li> <li>• Minimum 10' ceiling required</li> <li>• Requires additional hanging support (included)</li> <li>• Includes W-1811 four-speed wall control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 4,809 Cubic Feet Per Minute	<b>Electricity Use</b> 94.9 Watts (excludes lights)	<b>Airflow Efficiency</b> 50.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISHES	
93011M	Snow White (Snow White / Maple blades)
93045M	Brushed Nickel (Platinum / Maple blades)
93068M	Graphite (Graphite / Dark Cherry blades)

CONTROL
 Versa•Touch2 (M) W-72 The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

FINISH
65G45D Brushed Nickel (Mahogany blades)

CONTROL
 W-1811 (D) Adapt•Touch optional The exclusive W-1811 dual-slide system is wall-mounted. One slide controls four forward fan speeds, the other controls continuously variable light dimming. Requires a third wire for light dimming.




**85U32M**  
Weathered Copper motor with Mahogany blades, shown with optional exclusive **8G1M-32** halogen bullet light fixture



**TRIH-68**  
Graphite motor with reversible Dark Cherry / Graphite blades

# LE GRANDE™

Spacious environments with high ceilings present special needs for proper air circulation, regardless of the season. Casablanca answers these requirements with the *Le • rande*, a fan with exceptional air movement, unique contemporary styling, and lasting beauty.



**85U45M**  
Brushed Nickel motor with Mahogany blades



**85U45M**  
Brushed Nickel motor with Mahogany blades, shown with optional exclusive **8G18-45** halogen dome light fixture

# TRIDENT®

Casablanca's *Trident* ceiling fan epitomizes clean contemporary design and seamless performance. Its streamlined three-blade configuration, integrated halogen light, and matching no-light cap have been engineered to echo the agile grace of an airplane propeller.



**TRIH-11**  
Snow White motor with reversible Maple / Snow White blades



**TRIH-45**  
Brushed Nickel motor with reversible Platinum / Maple blades, shown with optional no-light cap



FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 62" blade span / 14° blade pitch</li> <li>• Set of 3 exclusive blades included</li> </ul>	<ul style="list-style-type: none"> <li>• Ultra high-performance design</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,670 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 78 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 14° blade pitch</li> <li>• Set of 3 exclusive reversible blades included</li> <li>• Includes integrated 100-watt halogen light fixture and bulb</li> </ul>	<ul style="list-style-type: none"> <li>• Optional no-light cap included</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Prime•Touch® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,694 Cubic Feet Per Minute	<b>Electricity Use</b> 72 Watts (excludes lights)	<b>Airflow Efficiency</b> 92.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FINISHES
85U32M Weathered Copper (Mahogany blades)
85U45M Brushed Nickel (Mahogany blades)

EXCLUSIVE LIGHT FIXTURES
8G1M, 8G18 (•• 12" a-ailable in finish on)

CONTROL
 <p>The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.</p> <p>Versa•Touch2 (M) W-72</p>

FINISHES
TRIH-11 Snow White (Snow White / Maple blades)
TRIH-45 Brushed Nickel (Platinum / Maple blades)
TRIH-68 Graphite (Graphite / Dark Cherry blades)

CONTROL
 <p>Prime•Touch W-505</p> <p>The hand-held, user-friendly Prime•Touch® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included.</p>



**Marrakesh 89U97M**  
Antique Pewter motor with Mahogany blades, shown with optional exclusive ⓂG89-97 halogen light fixture



**89U546M**  
Brushed Cocoa motor with Dark Walnut / Walnut reversible blades, shown with optional exclusive ⓂG89-546 halogen light fixture

## MARRAKESH™

For centuries, people have been fascinated by the sumptuous textures and graceful architecture of Moroccan design. With its exotic embellishments, the • *arrakesh* ceiling fan is an authentic reflection of this rich cultural tradition. Use the included ornamental finial, or add on the optional hand-blown glass light fixture.



**89U73M**  
Oil-Rubbed Bronze motor with Teak blades



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 64" blade span / 14° blade pitch
- Set of 3 exclusive blades included
- Matching finial included for no-light option
- Low Ceiling Adapter (LCA) is not compatible
- Requires additional hanging support (included)
- Uses 6" downrod (included)
- Includes Versa•Touch2® three-speed remote control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>7,900</b> Cubic Feet Per Minute	<b>84</b> Watts (excludes lights)	<b>85</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- 89U73M Oil-Rubbed Bronze (Teak blades)
- 89U97M Antique Pewter (Mahogany blades)
- 89U546M Brushed Cocoa (Walnut / Dark Walnut blades)

### CONTROL



Versa•Touch2 (M)  
W-72

The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

### EXCLUSIVE LIGHT FIXTURE

ⓂG89





**86U89M**  
Textured Matte Black motor with mica accent light and Relic blades, shown with optional exclusive 8G86-89 three-light fixture with mica shades



**86U89M**  
Textured Matte Black motor with mica accent light and Relic blades



## WILDERNESS™ COLLECTION

In years past, people visited majestic lodges across America to experience the rugged beauty of the great outdoors. Casablanca's *Wilderness Collection* is a graceful nod to this grand tradition. The spectacular, removable silhouette display of bears, moose and Douglas firs set against a back-lit mica light fixture provides a warm glow to any room. The *Wilderness* ceiling fan's five Relic blades and delicately curved, Textured Matte Black blade holders replicate the look of naturally aged wood and hand-wrought iron.

### FAN FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14° blade pitch
- Set of 5 blades included
- 45-watt back-lit LED-illuminated body with 44,000-hour bulb life
- Illuminated body and optional downlight can be controlled independently
- Silhouette is removable for added versatility
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 9' ceiling required
- Requires additional hanging support (included)
- Includes Versa-Touch2® three-speed remote control

### LIGHTING FEATURES

- One-year limited warranty
- Constructed of die-cast zinc / finishes are hand-applied
- Cloth-covered cord (Table Lamp and Torchiere)
- Required lightbulbs (not included):  
Pendant: Three A19 100-watt medium base and one halogen 75-watt flood light (75PAR30S/HAL/FL40)  
Sconce: Two E12 60-watt incandescent candelabra base  
Table Lamp and Torchiere: Three A19 100-watt medium base

### FINISH

86U89M Textured Matte Black (Relic blades)

### CONTROL



Versa-Touch2 (M)  
W-73


### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 6,772 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 75 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### EXCLUSIVE LIGHT FIXTURE

8G86



**8604-89** (Wilderness Pendant)  
Height: 28" • Width: 23"



**8603-89** (Wilderness Sconce)  
Height: 10" • Width: 14" • Depth: 6"



**8601-89** (Wilderness Table Lamp)  
Height: 27" • Width: 17"



**8602-89** (Wilderness Torchiere)  
Height: 71" • Width: 19"




**C23U73K**  
Oil-Rubbed Bronze motor with Natural Split Bamboo ABS blades

## E LARGO™ II NEW

Casablanca brings the laid-back pace of the Florida Keys indoors with the •eLargo• fan. Featuring cane-style stitched bamboo detailing on the motor housing and blade holders and ABS blades that replicate split bamboo, the •eLargo• is a charming example of British West Indies style.



The optional G87-73 three-lamp, hurricane-style light fixture with bamboo-look accents was designed specifically for the Key Largo II.



**C3U72M**  
Architectural White motor with mica accent light, shown with BBB21-72 Architectural White beadboard blades

## SEACOAST™

The nautically inspired design of the Seacoast ceiling fan brings the seaside spirit of America's historic lighthouses to the home. Use the Seacoast to add a dramatic decorative statement to a beach house or create a cool breeze on the mainland.



The silhouette is removable for added versatility.



FEATURES	
• Direct Drive™ motor / lifetime motor warranty	• Requires additional hanging support (included)
• 52" blade span / 15° blade pitch	• Optional controls available (see pages 118-119 for details)
• Exclusive ABS blades included	


ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 5,510 Cubic Feet Per Minute	<b>Electricity Use</b> 80 Watts (excludes lights)	<b>Airflow Efficiency</b> 69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FEATURES	
• Direct Drive™ motor / lifetime motor warranty	• Silhouette is removable
• 54" or 46" blade span / 15° blade pitch	• Minimum 9' ceiling required
• 5-blade configuration (blades sold separately)	• Low Ceiling Adapter (LCA) is not compatible
• 45-watt back-lit LED-illuminated body with 44,000-hour bulb life	• Requires additional hanging support (included)
	• Includes Versa•Touch2® three-speed remote control

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,714 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 75.4 Cubic Feet Per Minute Per Watt
Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISH	CONTROL
C23U73K Oil-Rubbed Bronze (Natural Split Bamboo ABS blades)	 4-Speed (☒) <i>(Adapt•Touch optional)</i>
<b>COMPATIBLE LIGHT FIXTURE</b>	
G87-73	

The 4-Speed pullchain turns the fan on and off and controls the speed. Each pull on the chain advances the speed to one of four settings. Fan forward and reverse is selected by a separate slide switch.

MOTOR FINISH	CONTROL
C3U72M Architectural White	 Versa•Touch2 (M) W-73

The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.



97032T  
Weathered Copper motor with Amber shade and Teak blades



99U32T  
Weathered Copper motor with Mahogany blades, shown with optional exclusive 8G99-32 four-light incandescent fixture.

## MISSION®

Simplicity. Craftsmanship. Elegance. The *MISSION* fan captures the original inspiration of the Arts and Crafts movement. Share in this historic period of home decoration with a Casablanca masterpiece that reveals geometric design elements, genuine art glass, and natural metal finishes.



97052T  
Bronze Patina motor with Amber shade and Teak blades



## 19TH CENTURY™

In the electric era of the 1800s, fans were characterized by spiral ceiling rods and centrally placed blade holders. The *19th Century* fan pays tribute to these early traditions and adds elements of classic gaslight designs. The intricate, ornate patterns recall decorative influences of cast metal parts and tin-type moldings reminiscent of the period.



99U69T  
Burnished Brass motor with Mahogany blades



FEATURES	
<ul style="list-style-type: none"> <li>• "LP-2100" motor / lifetime motor warranty</li> <li>• 56" blade span / 13° blade pitch</li> <li>• Set of 5 exclusive blades included</li> <li>• 120-watt illuminated body (includes incandescent bulbs)</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> </ul>	<ul style="list-style-type: none"> <li>• Sloped Ceiling Adapter (SCA) is not compatible without part 192220xx (see page 117)</li> <li>• Requires additional hanging support (included)</li> <li>• Includes Advan•Touch® or Intelli•Touch® six-speed control</li> </ul>


FINISHES
97032A/T Weathered Copper (Teak blades)
97052A/T Bronze Patina (Teak blades)

CONTROL OPTIONS	
 Advan•Touch (A) W-62	 Intelli•Touch (T) W-33
Advan•Touch models available while supplies last.	

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,162 Cubic Feet Per Minute	<b>Electricity Use</b> 94 Watts (excludes lights)	<b>Airflow Efficiency</b> 60.5 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FEATURES	
<ul style="list-style-type: none"> <li>• "LP-2000" motor / lifetime motor warranty</li> <li>• 54" blade span / 14° blade pitch</li> <li>• Set of 4 exclusive blades included</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Requires additional hanging support (included)</li> </ul>	<ul style="list-style-type: none"> <li>• Minimum 9' ceiling required - uses 12" downrod (included)</li> <li>• Extra-long downrods require outer sleeve (see page 117)</li> <li>• Decorative canopy cover may not be used if installed on a sloped ceiling or with a Sloped Ceiling Adapter (SCA)</li> <li>• Includes Intelli•Touch® six-speed control</li> </ul>

FINISHES
99U32T Weathered Copper (Mahogany blades)
99U69T Burnished Brass (Mahogany blades)

CONTROL	
 Intelli•Touch (T) W-32	The sophisticated Intelli•Touch® wall-mounted system controls six variable fan speeds (in forward and reverse) and full-range light dimming (when equipped with optional light fixture) for perfect room comfort and ambience. Advanced programmable features include Safe-Exit,™ Home-Safe,™ Fan Minder,® and Light Minder.®

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,050 Cubic Feet Per Minute	<b>Electricity Use</b> 108 Watts (excludes lights)	<b>Airflow Efficiency</b> 56.2 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		



6992D  
Burnished Bronze motor shown  
with B102 Mahogany blades

## NEW ORLEANS CENTENNIAL®

The *New Orleans Centennial* is a faithful replica of a 100-year old ceiling fan discovered in the French Quarter of New Orleans. The elaborate cast motor housing and lacy, scroll brackets recreate the wonderful ambiance of a southern parlor in a time gone by.



6944D  
Antique Brass motor shown with B522  
Antique Oak blades, Ø4C-4 four-light Williamsburg  
fitter, and G911 Teck Antique side glass



6344T  
Antique Brass motor shown with BB21-WD  
Dark Walnut blades, Ø4C-4 four-light Williamsburg  
fitter, and G911 Teck Antique side glass

## VICTORIAN®

This is where it all began—the original Casablanca fan. The *Victorian* Series marries classic turn-of-the-century appeal with contemporary innovation and convenience. The richness of the ornate design is enhanced with badge-style blade holders. Optimum performance is achieved with a 15° blade pitch.



6373T  
Oil-Rubbed Bronze motor shown with B103  
Walnut blades



### FEATURES

- " LP-2000® motor / lifetime motor warranty
- 54" or 46" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 10' ceiling required
- Requires additional hanging support (included)
- Optional controls available (see pages 118-119 for details)

### ENERGY INFORMATION

AT HIGH SPEED		
Airflow	Electricity Use	Airflow Efficiency
<b>6,005</b> Cubic Feet Per Minute	<b>103</b> Watts (excludes lights)	<b>58.1</b> Cubic Feet Per Minute Per Watt

Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FEATURES

- " LP-2000® motor / lifetime motor warranty
- 54" or 46" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Includes Intelli-Touch® six-speed control

### ENERGY INFORMATION

AT HIGH SPEED		
Airflow	Electricity Use	Airflow Efficiency
<b>5,651</b> Cubic Feet Per Minute	<b>117</b> Watts (excludes lights)	<b>48</b> Cubic Feet Per Minute Per Watt

Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### MOTOR FINISHES

- 6944D Antique Brass
- 6992D Burnished Bronze

### CONTROL



3-Speed (D)  
(Adapt-Touch optional)

The 3-Speed pullchain turns the fan on and off and controls the speed—each pull on the chain advances the speed to one of three settings. Fan forward and reverse is selected by a separate slide switch.

### MOTOR FINISHES

- 6344T Antique Brass
- 6373T Oil-Rubbed Bronze

### COMPATIBLE LIGHT FIXTURES

- Ø1C, Ø1Ø, Ø101, Ø102, Ø103, Ø134, Ø164, Ø2A, Ø2C, Ø33L, Ø33R, Ø33T, Ø4, Ø4B, Ø4C, Ø4Ø, Ø4S, Ø44T, Ø44V, ØG101, ØG102, ØG103, ØG104, ØG1Ø, ØG1", ØG210, ØG4W, ØGC5, ØGC12

(see Light Fixtures section beginning on page 102)

### CONTROL



Intelli-Touch (T)  
W-32

### COMPATIBLE LIGHT FIXTURES

- Ø1Ø, Ø101, Ø103, Ø134, Ø164, Ø2A, Ø2C, Ø33T, Ø4, Ø4B, Ø4C, Ø4Ø, Ø4ØF, Ø4S, Ø44T, ØG1Ø, ØG1", ØG210 (see Light Fixtures section beginning on page 102)



**C5S63T**  
Tuscan Sunset motor shown with B103 Walnut blades and ØGC5-63 three-light fixture with Amber glass



**C9K66M**  
Brushed Walnut motor with 12" decorative downrod and integrated light fixtures, shown with BVB13-66 Brushed Walnut / Antique Gold Carved Wood blades

## BAROLO®

With its artisan-quality craftsmanship, the Barolo ceiling fan is equally suited for an elegant villa or today's Mediterranean-style homes. The ornate hand-carved look and embossed grape motif of its fan body conceals a powerful LP-2000® motor that is guaranteed for life.



**C5S63T**  
Tuscan Sunset motor shown with B103 Walnut blades



## REVERIE™

From the late 1800s until the 1920s, the design movement known as Beaux Arts gave rise to such sumptuous estates, and public buildings that the period was called "The Gilded Age." With its elaborate decorative elements, the Reverie fan is a stunning example of this grand style.



**C9K66M**  
Brushed Walnut motor with 3" standard downrod and integrated light fixtures, shown with BB21-WD Dark Walnut blades



### FEATURES

- LP-2000® motor / lifetime motor warranty
- 52" or 44" blade span / 14° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Includes matching no-light cap
- Requires additional hanging support (included)
- Low Ceiling Adapter (LCA) is not compatible
- Includes Advan•Touch® or Intelli•Touch® six-speed control

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 6,059 Cubic Feet Per Minute	<b>Electricity Use</b> 104 Watts (excludes lights)	<b>Airflow Efficiency</b> 58.2 Cubic Feet Per Minute Per Watt

Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 56" blade span / 15° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Includes integrated 100-watt incandescent uplight with bulbs
- Includes 120-watt incandescent downlight with vintage Scavo glass and bulbs
- Uplight and downlight can be controlled independently
- Both 12" decorative and 3" standard downrods included
- Includes Versa•Touch2® three-speed remote control

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 4,759 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 65.6 Cubic Feet Per Minute Per Watt

Measurements taken with 21" basic blades. Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### MOTOR FINISH

C5S63A/T Tuscan Sunset

### CONTROL OPTIONS



Advan•Touch (A)  
W-62



Intelli•Touch (T)  
W-32

Advan•Touch models available while supplies last.

### MOTOR FINISH

C9K66M Brushed Walnut / Antique Gold

### CONTROL



Versa•Touch2 (M)  
W-73

The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.



**P2G61H**  
French Crème motor with reversible  
Classic White / Maple blades and light  
fixture with glass bowl

## LA FLEUR™

The design of the *La Fleur* ceiling fan was inspired by the belief that comfortable, lived-in environments can be elegant, too. Delicate embellishments on the blade irons and optional light fixture and vintage-inspired styling add a deliciously feminine touch.



**P2G546H**  
Brushed Cocoa motor with reversible Walnut / Dark Walnut  
blades, shown with no-light finial



**P4M55H**  
Amber Bronze motor with Amber shade  
and reversible Mahogany / Oak blades



## BUNGALOW™

Like the Craftsman-style structures that inspired it, the *Bungalow* ceiling fan brings simplicity, beauty, and efficiency to today's homes. Its geometric detailing, illuminated motor housing with art glass shades, and reversible custom blades combine style and practicality.



PERIOD - DECOR SPECIFIC

PERIOD - DECOR SPECIFIC

FEATURES		ENERGY INFORMATION			FEATURES		ENERGY INFORMATION		
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 56" blade span / 15° blade pitch</li> <li>• Set of 5 custom reversible blades included</li> </ul>		AT HIGH SPEED			<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 56" blade span / 13° blade pitch</li> <li>• Set of 5 exclusive reversible Mahogany / Oak blades included</li> <li>• Includes integrated 120-watt incandescent light fixture with bulbs</li> </ul>		AT HIGH SPEED		
		<b>Airflow</b> 5,909 Cubic Feet Per Minute	<b>Electricity Use</b> 69 Watts (excludes lights)	<b>Airflow Efficiency</b> 86 Cubic Feet Per Minute Per Watt			<b>Airflow</b> 6,193 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 84.6 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>			<ul style="list-style-type: none"> <li>• Includes 120-watt incandescent light fixture with bulbs</li> <li>• Optional no-light finial included</li> <li>• Includes Prime•Touch® three-speed remote control</li> </ul>		<ul style="list-style-type: none"> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Sloped Ceiling Adapter (SCA) is not compatible without part 19222055 (see page 117)</li> <li>• Requires additional hanging support (included)</li> <li>• Includes Prime•Touch® three-speed remote control</li> </ul>		
FINISHES		CONTROL			FINISH		CONTROL		
P2G61H French Crème (Maple / Classic White blades) P2G63H Tuscan Sunset (Burnt Relic / Burnt Cherry blades) P2G546H Brushed Cocoa (Walnut / Dark Walnut blades)		 Prime•Touch W-505 The hand-held, user-friendly Prime•Touch® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included.			P4M55H Amber Bronze (Mahogany / Oak blades)		 Prime•Touch W-505 The hand-held, user-friendly Prime•Touch® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included.		



**C12S72M**  
Architectural White motor shown with BBB21-72D  
Distressed Architectural White beadboard blades


# COTTAGE™

Indulge in cozy style with the Cottage ceiling fan, adorned with beadboard detailing and concealed hardware that was inspired by vintage paneling. For added charm, choose matching beadboard blades or an optional downlight.



**C12S72M**  
Architectural White motor shown with B105 Architectural White blades, 444T-72 four-light fitter, and CSG16 side glass



<b>FEATURES</b>		<b>ENERGY INFORMATION</b>				
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 52" or 44" blade span / 15° blade pitch</li> <li>• 5-blade configuration</li> </ul>		<p style="text-align: center;">AT HIGH SPEED</p> <table border="1"> <tr> <td><b>Airflow</b> 6,482 Cubic Feet Per Minute</td> <td><b>Electricity Use</b> 84 Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> 77 Cubic Feet Per Minute Per Watt</td> </tr> </table> <p>Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>		<b>Airflow</b> 6,482 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 77 Cubic Feet Per Minute Per Watt
<b>Airflow</b> 6,482 Cubic Feet Per Minute	<b>Electricity Use</b> 84 Watts (excludes lights)	<b>Airflow Efficiency</b> 77 Cubic Feet Per Minute Per Watt				
<b>MOTOR FINISH</b>	<b>CONTROL</b>					
C12S72M Architectural White	 Versa-Touch2 (M) W-72					
<b>COMPATIBLE LIGHT FIXTURES</b>						
1C, 11, 134, 164, 2A, 2C, 4, 4S, G1, G210, 33L, 33T, 44T, GC12 (see Light Fixtures section beginning on page 102)						



Holliston C31U73Z  
Oil-Rubbed Bronze motor with Walnut blades



**C31U624Z**  
Bullion Black motor with Reclaimed Antique blades,  
shown with GC12W-624 four-light fixture

# HOLLISTON™ **NEW**

The Holliston ceiling fan combines classic style with ultimate performance and convenience. The next-generation™ LP Plus® motor, accented with a custom-designed canopy and halo uplight, is controlled via radio frequency with Casablanca's new Intelli-Touch3® wall control.



**C31U11Z**  
Snow White motor with Hi-Gloss Snow White blades



**C31U73Z**  
Oil-Rubbed Bronze motor with Walnut blades



**C31U45Z**  
Brushed Nickel motor with Clove blades



**C31U97Z**  
Antique Pewter motor with Dark Walnut blades



**C31U11Z**  
Snow White motor with Hi-Gloss Snow White blades, shown with  
B4S-11 four-light fitter and G917 White Satin side glass



### FEATURES

- 1" LP Plus® motor / lifetime motor warranty
- 60" blade span / 15° blade pitch
- Set of 5 exclusive blades included
- Includes integrated 42-watt incandescent uplight with bulbs
- Includes decorative canopy cover
- Sloped Ceiling Adapter (SCA) is not compatible without part 192220" (see page 117)
- Low Ceiling Adapter (LCA) is not compatible
- Includes Intelli-Touch3® six-speed wall control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>6,494</b> Cubic Feet Per Minute	<b>115</b> Watts (excludes lights)	<b>56</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- C31U11Z Snow White (Hi-Gloss Snow White blades)
- C31U45Z Brushed Nickel (Clove blades)
- C31U73Z Oil-Rubbed Bronze (Walnut blades)
- C31U97Z Antique Pewter (Dark Walnut blades)
- C31U199Z Chrome (Espresso blades)
- C31U624Z Bullion Black (Reclaimed Antique blades)

### CONTROL



Intelli-Touch3 (W-84)

The Intelli-Touch3® wall-mounted system controls six variable fan speeds (in forward and reverse) and full-range light dimming (when equipped with optional light fixture) via radio frequency for optimum reliability. Advanced programmable features include Safe-Exit™, Home-Safe™, Fan Minder®, and Light Minder®.

### COMPATIBLE LIGHT FIXTURES

- B1C, B2A, B4B, B4S, B44T, B1G1, BGC12, BGC12W  
(see Light Fixtures section beginning on page 102)



C15G624L  
Bullion Black motor with  
Espresso blades and  
Gold Dust glass bowl fixtures



# VENETO NEW

This elegant fan says "Benvenuto" to every person who encounters its distinctive warmth. With a rich Bullion Black finish and hand-crafted fluted glass, the Veneto gives your great room a touch of Italy, no matter where you live.



Pictured with light on.



C27G546H  
Brushed Cocoa motor with  
Reclaimed Antique blades



# ALESSANDRIA®

With a rich finish and exquisite detailing that echo the medallions and paneling of neoclassical architecture, the *Alessandria* ceiling fan is a timeless accent for the home. The fan's carved featherwood blades and fully dimmable lighting with Scavo glass add Old World warmth, elegance, and comfort to interior settings.



C27G700H  
Normandy motor with Reclaimed Antique blades





The Alessandria's quality craftsmanship extends to the hand-finished canopy, with ornate detailing that matches the motor housing. Pictured in Brushed Cocoa finish.



TRANSITIONAL

TRANSITIONAL

FEATURES		ENERGY INFORMATION			FEATURES		ENERGY INFORMATION														
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 68" blade span / 13" blade pitch</li> <li>• Set of 5 exclusive blades included</li> <li>• Includes integrated 90-watt incandescent uplight with bulbs</li> </ul>		<p>AT HIGH SPEED</p> <table border="1"> <tr> <th>Airflow</th> <th>Electricity Use</th> <th>Airflow Efficiency</th> </tr> <tr> <td><b>7,296</b> Cubic Feet Per Minute</td> <td><b>101</b> Watts (excludes lights)</td> <td><b>73</b> Cubic Feet Per Minute Per Watt</td> </tr> </table> <p>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>			Airflow	Electricity Use	Airflow Efficiency	<b>7,296</b> Cubic Feet Per Minute	<b>101</b> Watts (excludes lights)	<b>73</b> Cubic Feet Per Minute Per Watt	<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 14" blade pitch</li> <li>• Set of 5 exclusive carved featherwood blades included</li> <li>• Includes integrated 75-watt incandescent uplight with bulbs</li> </ul>		<p>AT HIGH SPEED</p> <table border="1"> <tr> <th>Airflow</th> <th>Electricity Use</th> <th>Airflow Efficiency</th> </tr> <tr> <td><b>6,000</b> Cubic Feet Per Minute</td> <td><b>75</b> Watts (excludes lights)</td> <td><b>80</b> Cubic Feet Per Minute Per Watt</td> </tr> </table> <p>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>			Airflow	Electricity Use	Airflow Efficiency	<b>6,000</b> Cubic Feet Per Minute	<b>75</b> Watts (excludes lights)	<b>80</b> Cubic Feet Per Minute Per Watt
		Airflow	Electricity Use	Airflow Efficiency																	
<b>7,296</b> Cubic Feet Per Minute	<b>101</b> Watts (excludes lights)	<b>73</b> Cubic Feet Per Minute Per Watt																			
Airflow	Electricity Use	Airflow Efficiency																			
<b>6,000</b> Cubic Feet Per Minute	<b>75</b> Watts (excludes lights)	<b>80</b> Cubic Feet Per Minute Per Watt																			
FINISH	CONTROL	FINISHES		CONTROL																	
C15G624L Bullion Black (Espresso blades)	 Direct-Touch® W-74 Simple and straightforward, the Direct•Touch wall-mounted control offers four forward and reverse fan speeds, plus full-spectrum light dimming and advanced programmable features including Safe-Exit™, Home-Safe™, Fan Minder™ and Light Minder™.	C27G546H Brushed Cocoa (Reclaimed Antique blades)	C27G700H Normandy (Reclaimed Antique blades)	 Prime-Touch® W-505 The hand-held, user-friendly Prime•Touch® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included.																	



**C21G667H**  
Cherry Bronze motor with Reclaimed  
Antique blades

## WHITMAN™

With its versatile design and quality craftsmanship, the *hit an* ceiling fan brings year-round comfort and seamless performance to almost any room in the home. The fan incorporates carved featherwood blades reminiscent of the woodwork on fine cabinetry and a fully dimmable uplight and downlight that add gentle ambience.



**C21G45H**  
Brushed Nickel motor with Dark Cherry blades



**C21G97H**  
Antique Pewter motor with Rosewood blades



**C21G546H**  
Brushed Cocoa motor with Walnut blades



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 54" blade span / 14" blade pitch
- Set of 5 exclusive carved featherwood blades included
- Includes integrated 75-watt incandescent uplight with bulbs
- Includes integrated 100-watt halogen downlight with bulbs
- Low Ceiling Adapter (LCA) is not compatible
- Includes Prime-Touch® three-speed remote control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>5,093</b> Cubic Feet Per Minute	<b>67.1</b> Watts (excludes lights)	<b>75.9</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- C21G45H Brushed Nickel (Dark Cherry blades)
- C21G97H Antique Pewter (Rosewood blades)
- C21G546H Brushed Cocoa (Walnut blades)
- C21G667H Cherry Bronze (Reclaimed Antique blades)

### CONTROL



Prime-Touch  
W-505

The hand-held, user-friendly Prime-Touch® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included.






**3845T**  
Brushed Nickel motor shown with  
B615 Hi-Gloss Cherrywood blades



**38DH546T**  
Brushed Cocoa motor shown with  
B621 Dark Walnut blades and  
optional exclusive G38HN genuine  
alabaster upright replacement shade

## BEL AIR®

The popular *Bel Air* is the essence of Casablanca beauty. The housing and halogen light form a design continuum, helping to create a compelling and sophisticated presence. Uniquely cast blade holders lend a classic yet traditional look.



**3811T**  
Snow White motor shown with B611 Hi-Gloss Snow White blades

## BEL AIR® HALO

Inspired by Casablanca's original *Bel Air* ceiling fan, the *Bel Air Halo* is one of Casablanca's most elegant offerings. Projecting a warm glow onto the ceiling, it creates a mood of subtle sophistication. The addition of rope detailing adds further refinement to this stunning fan.



**38DH73T**  
Oil-Rubbed Bronze motor shown with B619 Dark Cherry blades

### FEATURES

- " LP-2000® motor / lifetime motor warranty
- 55" blade span / 14° blade pitch
- 5-blade configuration (exclusive blades sold separately)
- Includes 100-watt integrated halogen downlight with bulb
- Low Ceiling Adapter (LCA) is not compatible
- Includes Advan-Touch® or Intelli-Touch® six-speed control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>7,174</b> Cubic Feet Per Minute	<b>119</b> Watts (excludes lights)	<b>60.5</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### MOTOR FINISHES

- 3811T Snow White
- 3832A/T Weathered Copper
- 3845A/T Brushed Nickel
- 3873A/T Oil-Rubbed Bronze
- 38546A/T Brushed Cocoa

### BLADE OPTIONS

- B611 Hi-Gloss Snow White
- B613 Antique Oak
- B615 Hi-Gloss Cherrywood
- B617 Maple
- B618 Mahogany
- B619 Dark Cherry
- B620 Teak
- B621 Dark Walnut
- B622 Walnut

### CONTROL OPTIONS



Advan-Touch (A)  
W-62



Intelli-Touch (T)  
W-32

Advan-Touch models available while supplies last.

### FEATURES

- " LP-2000® motor / lifetime motor warranty
- 55" blade span / 14° blade pitch
- 5-blade configuration (exclusive blades sold separately)
- Includes integrated 180-watt halo upright and 100-watt halogen downlight with bulbs
- Uplight and downlight can be controlled independently
- Optional G38HN genuine alabaster upright replacement shade available
- Low Ceiling Adapter (LCA) is not compatible
- Minimum 9' ceiling required
- Requires additional hanging support (included)
- Includes Intelli-Touch® six-speed control

### ENERGY INFORMATION

AT HIGH SPEED

Airflow	Electricity Use	Airflow Efficiency
<b>7,174</b> Cubic Feet Per Minute	<b>119</b> Watts (excludes lights)	<b>60.5</b> Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- 38DH32T Weathered Copper
- 38DH45T Brushed Nickel
- 38DH73T Oil-Rubbed Bronze
- 38DH546T Brushed Cocoa

### BLADE OPTIONS

- B611 Hi-Gloss Snow White
- B613 Antique Oak
- B615 Hi-Gloss Cherrywood
- B617 Maple
- B618 Mahogany
- B619 Dark Cherry
- B620 Teak
- B621 Dark Walnut
- B622 Walnut

### CONTROL



Intelli-Touch (T)  
W-32



**P3M64M**  
 Russet motor with reversible  
 Walnut / Dark Walnut blades

## SERRA™

The graceful forms and fluid motion of the *Serra* ceiling fan add a breath of fresh air to contemporary homes. This classic, halo-style fan includes textured Amber Scavo glass light fixtures, with ultra-cool burning bulbs that add brightness to any room.



**P5G73M**  
 Oil-Rubbed Bronze motor with reversible  
 Burnt Relic / Burnt Cherry blades and Scavo  
 glass upright and three-light torch-style fixture.  
 Pictured with Burnt Relic blade finish.

## SIENA®

The hand-wrought design and artisan-quality workmanship made famous by the fabled city of Siena are brought to today's interiors with its namesake ceiling fan. The *Siena* fan marries the beauty of natural materials with a tradition of quality built to last for generations.



The no-light finial features decorative scrollwork. Pictured with Burnt Cherry blade finish.




FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 56" blade span / 15° blade pitch</li> <li>• Set of 5 custom reversible Walnut / Dark Walnut blades included</li> <li>• Includes integrated 100-watt incandescent upright and bulbs</li> </ul>	<ul style="list-style-type: none"> <li>• Includes integrated 120-watt downlight with bulbs</li> <li>• Uplight and downlight can be controlled independently</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 5,120 Cubic Feet Per Minute	<b>Electricity Use</b> 70 Watts (excludes lights)	<b>Airflow Efficiency</b> 73.1 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 15° blade pitch</li> <li>• Set of 5 custom reversible blades included</li> <li>• Includes integrated 120-watt incandescent upright with bulbs</li> <li>• Includes 180-watt incandescent downlight with three 60w bulbs</li> </ul>	<ul style="list-style-type: none"> <li>• Uplight and downlight can be controlled independently</li> <li>• Optional decorative no-light finial included</li> <li>• Both 9" decorative and 3" standard downrods included</li> <li>• Requires additional hanging support (included)</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 4,680 Cubic Feet Per Minute	<b>Electricity Use</b> 67 Watts (excludes lights)	<b>Airflow Efficiency</b> 69.7 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISH
P3M64M Russet (Walnut / Dark Walnut blades)

CONTROL
 Versa•Touch 2 (M) W-73 The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

FINISH
P5G73M Oil-Rubbed Bronze (Burnt Relic / Burnt Cherry blades)

CONTROL
 Versa•Touch 2 (M) W-73 The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.



**C38U199K**  
Chrome motor with reversible  
Espresso / Walnut blades

## ACADEM NEW

The smart-looking *Academ* teaches an important lesson in design flexibility. Its transitional styling combined with a wide selection of finish options make this ceiling fan a scholarly choice for living rooms, great rooms, bedrooms or almost any room in the house.



**C38G73K**  
Oil-Rubbed Bronze motor with reversible  
Walnut / Dark Walnut blades

## ACADEM GALLER NEW

Talk about your over-achievers. The *Academ Galler* honors for best all-around with transitional styling, a wide selection of finish options and an integrated light bowl fixture.



**C38G199K**  
Chrome motor shown with reversible  
Espresso / Walnut blades

FEATURES		COMPATIBLE LIGHT FIXTURES		ENERGY INFORMATION			FEATURES		ENERGY INFORMATION		
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 14° blade pitch</li> <li>• Includes 5 reversible blades</li> <li>• Die-cast metal bottom cap</li> </ul>		1C, 1CF, 4, 4B, 44T, 4S, G1, GC12, GC12W (see <i>Light Fixtures section beginning on page 102</i> )		AT HIGH SPEED			<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 14° blade pitch</li> <li>• Includes 5 reversible blades</li> <li>• Includes integrated 120-watt incandescent light kit with bulbs</li> </ul>		AT HIGH SPEED		
				<b>Airflow</b> <b>5,878</b> <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> <b>75</b> <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> <b>79</b> <small>Cubic Feet Per Minute Per Watt</small>			<b>Airflow</b> <b>5,878</b> <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> <b>75</b> <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> <b>79</b> <small>Cubic Feet Per Minute Per Watt</small>
<b>MOTOR FINISHES</b>		<b>CONTROL</b>		<small>Measurements taken with 21" basic blades. Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  <b>Money-Saving Tip: Turn off fan when leaving room.</b></small>			<b>MOTOR FINISHES</b>		<small>Measurements taken with 21" basic blades. Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  <b>Money-Saving Tip: Turn off fan when leaving room.</b></small>		
<p> <b>C38U11K</b> Snow White (Snow White blades)  <b>C38U45K</b> Brushed Nickel (Clove / Dark Walnut blades)  <b>C38U73K</b> Oil-Rubbed Bronze (Walnut / Dark Walnut blades)  <b>C38U199K</b> Chrome (Espresso / Walnut blades)                 </p>		<p>4-Speed (4)</p> <p>The 4-Speed pullchain turns the fan on and off and controls the speed—each pull on the chain advances the speed to one of four settings. Fan forward and reverse is switched by a pull chain.</p>		<p> <b>C38G11K</b> Snow White (Snow White blades)  <b>C38G45K</b> Brushed Nickel (Clove / Dark Walnut blades)  <b>C38G73K</b> Oil-Rubbed Bronze (Walnut / Dark Walnut blades)  <b>C38G199K</b> Chrome (Espresso / Walnut blades)                 </p>			<p>4-Speed (4)</p> <p>The 4-Speed pullchain turns the fan on and off and controls the speed—each pull on the chain advances the speed to one of four settings. Fan forward and reverse is selected by a separate slide switch.</p>				



95546D  
Brushed Cocoa motor shown  
with B111 Relic blades

## BRESCIA®

The *Brescia* fan brings warmth and beauty to any room setting. For an Arts and Crafts inspired look, select richly toned wood blades and a mica light fixture.



9545T  
Brushed Nickel motor shown with B511 Snow White blades,  
102-45 three-light fitter and CSG16 side glass



9532A  
Weathered Copper motor shown with BB21-WD Dark Walnut blades  
and 101N-32 mica light fixture



FEATURES	COMPATIBLE LIGHT FIXTURES	ENERGY INFORMATION			
<ul style="list-style-type: none"> <li>• 1" LP-2000® motor / lifetime motor warranty</li> <li>• 52" or 44" blade span / 15° blade pitch</li> <li>• 4- or 5-blade configuration</li> <li>• Multiple blade finish choices available (blades sold separately)</li> <li>• Requires additional hanging support (included)</li> <li>• Optional controls available for 3-Speed model (see pages 118-119 for details)</li> </ul>	<p>1C, 1CF, 101, 102, 103, 134, 134F, 164, 164F, 2A, 2C, 33L, 33R, 33T, 4B, 4C, 4D, 4F, 4M, 4S, 44T, 44V, G1, G101, G102, G103, G104, G1N, G1", G4W, GC12, GC12W</p> <p>Compatible with Adan-Touch or Intelli-Touch models Compatible with pullchain model (see Light Fixtures section beginning on page 102)</p>	<p>AT HIGH SPEED</p> <table border="1"> <tr> <td><b>Airflow</b> 6,591 Cubic Feet Per Minute</td> <td><b>Electricity Use</b> 116 Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> 56.9 Cubic Feet Per Minute Per Watt</td> </tr> </table> <p>Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>	<b>Airflow</b> 6,591 Cubic Feet Per Minute	<b>Electricity Use</b> 116 Watts (excludes lights)	<b>Airflow Efficiency</b> 56.9 Cubic Feet Per Minute Per Watt
		<b>Airflow</b> 6,591 Cubic Feet Per Minute	<b>Electricity Use</b> 116 Watts (excludes lights)	<b>Airflow Efficiency</b> 56.9 Cubic Feet Per Minute Per Watt	
<p><b>MOTOR FINISHES</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  9532A/D/T Weathered Copper                 </div> <div style="text-align: center;">  9545A/T Brushed Nickel                 </div> <div style="text-align: center;">  9573A/D/T Oil-Rubbed Bronze                 </div> <div style="text-align: center;">  95546A/D/T Brushed Cocoa                 </div> </div>	<p><b>CONTROL OPTIONS</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  3-Speed (D) <i>(Adapt-Touch optional)</i> </div> <div style="text-align: center;">  W-62 Advan-Touch (A)                 </div> <div style="text-align: center;">  W-32 Intelli-Touch (T)                 </div> </div> <p style="text-align: center; font-size: small;">Advan-Touch models available while supplies last.</p>				



**6444T**  
Antique Brass motor shown  
with B513 Hi-Gloss Walnut blades

# METROPOLITAN®

A deeply sculpted die-cast housing accented by bold, round blade badges gives the Metropolitan its fresh, progressive look.




**6411T**  
Snow White motor shown with B511 Hi-Gloss Snow White blades, 11C-11 halogen light fitter, and G110 Opal glass



**6445T**  
Brushed Nickel motor shown with B508 Matte Black blades, 33T-45 three-light fitter, and CSG1 White side glass



FEATURES	COMPATIBLE LIGHT FIXTURES	ENERGY INFORMATION			
<ul style="list-style-type: none"> <li>• 1" LP-2000® motor / lifetime motor warranty</li> <li>• 52" or 44" blade span / 15° blade pitch</li> <li>• 4- or 5-blade configuration</li> <li>• Multiple blade finish choices available (blades sold separately)</li> </ul>	<p>1C, 11, 101, 102, 103, 134, 164, 2A, 2C, 33L, 33R, 33T, 4, 4B, 4C, 4X, 4S, 44T, 44V, G11, G1N, G1", G101, G102, G210, G2L, G4W, GC5, GC12, GC12W</p> <p>(see Light Fixtures section beginning on page 102)</p>	<p>AT HIGH SPEED</p> <table border="1"> <tr> <td><b>Airflow</b> <b>6,003</b> Cubic Feet Per Minute</td> <td><b>Electricity Use</b> <b>119</b> Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> <b>50.5</b> Cubic Feet Per Minute Per Watt</td> </tr> </table>	<b>Airflow</b> <b>6,003</b> Cubic Feet Per Minute	<b>Electricity Use</b> <b>119</b> Watts (excludes lights)	<b>Airflow Efficiency</b> <b>50.5</b> Cubic Feet Per Minute Per Watt
		<b>Airflow</b> <b>6,003</b> Cubic Feet Per Minute	<b>Electricity Use</b> <b>119</b> Watts (excludes lights)	<b>Airflow Efficiency</b> <b>50.5</b> Cubic Feet Per Minute Per Watt	
<p>Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>					

FINISH	CONTROL
<p><b>6411T</b> Snow White</p> <p><b>6445T</b> Brushed Nickel</p> <p><b>6444T</b> Antique Brass</p>	<p> W-32 Intelli-Touch (T)</p> <p>The sophisticated Intelli-Touch® wall-mounted system controls six variable fan speeds (in forward and reverse) and full-range light dimming (when equipped with optional light fixture) for perfect room comfort and ambiance.</p>



**Isoto™ e C30G45H**  
Brushed Nickel motor with  
Espresso blades (52" blade span)



**C30G45H**  
Brushed Nickel motor with Espresso blades (52" blade span)



**C35G707H**  
Iron Ore motor with Carbon Fiber blades (44" blade span)

# ISOTOPE® **NEW**

Superior air circulation meets contemporary design in the **isotope** ceiling fan. With its low profile and wing-swept blade configuration, this sleek fan is an ideal choice for flush-mount installation in interiors with lower ceilings. It is available in two blade spans for maximum versatility and style.



**C30G11H** [52] / **C35G11H** [44]  
Snow White motor with Hi-Gloss Snow White blades




**C30G546H** [52] / **C35G546H** [44]  
Brushed Cocoa motor with Espresso blades



**C30G45H** [52] / **C35G45H** [44]  
Brushed Nickel motor with Espresso blades



**C30G707H** [52] / **C35G707H** [44]  
Iron Ore motor with Carbon Fiber blades

FEATURES		ENERGY INFORMATION				
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 52" or 44" blade span / 14° blade pitch</li> <li>• Set of 5 exclusive blades included</li> <li>• Includes integrated 100-watt halogen downlight with bulbs</li> </ul>		<p>AT HIGH SPEED</p> <table border="1"> <tr> <td><b>Airflow</b> 3,135 Cubic Feet Per Minute</td> <td><b>Electricity Use</b> 72 Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt</td> </tr> </table> <p>Measurements taken with 52" model. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>		<b>Airflow</b> 3,135 Cubic Feet Per Minute	<b>Electricity Use</b> 72 Watts (excludes lights)	<b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt
<b>Airflow</b> 3,135 Cubic Feet Per Minute	<b>Electricity Use</b> 72 Watts (excludes lights)	<b>Airflow Efficiency</b> 44 Cubic Feet Per Minute Per Watt				
<ul style="list-style-type: none"> <li>• Not suitable for installation on a sloped ceiling</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Prime-Touch® three-speed remote control</li> </ul>		<p><b>CONTROL</b></p>  <p>Prime-Touch (H) W-505</p>				
52" FINISHES		44" FINISHES				
C30G11H Snow White (Hi-Gloss Snow White blades)	C35G11H Snow White (Hi-Gloss Snow White blades)	C30G45H Brushed Nickel (Espresso blades)	C35G45H Brushed Nickel (Espresso blades)			
C30G546H Brushed Cocoa (Espresso blades)	C35G546H Brushed Cocoa (Espresso blades)	C30G707H Iron Ore (Carbon Fiber blades)	C35G707H Iron Ore (Carbon Fiber blades)			

LOW PROFILE

LOW PROFILE





**C34G700M**  
Normandy motor with  
Reclaimed Antique blades



**C2M668M**  
Tuscan Bronze motor  
with Dark Walnut blades

## VERMONT™

The compact silhouette and Colonial-inspired design details of the Vermont ceiling fan make it an ideal choice for traditional homes with lower ceilings. Five carved wood blades and a Scavo glass downlight add classical elegance while ensuring year-round comfort in living rooms, family rooms, kitchens, and other interior settings.



**C34G546M**  
Brushed Cocoa motor with Reclaimed Antique blades

## SILHOUETTE II™

The understated Silhouette II fan combines whisper-quiet performance with a low-profile design that enables it to blend seamlessly into a ceiling. Mounted with an integrated medallion, the fan is an ideal solution for rooms with low ceilings.



**C2M72M**  
Architectural White motor with Architectural  
White blades




FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 54" blade span / 15° blade pitch</li> <li>• Set of 5 exclusive carved featherwood blades included</li> <li>• Includes integrated 100-watt halogen downlight with bulb</li> </ul>	<ul style="list-style-type: none"> <li>• Not suitable for installation on a sloped ceiling</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 4,405 Cubic Feet Per Minute	<b>Electricity Use</b> 83 Watts (excludes lights)	<b>Airflow Efficiency</b> 53 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		


FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 52" blade span / 15° blade pitch</li> <li>• Set of 5 exclusive blades included</li> <li>• Includes integrated 100-watt halogen downlight and bulb</li> </ul>	<ul style="list-style-type: none"> <li>• Not suitable for installation on a sloped ceiling</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Includes Versa•Touch2® three-speed remote control</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 4,739 Cubic Feet Per Minute	<b>Electricity Use</b> 68.7 Watts (excludes lights)	<b>Airflow Efficiency</b> 69 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		

FINISHES
C34G546M Brushed Cocoa (Reclaimed Antique blades)
C34G700M Normandy (Reclaimed Antique blades)

CONTROL
 Versa•Touch2 (M) W-72 The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

FINISHES
C2M72M Architectural White (Architectural White blades)
C2M668M Tuscan Bronze (Dark Walnut blades)

CONTROL
 Versa•Touch2 (M) W-72 The hand-held, user-friendly Versa•Touch2® remote system controls three forward and reverse fan speeds, full-range light dimming, and memory. An optional wall plate bracket is included. Use one Versa•Touch2® to control several fans, or purchase an extra control to operate one fan from different locations.

LOW PROFILE

LOW PROFILE



**82U45D**  
Brushed Nickel motor with reversible  
Mahogany / Dark Walnut blades

## FOUR SEASONS III<sup>®</sup> HUGGER

With its low-profile, versatile design, the Four Seasons Hugger is an ideal solution for homes or offices with ceilings less than 8 feet high. Add a light fixture for even more functionality.



**72U11D**  
Snow White motor with reversible Snow White / Bleached  
Oak blades



FEATURES	COMPATIBLE LIGHT FIXTURES	ENERGY INFORMATION			
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 52" or 42" blade span / 13° blade pitch</li> <li>• Set of 5 reversible blades included</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Remote control adaptable (order control WRF3-xx)</li> </ul>	ⓧ1ⓧ, ⓧ100F, ⓧ101, ⓧ102, ⓧ103, ⓧ134, ⓧ164, ⓧ2ⓧ, ⓧ33L, ⓧ33R, ⓧ33T, ⓧ4C, ⓧ4ⓧ, ⓧ4ⓧF, ⓧ4M, ⓧ44V, ⓧG1ⓧ, ⓧG1", ⓧG101, ⓧG102, ⓧG103, ⓧG104, ⓧG210, ⓧG4W, ⓧGC5 <small>(see Light Fixtures section beginning on page 102)</small> • <b>ust use accessorⓧcontrol to operate light ⓧixture ⓧithout a pullchain•</b>	<p style="text-align: center;"><b>AT HIGH SPEED</b></p> <table border="1"> <tr> <td><b>Airflow</b> 2,126 Cubic Feet Per Minute</td> <td><b>Electricity Use</b> 67 Watts (excludes lights)</td> <td><b>Airflow Efficiency</b> 31.8 Cubic Feet Per Minute Per Watt</td> </tr> </table> <p><small>Measurements taken with 52" model. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.</small></p> <p><b>Money-Saving Tip: Turn off fan when leaving room.</b></p>	<b>Airflow</b> 2,126 Cubic Feet Per Minute	<b>Electricity Use</b> 67 Watts (excludes lights)	<b>Airflow Efficiency</b> 31.8 Cubic Feet Per Minute Per Watt
<b>Airflow</b> 2,126 Cubic Feet Per Minute	<b>Electricity Use</b> 67 Watts (excludes lights)	<b>Airflow Efficiency</b> 31.8 Cubic Feet Per Minute Per Watt			
<p><b>52" FINISHES</b></p> <p>82U4D Antique Brass (Antique Oak / Bleached Oak blades)</p> <p>82U11D Snow White (Snow White / Bleached Oak blades)</p> <p>82U45D Brushed Nickel (Mahogany / Dark Walnut blades) <b>NEW</b></p> <p>82U72D Architectural White (Architectural White / Bleached Oak blades)</p>	<p><b>CONTROL OPTIONS</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>3-Speed (D)</p> </div> <div style="text-align: center;">  <p>WRF3-xx <small>(optional)</small></p> </div> </div>				
<p><b>42" FINISH</b></p> <p>72U11D Snow White (Snow White / Bleached Oak blades)</p>					



**Pana• a 66668T**  
Tuscan Bronze motor shown  
with B515 Walnut blades

LOW PROFILE



# PANAMA®

The first five-bladed fan in the industry, the *Panama* is an American classic. The traditional styling works with virtually any setting. It's also one of the quietest ceiling fans available. Custom design your *Panama* by adding your choice of blades, light fixtures, and glass. Define your personal style with 11 motor finishes.

**66668T**  
Tuscan Bronze motor shown with B515 Walnut blades



**6645A**  
Brushed Nickel motor shown with B202 Mahogany blades, K2A fitter, and G208 White Marble glass bowl



**6632G**  
Weathered Copper motor shown with B210 Relic blades, K4S-32 four-light fitter, and G911 Teck Antique side glass

### FEATURES

- XLP-2000® motor / lifetime motor warranty
- 50" or 42" blade span / 15° blade pitch
- 4- or 5- blade configuration
- Multiple blade finish choices available (blades sold separately)
- Offered with Advan•Touch® or Intelli•Touch® six-speed control or 4-Speed pullchain
- ETL Damp-rated model available (see page 85)
- Optional controls available for 4-Speed model (see pages 118-119 for details)



### MOTOR FINISHES

 <b>6611A/G/T</b> Snow White	 <b>6622A/G/T</b> Bright Brass
 <b>6632A/G/T</b> Weathered Copper	 <b>6644A/G/T</b> Antique Brass
 <b>6645A/G/T</b> Brushed Nickel	 <b>6672A/G/T</b> Architectural White
 <b>6673/G/T</b> Oil-Rubbed Bronze	 <b>6688A/G/T</b> Matte Black
 <b>6699A/G/T</b> Classic White	 <b>66546A/G/T</b> Brushed Cocoa
 <b>66668A/G/T</b> Tuscan Bronze	

### CONTROL OPTIONS

 <b>4-Speed (G)</b> <i>(Adapt•Touch optional)</i>	The 4-Speed pullchain turns the fan on and off and controls the speed; each pull on the chain advances the speed to one of four settings. Fan forward and reverse is selected by a separate slide switch.
 <b>Advan•Touch (A)</b> W-62 <i>Advan•Touch models available while supplies last.</i>	Wall-mounted or hand-held, the Advan•Touch® remote control combines a user-friendly design with a large LCD display and intuitive controls for fan and lighting. Programmable features include Safe-Exit™ (when equipped with an optional light fixture) and Home-Safe™.
 <b>Intelli•Touch (T)</b> W-32	The sophisticated Intelli•Touch® wall-mounted system controls six variable fan speeds (in forward and reverse) and full-range light dimming (when equipped with optional light fixture) for perfect room comfort and ambience.

### COMPATIBLE LIGHT FIXTURES

K1C; K1CF; K1K, K100F; K101, K102, K103, K134, K134F; K164, K164F; K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF; K4M; K4S, K44T, K44V, KG1K, KG1N, KG1X, KG101, KG102, KG103, KG104, KG210, KG2L, KG4W, KG87, KGC5, KGC12, KGC12W  
 \* Only compatible with Advan•Touch or Intelli•Touch models      \*\* Only compatible with pullchain model  
 (see Light Fixtures section beginning on page 102)

### ENERGY INFORMATION

PANAMA XLP 4-SPEED			PANAMA ADVAN•TOUCH AND INTELI•TOUCH		
Airflow	Electricity Use	Airflow Efficiency	Airflow	Electricity Use	Airflow Efficiency
<b>6,226</b> Cubic Feet Per Minute	<b>108</b> Watts <i>(excludes lights)</i>	<b>57.6</b> Cubic Feet Per Minute Per Watt	<b>6,228</b> Cubic Feet Per Minute	<b>102</b> Watts <i>(excludes lights)</i>	<b>61</b> Cubic Feet Per Minute Per Watt

Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. **Money-Saving Tip: Turn off fan when leaving room.**



66H44F  
Antique Brass motor shown with B515 Walnut blades

The ultra-cool-burning uplight fixture allows close-to-ceiling installation.



# PANAMA<sup>®</sup> ALO

With its traditional styling and subtle halo uplight, the *Panama • alo* ceiling fan casts a new light on an American classic. Its integrated halo uplight comes with incandescent bulbs that burn at ultra-cool temperatures for maximum energy efficiency.



6744D  
Antique Brass motor shown with B28S-TK Teak Carved Wood South Seas blades

# NTURA<sup>®</sup>

Looking for versatility? Look no further than the *entura*. The style is clean, simple, and practical and will work just about anywhere.



66H73F  
Oil-Rubbed Bronze motor shown with B206 Dark Cherry blades, K44T-73 four-light fitter, and CSG2 Amber Speckled Scavo side glass

### FEATURES

- XTR200™ motor / lifetime motor warranty
- 50" or 42" blade span / 20° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- BL Long / BL Extra Long blades provide a 60" or 72" blade span, respectively, and 10° blade pitch – require BL-XX blade irons
- Includes 45-watt halo uplight with incandescent bulbs (44,000-hour bulb life)
- Optional W-52, W-41, and W-81 controls available (see pages 118-119 for details) – W-24 and W-28 not compatible
- Low Ceiling Adapter (LCA) is not compatible

### CONTROL




4-Speed (F)  
*(Adapt+Touch optional)*

The 4-Speed pullchain turns the fan on and off and controls the speed; each pull on the chain advances the speed to one of four settings. Fan forward and reverse is selected by a separate slide switch.

### COMPATIBLE LIGHT FIXTURES

K1CF, K1K, K100F, K101, K102, K103, K134, K134F, K164, K164F, K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF, K4M, K4S, K44T, K44V, KG1K, KG1N, KG1X, KG101, KG102, KG103, KG104, KG210, KG2L, KG4W, KG87, KGC5, KGC12, KGC12W

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> 6,522 Cubic Feet Per Minute	<b>Electricity Use</b> 82 Watts (excludes lights)	<b>Airflow Efficiency</b> 79.5 Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
--	--	---	---



6745D  
Brushed Nickel motor shown with BL31B-8 Avalon Black blades

### FEATURES

- XLP-2000® motor / lifetime motor warranty
- 42", 50" (with South Seas blades), or 62" (with Avalon blades) blade span
- 16° blade pitch
- 5-blade configuration
- Multiple blade finish choices available (blades sold separately)
- Optional controls available for 3-Speed model (see pages 118-119 for details)

### CONTROL



3-Speed (D)  
*(Adapt+Touch optional)*


The 3-Speed pullchain turns the fan on and off and controls the speed; each pull on the chain advances the speed to one of three settings. Fan forward and reverse is selected by a separate slide switch.

### COMPATIBLE LIGHT FIXTURES

K1C\*, K1K, K101, K102, K103, K134, K134F,\*\* K164, K164F,\*\* K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF,\*\* K4M,\*\* K4S, K44T, K44V, KG101, KG102, KG1K, KG1N, KG1X, KG210, KG2L, KG2VW, KG4W, KGC5, KGC12, KGC12W

\* Only compatible with Intelli+Touch model  
\*\* Only compatible with pullchain model  
(see Light Fixtures section beginning on page 102)

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> 6,105 Cubic Feet Per Minute	<b>Electricity Use</b> 106 Watts (excludes lights)	<b>Airflow Efficiency</b> 57.8 Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
--	---	---	---

TRADITIONAL

TRADITIONAL



49546D  
Brushed Cocoa motor shown with B515 Walnut blades

# ON NTRA®

Casablanca's hallmark of quality and performance continues with this fan. The - *oncentra* features a fresh design well-suited for both traditional and transitional room settings.



46U11D **NEW**  
Snow White motor with reversible Hi-Gloss Snow White / Matte Snow White blades




# API TRANO®

Subtle sophistication is a dominant theme in today's decor. Nothing complements this attitude like the - *apistrano*, with a soft, sculpted look and the nautical suggestion of seashells.



4944D  
Antique Brass motor shown with B206 Dark Cherry blades, K2A fitter, and G221 Italian Amber Swirl glass bowl, equipped with optional W-28 wall control

FEATURES	
• Direct Drive™ motor / lifetime motor warranty	• Multiple blade finish choices available (blades sold separately)
• 50" or 42" blade span / 16" blade pitch	• Optional controls available (see pages 118-119 for details)
• 5-blade configuration	

CONTROL	
	The 3-Speed pullchain turns the fan on and off and controls the speed; each pull on the chain advances the speed to one of three settings. Fan forward and reverse is selected by a separate slide switch.
3-Speed (D) <i>(Adapt+Touch optional)</i>	

COMPATIBLE LIGHT FIXTURES
K1CF, K1K, K100F, K101, K102, K103, K134, K134F, K164, K164F, K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF, K4M, K4S, K44T, K44V, KG1K, KG1N, KG1X, KG101, KG102, KG103, KG104, KG210, KG2L, KG2WW, KG4W, KG87, KGC5, KGC12, KGC12W <i>(see Light Fixtures section beginning on page 102)</i>



MOTOR FINISHES		
 4911D Snow White	 4944D Antique Brass	 4945D Brushed Nickel
 4972D Architectural White	 4973D Oil Rubbed Bronze	 4988D Matte Black
 4999D Classic White	 49546D Brushed Cocoa	

ENERGY INFORMATION AT HIGH SPEED		
<b>Airflow</b> 6,6•0 Cubic Feet Per Minute	<b>Electricity Use</b> 81 Watts (excludes lights)	<b>Airflow Efficiency</b> 81 Cubic Feet Per Minute Per Watt
Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		



46U546M  
Brushed Cocoa motor with reversible Dark Walnut / Walnut blades, shown with K2A fitter and G220 Italian Textured glass bowl

FEATURES	
• Direct Drive™ motor / lifetime motor warranty	• 16" blade pitch / 5-blade configuration
• 53" or 45" blade span (53" for unipack edition)	• Optional controls available for 3-Speed model (see pages 118-119 for details)

CONTROL OPTIONS	
	
3-Speed (D) <i>(Adapt+Touch optional)</i>	Versa-Touch2 (M) W-72

COMPATIBLE LIGHT FIXTURES
K1C,* K1CF,** K1K, K100F,** K101, K102, K103, K134, K134F,** K164, K164F,** K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF,** K4M,** K4S, K44T, K44V, KG1K, KG1N, KG1X, KG101, KG102, KG103, KG104, KG210, KG2L, KG4W, KG87, KGC5, KGC12, KGC12W <i>* Only compatible with Versa-Touch model ** Only compatible with pullchain model (see Light Fixtures section beginning on page 102)</i>

UNIPACK FINISHES <b>NEW</b> (blades included)		
46U4D/M	Antique Brass	(Medium Oak / Walnut blades)
46U11D/M	Snow White	(Gloss Snow White / Matte Snow White blades)
46U26D/M	Nava® White	(Nava® White / Classic White blades)
46U45D/M	Brushed Nickel	(Mahogany / Dark Walnut blades)
46U73D/M	Oil-Rubbed Bronze	(Teak / Dark Cherry blades)
46U546D/M	Brushed Cocoa	(Dark Walnut / Walnut blades)

MOTOR FINISHES (blades sold separately)		
4626D/M	Nava® White	4645D/M Brushed Nickel
4644D/M	Antique Brass	4673D/M Oil-Rubbed Bronze

ENERGY INFORMATION AT HIGH SPEED		
<b>Airflow</b> 6,991 Cubic Feet Per Minute	<b>Electricity Use</b> 89 Watts (excludes lights)	<b>Airflow Efficiency</b> 75.2 Cubic Feet Per Minute Per Watt
Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>		



4645M  
Brushed Nickel motor shown with B28B-WH White Carved Wood South Seas blades, K44T-45 four-light fitter, and CSG15 side glass



**84U45D**  
Brushed Nickel motor with reversible  
Platinum / Cherrywood blades

## OUR A ON<sup>®</sup> III

Casablanca quality, excellent value, and luxury of choice make the *Four Seasons III* the best ceiling fan in its class. Traditional in styling, this versatile fan offers selection and features worthy of the Casablanca name.



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" or 42" blade span / 13° blade pitch
- Set of 5 reversible blades included
- UL Damp-rated model available (see page 87)
- Optional controls available (see pages 118-119)

### COMPATIBLE LIGHT FIXTURES

K1K, K100F, K101, K102, K103, K134, K164, K33L, K33R, K33T, K4C, K4K, K4KF, K4M, K44V, KG1K, KG1X, KG101, KG102, KG103, KG104, KG210, KG4W, KGC5  
*(see Light Fixtures section beginning on page 102)*  
ⓧ *Must use accessory control to operate light fixture without a pullchain*

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 5,11• Cubic Feet Per Minute	<b>Electricity Use</b> 68 Watts (excludes lights)	<b>Airflow Efficiency</b> 7•• Cubic Feet Per Minute Per Watt

Measurements taken with 52" model. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. **Money-Saving Tip: Turn off fan when leaving room.**


### 52" FINISHES

- 84U4D Antique Brass (Antique Oak / Bleached Oak blades)
- 84U8D Matte Black (Matte Black / Bleached Oak blades)
- 84U9D Classic White (Classic White / Bleached Oak blades)
- 84U11D Snow White (Snow White / Bleached Oak blades)
- 84U26D Nava® White (Nava® White / Bleached Oak blades)
- 84U45D Brushed Nickel (Platinum / Cherrywood blades)
- 84U72D Architectural White (Arch. White / Bleached Oak blades)
- 84U73D Oil-Rubbed Bronze (Walnut / Antique Oak blades)

### 42" FINISHES

- 74U11D Snow White (Snow White / Bleached Oak blades)
- 74U45D Brushed Nickel (Platinum / Cherrywood blades)
- 74U73D Oil-Rubbed Bronze (Walnut / Antique Oak blades)

### CONTROL OPTIONS



**84G73D**  
Oil-Rubbed Bronze motor with  
reversible Dark Walnut / Teak blades

## OUR A ON<sup>®</sup> III ALL R

With its integrated bowl light fixture, the value-added *Four Seasons III* Gallery fan brings illumination as well as comfort to interior settings. Reversible blades double your decorative options.



**84G11D**  
Snow White motor with reversible Bleached  
Oak / Matte Snow White blades



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 13° blade pitch
- Set of 5 reversible blades included
- Includes 120-watt incandescent downlight with bulbs
- Remote control adaptable (order control WRF3-xx or W-52)
- Optional controls available (see pages 118-119 for details)

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 5,100 Cubic Feet Per Minute	<b>Electricity Use</b> 80 Watts (excludes lights)	<b>Airflow Efficiency</b> 6•.8 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. **Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- 84G11D Snow White (Matte Snow White / Bleached Oak blades)
- 84G45D Brushed Nickel (Dark Walnut / Mahogany blades)
- 84G73D Oil-Rubbed Bronze (Dark Walnut / Teak blades)

### CONTROL OPTIONS





• eritage • 19500  
 Aged Bronze motor shown with BL-ADK-RA  
 Adirondack carved wood blades and optional  
 exclusive KGC10W-500 beveled-glass lantern

## INDOOR/OUTDOOR FAN



With the growing popularity of outdoor living, more and more people are finding relaxation and enjoyment in environments that extend beyond the confines of the traditional house. Now you can enjoy a lifetime of comfort and style indoors and out with Casablanca's expanded collection of high-performance Indoor/Outdoor ceiling fans. This versatile collection offers a combination of Damp- and Wet-rated fans in a wide variety of design choices.

Damp-rated fans are ideal for use in any area where additional air circulation is needed, including damp or humid environments such as kitchens, bathrooms, sunrooms, and laundry rooms. Wet-rated fans extend their functionality to outdoor rooms, verandas, covered patios, decks, and enclosed porches. Each fan in the collection features a powerful motor that is guaranteed for life.

Casablanca Indoor/Outdoor ceiling fans are available in styles to complement any home's architecture or décor theme. Many models include exclusive blades and light fixtures for a complete look.

Casablanca also offers the opportunity to custom-design your Damp- or Wet-rated fan. Select a motor finish, and then add outdoor blades, a Damp- or Wet-rated light fixture, and glass from Casablanca's accessory collection to express your personal style.

Note: For wet locations, only Wet-rated light fixtures can be used. For damp, humid, or covered outdoor locations, either Damp- or Wet-rated light fixtures can be used. The Adapt•Touch™ W-52 accessory remote control is not recommended for use in damp, humid, or wet locations.

- M T -	T T -
	



**C19500K**  
Aged Bronze motor shown with BL-ADK-RA Adirondack outdoor carved featherwood blades in Reclaimed Antique

**OPTIONAL LIGHT FIXTURES**



**GC10W - 50W**  
Exclusive beveled-glass lantern, shown in Aged Bronze

**BLADE OPTIONS**



**C19546K**  
Brushed Cocoa motor shown with BL-TPW-WB Tropical Wicker outdoor blades in Weathered Bronze



**GC12W - 54W**  
Four-light fixture, shown in Brushed Cocoa





**C19624F**  
Bullion Black motor shown with BL-TDW-BK Traditional Wicker outdoor blades in Black



**GC19W - 62W**  
Exclusive globe lantern, shown in Bullion Black



FEATURES		CONTROL
<ul style="list-style-type: none"> <li>• XTR200™ 30mm motor / lifetime motor warranty</li> <li>• 60" blade span / 14" blade pitch</li> <li>• Modular configuration for maximum versatility</li> <li>• Set of 5 exclusive outdoor blades sold separately (three options available)</li> <li>• Moisture-resistant motor and enclosed housing</li> <li>• Stainless steel hardware</li> </ul>	<ul style="list-style-type: none"> <li>• ETL rated for wet locations (use only wet-rated light fixtures for use in wet locations)</li> <li>• Minimum 9° ceiling required</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Requires additional hanging support (included)</li> <li>• Includes W-81 four-speed wall control (no reverse function)</li> </ul>	 <p>4-Speed (K) <i>(Adapt-Touch optional for indoor locations)</i></p>  <p>4-Speed (F) W-81 The exclusive W-81 wall-mounted system controls four forward fan speeds and full-range light dimming (when equipped with optional light fixture).</p>

MOTOR FINISHES	BLADE OPTIONS	ENERGY INFORMATION			
		AT HIGH SPEED			
		Blade Choice	Airflow	Electricity Use (excluding lights)	Airflow Efficiency
C19500K Aged Bronze	BL-ADK-RA Adirondack in Reclaimed Antique	BL-ADK-RA	7,9•2 cfm	96.• watts	82.• cfm/watt
C19546K Brushed Cocoa	BL-TDW-BK Traditional Wicker in Black	BL-TDW-BK	6,780 cfm	97.1 watts	69.8 cfm/watt
C19624F Bullion Black (W-81 control)	BL-TPW-WB Tropical Wicker in Weathered Bronze	BL-TPW-WB	6,7•6 cfm	99.• watts	67.8 cfm/watt
COMPATIBLE LIGHT FIXTURES		Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>			
<i>For wet, damp, or dry locations</i> KGC10W Beveled-Glass Lantern    KGC12W Four-Light Fixture    KGC19W Globe Lantern					

# RITA™

During the Industrial Revolution, innovations in manufacturing enabled artisans to create furniture from cast iron. The •*eritage* fan incorporates many of the design details featured in antique castings, including vertical ribbing on its motor housing, raised type on the switch cap and a custom cobblestone texture on the fan body, cap and inset portions of the blade medallions.

The ETL Wet-rated •*eritage* is available in three finishes and includes your choice of one set of outdoor blades: Traditional Wicker, Tropical Wicker, or carved wood Adirondack. The optional exclusive Wet-rated light kits include a beveled-glass lantern suitable for illuminating large spaces, a globe lantern with frosted opal glass, and a four-light fixture.





C18G500F  
Aged Bronze motor shown with  
Reclaimed Antique blades

# ATRIA™

Make a statement of graceful refinement on a grand scale with the Damp-rated *Atria* ceiling fan. The faux alabaster motor housing includes both an uplight and downlight that illuminate the entire fan body with a warm, ambient glow.



C20G624F  
Bullion Black motor with  
Reclaimed Antique blades



# CASABLANCA™ ONTINENTAL™

Casablanca brings the grand formality of the Beaux Arts period to today's homes with the *ontinental* ceiling fan. This Damp-rated fans' faux alabaster light fixtures and botanical motif beautifully complement cast iron and aluminum outdoor furniture.



INDOOR/OUTDOOR

INDOOR/OUTDOOR

FEATURES		ENERGY INFORMATION			FEATURES		ENERGY INFORMATION										
<ul style="list-style-type: none"> <li>• XTR200™ 30mm motor / lifetime motor warranty</li> <li>• ETL rated for damp or humid locations</li> <li>• 68" blade span / 11" blade pitch</li> <li>• Set of 5 exclusive outdoor carved featherwood blades included</li> <li>• Includes integrated 120-watt incandescent uplight with bulbs</li> </ul>		<p align="center"><b>AT HIGH SPEED</b></p> <table border="1"> <tr> <td><b>Airflow</b> 9,0•2 <small>Cubic Feet Per Minute</small></td> <td><b>Electricity Use</b> 9• <small>Watts (excludes lights)</small></td> <td><b>Airflow Efficiency</b> 97.• <small>Cubic Feet Per Minute Per Watt</small></td> </tr> </table> <p>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>			<b>Airflow</b> 9,0•2 <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> 9• <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> 97.• <small>Cubic Feet Per Minute Per Watt</small>	<ul style="list-style-type: none"> <li>• Includes integrated 100-watt halogen downlight with bulbs</li> <li>• Moisture-resistant motor / stainless steel hardware</li> <li>• Minimum 9" ceiling required</li> <li>• Low Ceiling Adapter (LCA) is not compatible</li> <li>• Requires additional hanging support (included)</li> <li>• Includes W-81 four-speed wall control (no reverse function)</li> </ul>		<ul style="list-style-type: none"> <li>• XTR200™ 30mm motor / lifetime motor warranty</li> <li>• ETL rated for damp or humid locations</li> <li>• 60" blade span / 14" blade pitch</li> <li>• Set of 5 exclusive outdoor carved featherwood blades included</li> <li>• Moisture-resistant motor / stainless steel hardware</li> <li>• Includes integrated 150-watt incandescent uplight with bulbs</li> </ul>		<p align="center"><b>AT HIGH SPEED</b></p> <table border="1"> <tr> <td><b>Airflow</b> 8,021 <small>Cubic Feet Per Minute</small></td> <td><b>Electricity Use</b> 100 <small>Watts (excludes lights)</small></td> <td><b>Airflow Efficiency</b> 80.• <small>Cubic Feet Per Minute Per Watt</small></td> </tr> </table> <p>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b></p>			<b>Airflow</b> 8,021 <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> 100 <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> 80.• <small>Cubic Feet Per Minute Per Watt</small>
<b>Airflow</b> 9,0•2 <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> 9• <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> 97.• <small>Cubic Feet Per Minute Per Watt</small>															
<b>Airflow</b> 8,021 <small>Cubic Feet Per Minute</small>	<b>Electricity Use</b> 100 <small>Watts (excludes lights)</small>	<b>Airflow Efficiency</b> 80.• <small>Cubic Feet Per Minute Per Watt</small>															
<b>FINISH</b>		<b>CONTROL</b>			<b>FINISH</b>		<b>CONTROL</b>										
C18G500F Aged Bronze (Reclaimed Antique blades)		 4-Speed (F) W-81 The exclusive W-81 dual-rotary system is wall-mounted. One knob controls four forward fan speeds, the other controls continuously variable light dimming. Requires a third wire for light dimming.			C20G624F Bullion Black (Reclaimed Black blades)		 4-Speed (F) W-81 The exclusive W-81 dual-rotary system is wall-mounted. One knob controls four forward fan speeds, the other controls continuously variable light dimming. Requires a third wire for light dimming.										



C25G624F  
Bullion Black motor with  
Reclaimed Antique blades

# T • AIN®


This exquisite fan has been forged to replicate the look of ornamental castings from furniture displayed in 19<sup>th</sup> century English parks. The lattice-weave pattern on the fan body, cast type on the upper motor housing, botanically inspired blade irons, and integrated lighting with faux alabaster glass make the *Twain* one of a kind.



FEATURES	
<ul style="list-style-type: none"> <li>• XTR200™ 30mm motor / lifetime motor warranty</li> <li>• ETL rated for damp or humid locations</li> <li>• 60" blade span / 14° blade pitch</li> <li>• Set of 5 exclusive outdoor carved featherwood blades included</li> <li>• Moisture-resistant motor / stainless steel hardware</li> <li>• Includes integrated 150-watt incandescent uplight with bulbs</li> </ul>	<ul style="list-style-type: none"> <li>• Includes integrated 100-watt halogen downlight with bulbs</li> <li>• Low ceiling adapter (LCA) is not compatible</li> <li>• Requires additional hanging support (included)</li> <li>• Includes four-speed wall control (no reverse function)</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 8,17• Cubic Feet Per Minute	<b>Electricity Use</b> 97 Watts (excludes lights)	<b>Airflow Efficiency</b> 8•• Cubic Feet Per Minute Per Watt
<small>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  <b>Money-Saving Tip: Turn off fan when leaving room.</b></small>		

FINISH
C25G624F Bullion Black (Reclaimed Antique blades)

CONTROL
 <p>4-Speed (F) W-81</p> <p>The exclusive W-81 dual-rotary system is wall-mounted. One knob controls four forward fan speeds, the other controls continuously variable light dimming. Requires a third wire for light dimming.</p>



C12D9DD  
Distressed Classic White motor with  
Distressed Classic White beadboard-style  
All-Weather blades, shown with  
KG2WW-9 light fixture

# OTTA • T™

With its vintage-inspired beadboard detailing, the ETL Wet-rated - *ottage et* ceiling fan brings the tranquil charm of a seaside or country cottage outside. Matching beadboard-style ABS blades add timeless beauty and comfort.



C12D89D  
Textured Matte Black motor with Cordovan  
beadboard-style All-Weather blades




FEATURES	
<ul style="list-style-type: none"> <li>• Direct Drive™ motor / lifetime motor warranty</li> <li>• 52" blade span / 15° blade pitch</li> <li>• Set of 5 exclusive All-Weather ABS blades included</li> <li>• ETL rated for wet locations / Use only Wet-rated light fixtures in wet locations</li> </ul>	<ul style="list-style-type: none"> <li>• Stainless steel hardware</li> <li>• Moisture-resistant motor and enclosed housing</li> <li>• Optional control available for indoor use (see pages 118-119 for details)</li> </ul>

ENERGY INFORMATION		
AT HIGH SPEED		
<b>Airflow</b> 6,•61 Cubic Feet Per Minute	<b>Electricity Use</b> 82 Watts (excludes lights)	<b>Airflow Efficiency</b> 77•• Cubic Feet Per Minute Per Watt
<small>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  <b>Money-Saving Tip: Turn off fan when leaving room.</b></small>		

FINISHES
C12D9DD Distressed Classic White (Distressed Classic White All-Weather ABS blades)
C12D89D Textured Matte Black (Cordovan All-Weather ABS blades)

COMPATIBLE LIGHT FIXTURES
<small>For dry, indoor locations: K1C, K1CF, K100F, K134, K134F, K164, K164F, K2C, K4K, K4KF, K4S, KG1K, K33T            For damp locations: K1K            For wet locations: KG2WW, KGC12W            (see Light Fixtures section beginning on page 102)</small>

CONTROL
 <p>3-Speed (D) <small>(Adapt-Touch optional for indoor locations)</small></p> <p>Two pullchains provide complete control of all fan functions. One pullchain turns the fan on and off and controls the speed. Each pull of the chain advances the speed to one of three settings. Fan forward and reverse is selected by the second pullchain.</p>



**7926D**  
Nava® White motor shown with B720  
Bleached Oak All-Weather ABS blades



**4726D**  
Nava® White motor shown with B719  
Classic White All-Weather ABS blades

# LANAI®

Casablanca takes originality and elegance outdoors with the ETL Wet-rated *Lanai*. With blade holders highlighted by a tropical inspired shell design, the *Lanai* adds warmth and casual comfort to decks, patios, sunrooms, and verandas.



# TRADA®

Casablanca creates fans for every environment and mood. The *Trada* is casual and colorful, with wrought iron trim inserts that harmonize with outdoor furniture decor. ETL Damp-rated, the *Trada* is specially adapted for humid locations.



**NEW 79669D**  
Restoration Bronze motor shown with  
B718 Matte Black All-Weather ABS blades




**7988D**  
Matte Black motor shown with B726 Dark Walnut  
blades and KGC12W-8 outdoor four-light fixture

### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 53" or 45" blade span / 16° blade pitch
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for wet locations / Use only Wet-rated light fixtures in wet locations
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in wet locations
- Optional controls available for indoor use (see pages 118-119)

### CONTROL




**3-Speed (D)**  
*(Adapt-Touch optional  
for indoor locations)*

### COMPATIBLE LIGHT FIXTURES

*For dry, indoor locations:* K100F, K101, K102, K103, K134, K164, K2A, K2C, K33L, K33R, K33T, K4, K4B, K4K, K4M, K4S, K44T, K44V, KG1K, KG1X, KG101, KG102, KG210, KG4W, KGC5, KGC12  
*For damp locations:* K1K, K2K *(see Light Fixtures section beginning on page 102)*  
*For wet locations:* KG2WW, KGC12W, KG2L

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> <b>7,078</b> Cubic Feet Per Minute	<b>Electricity Use</b> <b>81</b> Watts (excludes lights)	<b>Airflow Efficiency</b> <b>87</b> Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
---	---	--	---



**4746D**  
Rustic Iron motor shown with  
B722 Rustic Iron All-Weather ABS blades

### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" or 44" blade span / 15° blade pitch
- 5-blade configuration
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations
- Optional controls available for indoor use (see pages 118-119 for details)

### CONTROL




**3-Speed (D)**  
*(Adapt-Touch optional  
for indoor locations)*

### COMPATIBLE LIGHT FIXTURES

*For dry, indoor locations:* K100F, K134, K164, K2A, K2C, K4B, K4K, K4S, KG1K  
*For damp locations:* K1K, KG2L, KGC12W  
*(see Light Fixtures section beginning on page 102)*

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> <b>7,126</b> Cubic Feet Per Minute	<b>Electricity Use</b> <b>82</b> Watts (excludes lights)	<b>Airflow Efficiency</b> <b>87</b> Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
---	---	--	---

# UTOPIAN®

The versatile *Utopian* fan is ideally suited for humid environments. Smooth contours and simple lines provide a clean, progressive look that enhances decor without distraction. In bathrooms, kitchens, and verandas, the Utopian is the perfect choice.

**NEW** 77546D  
Brushed Cocoa motor shown with B420 Walnut blades



# PANAMA® DAMP

The classic styling of the *Panama Damp* ceiling fan brings a breath of fresh air to humid locations inside and out. This ETL Damp-rated version of the traditional *Panama* fan enhances circulation in any potential damp indoor environment, including kitchens, bathrooms, sunrooms, laundry rooms – even enclosed porches and verandas.



7711D  
Snow White motor shown with B817 Matte Snow White All-Weather ABS blades

### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 50" or 40" blade span / 16° blade pitch
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Stainless steel hardware / moisture-resistant motor
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations
- Optional controls available for indoor use (see pages 118-119)

### CONTROL



3-Speed (D)  
*(Adapt-Touch optional for indoor locations)*

### COMPATIBLE LIGHT FIXTURES

*For dry, indoor locations:* K100F, K134, K134F, K164, K164F, K1CF, K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF, K4M, K4S, K44T, K44V, KG1K, KG1X, KG210, KG4W

*For damp locations:* K1K, KG2L, KGC12W

*(see Light Fixtures section beginning on page 102)*

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> 6,152 Cubic Feet Per Minute	<b>Electricity Use</b> 80 Watts (excludes lights)	<b>Airflow Efficiency</b> 76.9 Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
--	--	---	---



7745D  
Brushed Nickel motor shown with B818 Matte Black All-Weather ABS blades



66D73G  
Oil-Rubbed Bronze motor shown with B527-21 Weathered Pine All-Weather ABS blades, K1K-73 Damp-rated light fitter, and G502 glass

### FEATURES

- 4-Speed XLP-2000® motor / lifetime motor warranty
- 50" blade span / 15° blade pitch
- 4- or 5-blade configuration
- Multiple All-Weather blade finish choices available (blades sold separately)
- ETL rated for damp or humid locations
- Stainless steel hardware / moisture-resistant motor
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations
- Optional control available for indoor use (see pages 118-119)

### CONTROL



4-Speed (D)  
*(Adapt-Touch optional for indoor locations)*


### COMPATIBLE LIGHT FIXTURES

*For dry, indoor locations:* K1C, K1K, K100F, K101, K102, K103, K134, K134F, K164, K164F, K2A, K2C, K33L, K33R, K33T, K4, K4B, K4C, K4K, K4KF, K4M, K4S, K44T, K44V, KG1K, KG1N, KG1X, KG101, KG102, KG103, KG104, KG210, KG2L, KG4W, KG87, KGC5, KGC12

*For damp locations:* K1K, KG2L, KGC12W

*(see Light Fixtures section beginning on page 102)*

### MOTOR FINISHES



### ENERGY INFORMATION AT HIGH SPEED

<b>Airflow</b> 6,226 Cubic Feet Per Minute	<b>Electricity Use</b> 108 Watts (excludes lights)	<b>Airflow Efficiency</b> 57.6 Cubic Feet Per Minute Per Watt	Measurements taken with 21" basic blades. Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed. 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed. <b>Money-Saving Tip: Turn off fan when leaving room.</b>
--	---	---	---



66D11G  
Snow White motor shown with B527-11 Matte Snow White All-Weather ABS blades and KG2L-11 outdoor light fixture



**41U11D**  
Snow White motor shown with optional B41-WR  
White Rattan blades (Snow White All-Weather  
ABS blades included)



**83U46D**  
Rustic Iron motor with Rustic Iron  
All-Weather ABS blades

# WAILEA®

The ETL Damp-rated *Wailea* fan, inspired by Casablanca's popular *Capistrano* and *Lanai* fans, is perfectly suited for small spaces. This 31-inch-wide fan is ideal for bathrooms, laundry rooms, walk-in closets, and kitchens where ventilation is needed.




**41U546D**  
Brushed Cocoa motor with Brushed Cocoa All-Weather  
ABS blades



# FOUR SEASONS® III OUTSIDER

The *Four Seasons Outsider* ceiling fan brings lasting comfort and value to indoor and outdoor home environments all year round. This versatile fan combines traditional styling with a ETL Damp rating.



**83U11D**  
Snow White motor with White All-Weather  
ABS blades



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 31" blade span / 25° blade pitch (optimized for maximum air movement)
- Set of 6 custom All-Weather ABS blades included
- ETL rated for damp or humid locations
- Moisture-resistant motor / stainless steel hardware
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations
- Optional controls available for indoor use (see pages 118-119)

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 3,127 Cubic Feet Per Minute	<b>Electricity Use</b> 51 Watts (excludes lights)	<b>Airflow Efficiency</b> 61.9 Cubic Feet Per Minute Per Watt

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- 41U11D Snow White (Snow White blades)
- 41U45D Brushed Nickel (Matte Black blades)
- 41U46D Rustic Iron (Rustic Iron blades)
- 41U546D Brushed Cocoa (Brushed Cocoa blades)
- Exclusive Wailea blades (sold separately)*
- B41-NR Natural Rattan B41-WR White Rattan

### COMPATIBLE LIGHT FIXTURES

- For *damp* indoor locations: 101, 102, 103, 134, 164, 2A, 2C, 33L, 33R, 33T, 4, 4B, 4C, 4X, 4M, 4S, 44T, 44V, G1X, G1", G101, G102, G210, G4W, GC12
- For *damp* locations: 1X, G2L, GC12W (see *Light Fixtures* section beginning on page 102)

### CONTROL



### FEATURES

- Direct Drive™ motor / lifetime motor warranty
- 52" blade span / 13° blade pitch
- Set of 5 All-Weather ABS blades included
- ETL rated for damp or humid locations
- Use only Damp- or Wet-rated light fixtures in outdoor or damp locations
- Moisture-resistant motor / stainless steel hardware
- Low Ceiling Adapter (LCA) is not compatible when used in damp or humid locations
- Optional controls available for indoor use (see pages 118-119)  not for use with WRF3

### ENERGY INFORMATION

AT HIGH SPEED		
<b>Airflow</b> 5,439 Cubic Feet Per Minute	<b>Electricity Use</b> 60 Watts (excludes lights)	<b>Airflow Efficiency</b> 90.7 Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.  
**Money-Saving Tip: Turn off fan when leaving room.**

### FINISHES

- 83U11D Snow White (White All-Weather ABS blades)
- 83U46D Rustic Iron (Rustic Iron All-Weather ABS blades)

### COMPATIBLE LIGHT FIXTURES

- For *damp* indoor locations: 100F, 101, 102, 103, 134, 164, 33L, 33R, 33T, 4C, 4X, 4M, 44V, G1X, G101, G102, G210, G4W
- For *damp* locations: 1X (see *Light Fixtures* section beginning on page 102)
- **Must use accessory control to operate light fixture without a pullchain.**

### CONTROL





Zephyr 1928F Floor Fan  
Matte Black with Satin Brass accents

## ZEPHAIR™

Casablanca's *Zephyr* oscillating portable fans are a faithful reproduction of the elegant fans from that fabulous era in American history—The Roaring '20s.

Like all Casablanca fans, the *Zephyr* is superbly designed and engineered for a lifetime of efficient use.



19N8F Floor Fan  
Matte Black with  
Satin Nickel accents

### FEATURES

- Lifetime motor warranty
- Three fan speeds
- Cage separates easily for cleaning
- Die-cast base
- Ultra-quiet motor
- 55° oscillating sweep, 20° vertical adjustment
- 10" cloth-covered cord

### FINISHES

- 1928F Matte Black with Satin Brass accents
- 19N8F Matte Black with Satin Nickel accents

### DIMENSIONS

Dimensions (in inches)			Blade Span	Weight (lbs.)
Height	Width	Depth		
54	18	11	14.5"	50

### PRODUCT SPECIFICATIONS

Speed (rpm)	Power (watts)	Technology
600-1,200	58-75	3-Speed

# ZEPHAIR™

A richly detailed re-creation, the *Zephyr* uses modern technology to ensure Casablanca standards of exceptional performance and efficiency.

The convenient carrying handle enables the desk fan to be moved comfortably.



19N8D Desk Fan  
Matte Black with  
Satin Nickel accents



1928D Desk Fan  
Matte Black with Satin Brass accents

## ACCESSORIES

- BLADES / BADGE-STYLE
- BLADES / STANDARD-STYLE
- BLADES / ALL-WEATHER
- BLADES / SOUTH SEAS COLLECTION
- BLADES / AVALON BLADE SYSTEM
- BLADES / BEADBOARD COLLECTION
- BLADES / CARVED WOOD COLLECTION
- CONCERT BREEZE LIGHT FIXTURES
- COMPLETE LIGHT FIXTURES
- LIGHT FIXTURES AND GLASS
- LIGHT FIXTURES AND SHADES

FEATURES		DIMENSIONS				
<ul style="list-style-type: none"> <li>• Lifetime motor warranty</li> <li>• Three fan speeds</li> <li>• Cage separates easily for cleaning</li> <li>• Die-cast base</li> </ul>	<ul style="list-style-type: none"> <li>• Ultra-quiet motor</li> <li>• 55° oscillating sweep, 20° vertical adjustment</li> <li>• 9' 6" cloth-covered cord</li> </ul>	Dimensions (in inches)			Blade Span	Weight (lbs.)
		Height	Width	Depth		
		16.5	12.5	8	10.5"	20
FINISHES		PRODUCT SPECIFICATIONS				
1928D	Matte Black with Satin Brass accents	Speed (rpm)	Power (watts)	Technology		
19N8D	Matte Black with Satin Nickel accents	710-1,310	58-75	3-Speed		

PORTABLE



**BB21-WD**  
Dark Walnut blades shown on  
Victorian 6344T (Antique Brass) motor

## BADGE STYLE BLADES

All the same exceptional features of our standard fan blades, but compatible with even more styles including the Barlo, Brescia, Capistrano, Cottage, Metropolitan, New Orleans, Reverie, Seacoast, Victorian and Wilderness fans. Compatible with Estrada, Lanai and Utopian when used in a dry location.

### 17" BADGE-STYLE BLADE FEATURES

- Highest quality materials and construction
- 17 inches long width varies by model
- Special hardware included
- Not for use in damp or wet locations

### BLADE FINISHES

B401 Maple	B416 Cherrywood
B402 Mahogany	B419 Matte Snow White
B409 Classic White	B420 Walnut
B411 Hi-Gloss Snow White	B422 Architectural White

### 21" BADGE-STYLE BLADE FEATURES

- Highest quality materials and construction
- 21 inches long width varies by model
- Special hardware included
- Not for use in damp or wet locations

### BLADE FINISHES

B101 Maple	B501 Weathered Pine
B102 Mahogany	B505 Light Oak
B103 Walnut	B506 Hi-Gloss Cherrywood
B105 Architectural White	B507 Teak
B106 Rustic Iron	B508 Matte Black
B107 Dark Cherry	B509 Matte Snow White
B108 Medium Oak	B510 Bleached Oak
B110 Distressed White	B511 Hi-Gloss Snow White
B111 Relic	B519 Hi-Gloss Antique Oak
B112 Cedar	B522 Antique Oak
B113 Washed Bronze	B540 Classic White
B118 Textured Matte Black	B541 Cherrywood
B500 Navajo White	BB21-WD Dark Walnut





**B515**  
Walnut blades shown on  
Panama 6668T (Tuscan Bronze) motor



**B722**  
Rustic Iron blades shown on  
Estrada 4746D (Rustic Iron) motor

## STANDARD STYLE BLADES

Our standard blades are anything but, with specially constructed plywood layers to eliminate warping, a variety of stain and paint options, and compatibility with Concentra, Panama, Ventura and Panama Halo fans.

## ALL WEATHER BLADES

Built exclusively for outdoor environments, these high-quality blades made with durable ABS plastic will withstand the elements, retaining their beauty for years to come.

17" STANDARD-STYLE BLADE FEATURES	21" STANDARD-STYLE BLADE FEATURES	17" ALL-WEATHER BADGE-STYLE BLADE FEATURES	21" ALL-WEATHER BADGE-STYLE BLADE FEATURES	21" ALL-WEATHER STANDARD-STYLE BLADE FEATURES
<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• 17 inches long (width varies by model)</li> <li>• Special hardware included</li> <li>• Not for use in damp or wet locations</li> </ul>	<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• 21 inches long (width varies by model)</li> <li>• Special hardware included</li> <li>• Not for use in damp or wet locations</li> </ul>	<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• 17 inches long (width varies by model)</li> <li>• Special hardware included</li> </ul>	<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• 21 inches long (width varies by model)</li> <li>• Special hardware included</li> </ul>	<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• 21 inches long (width varies by model)</li> <li>• Special hardware included</li> </ul>
BLADE FINISHES	BLADE FINISHES	BLADE FINISHES	BLADE FINISHES	BLADE FINISHES
B303 Sawala B304 Teak B305 Maple B306 Mahogany B307 Architectural White B514 Walnut B523 Hi-Gloss Snow White B531 Classic White B543 Matte Snow White B544 Antique Oak	B201 Maple B202 Mahogany B203 Sawala B204 Architectural White B205 Rustic Iron B206 Dark Cherry B207 Medium Oak B208 Platinum B210 Relic B211 Cedar B213 Oil-Rubbed Bronze B515 Walnut B535 Light Oak B536 Bleached Oak B537 Classic White B545 Antique Oak B546 Weathered Pine B561 Matte Snow White B562 Teak B563 Hi-Gloss Cherrywood B564 Cherrywood B567 Hi-Gloss Rosewood B583 Hi-Gloss Snow White B587 Navajo White B588 Matte Black BS21-WD Dark Walnut	B817 Matte Snow White B818 Matte Black B821 Weathered Pine B824 Medium Oak B826 Dark Walnut	B717 Matte Snow White B718 Matte Black B721 Weathered Pine B722 Rustic Iron B724 Medium Oak B726 Dark Walnut	B527-11 Snow White B527-21 Weathered Pine B527-46 Rustic Iron B527-DW Dark Walnut B527-MO Medium Oak
COMPATIBLE FANS	COMPATIBLE FANS	COMPATIBLE FANS	COMPATIBLE FANS	COMPATIBLE FANS
Estrada, Lanai, and Utopian	Estrada, Lanai, and Utopian	Estrada, Lanai, and Utopian	Estrada, Lanai, and Utopian	Panama Damp



**B26S-DKR**  
Dark Rattan paddle-style blades shown on Panama 6673T (Oil-Rubbed Bronze) motor



**BL31W-11 Avalon White** blades  
Shown on Panama 6611G (Snow White) motor

## SOUTH SEAS COLLECTION™

South Seas blades bring the option of tropical styling to any room. Blades are constructed with the highest quality materials and not only look great, but also provide optimum air movement at any fan speed.



Natural Split Bamboo finish

Carved Wood finishes (left to right): Mahogany and White

Rattan finishes (left to right): Dark, Natural, and White

FEATURES
<ul style="list-style-type: none"> <li>• Highest quality materials and construction</li> <li>• Handcrafted and balanced to ensure wobble-free performance</li> <li>• Special hardware included</li> <li>• Not for use in damp or wet locations</li> <li>• Rattan not for use with models using "TR200"™ motor</li> <li>• Split Bamboo not for use with models using "LP-2000"® or "LP-2100"® motor</li> </ul>
COMPATIBLE FANS
<p><b>Badge:</b> Capistrano, Metropolitan</p> <p><b>Standard:</b> Concentra, Four Seasons III, Panama, Ventura</p>

BLADE TYPES / DIMENSIONS / FINISHES			
<b>ED W D</b>	<b>SP • T B M B</b>	<b>T T N</b>	
20 5/8"L, 9" max. width	21"L, 6" max. width	21 1/4"L, 6" max. width	
<b>Badge</b>	<b>Badge</b>	<b>Standard</b>	
B28B-MG Mahogany	B33B-NB Natural	B26S-D R Dark Rattan	
B28B-WH White		B26S-NR Natural Rattan	
<b>Standard</b>	<b>Standard</b>	B26S-WR White Rattan	
B28S-MG Mahogany	B33S-NB Natural		
B28S-T Teak			
B28S-WH White			

## AVALON® BLADES STEM

Avalon blades bring the option of nautical styling to a range of fan series. Blades are fabricated with ripstop sailcloth and tensioned by fiberglass fishing rods. Truly a Casablanca classic.



From left to right:

**BL31W-11**  
White rod with White fabric

**BL31B-8**  
Black rod with Black fabric

FEATURES		
<ul style="list-style-type: none"> <li>• 62" blade span / 18° blade pitch</li> <li>• 29 inches long, 10 inches maximum width</li> <li>• Ripstop nylon sailcloth blades</li> <li>• Urethane coated with UV inhibitors</li> </ul>	<ul style="list-style-type: none"> <li>• Special hardware included</li> <li>• Not for use with Low Ceiling Adapter (LCA)</li> </ul>	
FINISHES	COMPATIBLE LIGHT FIXTURES	COMPATIBLE FANS
<p>BL31B-8 Black rod with Black fabric</p> <p>BL31W-11 White rod with White fabric</p>	<p>1, 164, 2, 4, 4B, 4, 4M, G1"</p>	<p>Panama</p> <p>Ventura</p>



**BBS21-WD Dark Walnut**  
Shown on Panama 6632T (Weathered Copper) motor



**BVB13-66 Carved Wood Blades**  
Shown on Reverie C966M (Brushed Walnut / Antique Gold) motor

## BEADBOARD COLLECTION

Beadboard blades add cottage-style comfort and charm to any compatible fan model. Their signature design draws its inspiration from vintage paneling.

## CARVED WOOD COLLECTION

The exquisite hand-carved details and gorgeous patinas are the result of a meticulous nine-step process executed by skilled artisans.



**BBS21-72**  
Architectural White

**BBS21-WD**  
Dark Walnut

**BBS21-72D**  
Distressed  
Architectural White



**BVB13-66**  
Brushed Walnut / Antique Gold  
(exclusive for Reverie)

### BEADBOARD BLADE FEATURES

- Highest quality materials and construction
- 21 inches long, 6 inches maximum width
- Special hardware included
- Not for use in damp or wet locations

### BLADE TYPES / FINISHES

<b>B B B</b>	<b>S T A N D A R D</b>
BBB21-72 Architectural White	BBS21-72 Architectural White
BBB21-72D Distressed Architectural White	BBS21-WD Dark Walnut

### COMPATIBLE FANS

**Badge:** Barolo, Brescia, Capistrano, Cottage, Metropolitan and Seacoast  
**Standard:** Concentra, Panama, Panama Halo

### CARVED WOOD BLADE FEATURES

- Highest quality materials and construction
- 21 inches long, width varies by model
- Special hardware included
- Not for use in damp or wet locations

### BLADE TYPES / FINISHES

<b>B B B</b>
BVB13-66 Brushed Walnut / Antique Gold
BVB10-62 Distressed Relic

### COMPATIBLE FANS

Reverie



CSLK-73  
Oil Rubbed Bronze Concert Breeze Light Fixture  
shown on Panama 6673G

**SOUNDOLIER®**  
*Integrated Wireless Technologies*

## CONCERT BREEZE LIGHT FIXTURE

A light fixture and sound system all in one, the Concert Breeze mounts to most Casablanca fans, or directly to your ceiling. This groundbreaking Soundolier® technology utilizes an exclusive 2.4 GHz wireless system that's easily adapted to your television, stereo, MP3 player or any other audio source for 360 degrees of hi-definition sound.

### FEATURES

- Mounts to most Casablanca ceiling fans or directly to ceiling
- Rated for damp locations
- Compatible with many audio sources such as MP3 players, televisions and stereos
- Remote control included for separate operation of light and audio functions
- Integrated 120-watt bowl light fixture
- Includes three 40w candelabra bulbs

### FINISHES

- CSLK-11 Snow White (Swirled Marble glass)
- CSLK-45 Brushed Nickel (Swirled Marble glass)
- CSLK-73 Oil Rubbed Bronze (Italian Amber Scavo glass)

### COMPATIBLE FANS

- Barolo, Brescia, Capistrano, Concentra, Cottage, Estrada, Heritage, Holliston, Key Largo II, Lanai, Malibu Star, Metropolitan, Panama, Utopian, Ventura, Victorian and Wailea

### CONTROL



CSLK-11  
Snow White Concert Breeze Light Fixture  
(shown mounted to ceiling)

# LIGHT FIXTURES

From classic to contemporary, Casablanca fixtures and shades are specifically designed to complement Casablanca fans. Select imported hand-blown glass or consider Bohemian lead crystal, Tiffany, or other exquisite choices. The diversity of selection will complement every decor from traditional to contemporary. Reflecting "Quality In Every Detail," each fixture is superbly crafted and includes lightbulbs.

## COMPLETE LIGHT FIXTURES (include filter and glass)



K4B



K4K / K4KF



K4M



KG1K



KG1M



KG1N



KG1X



KG1Z

Complete light fixtures include white glass unless indicated otherwise.

### K4B

#### Four-Light Integrated Incandescent Bullet Fixture

160 watts  
Available finishes: -2, -4, -8, -11, -45, -46, -73

### K4K\* / K4KF\*

#### Four-Light Center-Stem Bullet Fixture

- - Incandescent 160 watts
- - Fluorescent 52 watts (200 watt equivalent light output)

Available finishes: -2, -4, -8, -9, -11, -45, -49, -72, -73

### K4M\*

#### Four-Light Center-Stem • alogen Swivel Fixture

80 watts  
K4M available finishes: -11, -45

### KG1K\*

#### Center-Stem Incandescent Pan Fixture

White frosted glass 80 watts  
Available finishes: -2, -4, -8, -9, -11, -26, -45, -46, -49, -72, -73, -546

### KG1M

#### Le Grande Exclusive

• alogen Bullet Fixture  
100 watts  
Available finishes: -32, -45

### KG1N

#### Incandescent Mica Fixture

180 watts  
Available finishes: -32, -45, -546

### KG1X

#### Incandescent Center-Stem Mushroom Fixture

White opal glass  
100 watts  
Available finishes: -2, -4, -9, -11

### KG1Z

#### Le Grande Exclusive

• alogen Dome Fixture  
100 watts  
Available finish: -45



KG2L



KG2WW



KG4W



KG86



KG87



KG89



KG99



KG101



KG102



KG103



KG104



KG210

### KG2L

• outdoor Incandescent Fixture  
120 watts rated for wet locations  
Available finishes: -8, -11, -26, -46, -49, -73, -669

### KG2WW

• outdoor Incandescent Fixture  
120 watts rated for wet locations  
Available finishes: -9, -89

### KG4W\*

Shaker Four-Light Incandescent Fixture  
240 watts  
Available finishes: -11, -45, -73 (Amber glass)

### KG86 Wilderness Exclusive

Three-Light Incandescent Fixture with Mica Shades  
180 watts  
Available finish: -89

### KG87

Three-Light Integrated Fixture with Bamboo-Look Accents  
180 watts  
Available finish: -73

### KG89 Marrakesh Exclusive

• alogen Fixture with Scavo Shade  
100 watts  
Available finishes: -73 (Amber glass), -97, -546

### KG99 19th Century Exclusive

Four-Light Incandescent Fixture with Vianne Glass  
240 watts  
Available finishes: -32, -69

### KG101\*

Four-Light Center-Stem Incandescent Fixture  
240 watts  
Available finishes: -11, -73

### KG102\*

Three-Light Center-Stem Incandescent Fixture  
180 watts  
Available finishes: -11, -73 (Amber glass)

### KG103\*

Three-Light Center-Stem Incandescent Fixture with Scavo Glass  
180 watts  
Available finish: -73 (Amber glass)

### KG104\*

Three-Light Center-Stem Incandescent Fixture with Scavo Glass  
180 watts  
Available finish: -73 (Amber glass)

### KG210\*

Crystal Incandescent Bowl Fixture  
Bright Brass, Antique Brass, Snow White, and Brushed Nickel finishes included  
180 watts

\* Includes pullchain switch (not shown)

† Approved for pullchain models only not for use with integrated controls

\* Includes pullchain switch (not shown)

COMPLETE LIGHT FIXTURES



KGC5



KGC10W



KGC12



KGC12W



KGC19W

SOCKET-RING FITTERS



K33L



K33R



K33T



K44T



K101



K102

**KGC5**  
Three-Light Center-Stem Incandescent Fixture

180 watts  
Available finishes: -11, -63 (Amber glass)

**KGC10W** *Heritage Exclusive*  
•outdoor Beveled-Glass •alogen Lantern  
100 watts  "ated for Wet locations  
Available finishes: -500, -546, -624

**KGC12**  
Four-Light Integrated Incandescent Fixture  
240 watts  
Available finishes: -72, -73 (Amber glass)

**KGC12W**  
•outdoor Four-Light Integrated Incandescent Fixture  
240 watts  "ated for Wet locations  
Available finishes: -8, -9, -11, -26, -46, -89, -500, -546, -624

**KGC19W** *Heritage Exclusive*  
•outdoor Gobe •alogen Lantern  
100 watts  "ated for Wet locations  
Available finishes: -500, -546, -624

**K33L\***  
Three-Light Center-Stem Incandescent Fitter  
180 watts  Available finishes: -2, -11, -72

**K33R\***  
Three-Light Center-Stem Incandescent Fitter  
180 watts  Available finishes: -73

**K33T\***  
Three-Light Center-Stem Incandescent Fitter  
180 watts  
Available finishes: -2, -9, -11, -72, -73

**K44T**  
Contemporary Four-Light Incandescent Fitter  
240 watts  
Available finishes: -4, -11, -45, -72, -73

**K101\***  
Three-Light Center-Stem Incandescent Fitter  
180 watts  Available finishes: -4, -11

**K102\***  
Three-Light Center-Stem Incandescent Fitter  
180 watts  Available finishes: -11, -73

\* Includes pullchain switch (not shown)

SOCKET-RING GLASS



CSG1



CSG2



CSG4



CSG5



CSG7



CSG9



CSG10



CSG12 / CSG13 / CSG14



CSG15



CSG16



CSG17

**CSG1**  
  Side Glass, Square Shape, White Cased

**CSG2**  
  Side Glass, Square Shape, Amber Speckled

**CSG4**  
  Side Glass, Round Shape, White Cased

**CSG5**  
  Side Glass, Bell Shape, White Cased

**CSG7**  
  Side Glass, Bell Shape, Amber Linen

**CSG9**  
  Side Glass, Bell Shape, Murano Clear

**CSG10**  
  Side Glass, Bell Shape, Murano Champagne

**CSG12** White Rattan  
**CSG13** Light Rattan  
**CSG14** Dark Rattan  
  Side Glass, White  
Compatible on  with K33"

**CSG15**  
  Side Glass, •pal

**CSG16**  
  Side Glass, White

**CSG17**  
  Side Glass, Clear Cracked

BOWL FITTERS AND BOWLS



K2A



K100F



G208



G211



G213



G220



G221



G222



K2A filter with G221 Italian Amber Swirl Glass Bowl shown on Concentra motor (4944D) with B206 DarCherr blades, equipped with W-52 accessor control

As in the glow of hand-made exquisite finished Italian bowls from Venetian glass. These bowls are named for the process used to cast and form the glass. Each piece is hand finished and will add elegance to any room setting.

**K2A**  
Center-Stem Incandescent Fitter for Center Bowl Glass  
120 watts

**K100F\***  
Center-Stem Compact Fluorescent Fitter for Center Bowl Glass with Circline T8 Bulb and Ballast  
22 watts  
Bright Brass, Antique Brass, Snow White, and Brushed Nickel finishes included  
Not for use with pullchain models unless equipped with remote controls

**G208**  
White Marble Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Bright Brass, Antique Brass, Snow White, and Brushed Nickel finishes included

**G211**  
Italian Rope Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Not for use with pullchain models unless equipped with optional controls

**G213**  
Italian Lea Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Not for use with pullchain models unless equipped with optional controls

**G220**  
Italian Textured Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Not for use with pullchain models unless equipped with optional controls

**G221**  
Italian Amber Swirl Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Not for use with pullchain models unless equipped with optional controls

**G222**  
Italian Frosted Glass Bowl  
Use with K2A or K100\* fitter (sold separately)  
Not for use with pullchain models unless equipped with optional controls

\* Includes pullchain switch (not shown)

LOW-PROFILE FITTERS AND GLASS



K1C / K1CF



K2C



G106



G107



G108



G109



G110

Add lighting to ceiling fans installed on lower ceilings with a low-profile fixture. Choose a compatible glass shade from a selection of soft silhouettes.



K2C-45 two-light fixture with G108 Scavo glass shown on Panama motor in Brushed Nickel (6645) with B562 Beige blades



K1C-11 halogen light fixture with G110 Imperial glass shown on Metropolitan motor in Snow White (6411) with B511 White glass blades

**K1C / K1CF**  
Integrated Fitter  
•K1C - Halogen 100 watts  
Not for use with pullchain models  
Available finishes: -2, -4, -9, -11, -45, -72, -73, -97, -199, -546, -624, -668  
•K1CF - Fluorescent 22-watt compact fluorescent bulb  
Available finishes: -2, -4, -45

**K2C**  
Integrated Incandescent Fitter  
120 watts  
Available finishes: -2, -4, -8, -9, -11, -26, -32, -45, -46, -49, -72, -73, -546, -668

**G106**  
Seashell Low-Profile Glass  
Use with K1C or K2C fitter (sold separately)

**G107**  
White Marble Low-Profile Glass  
Use with K1C or K2C fitter (sold separately)

**G108**  
Scavo Low-Profile Glass  
Use with K1C or K2C fitter (sold separately)

**G109**  
White Frosted Low-Profile Glass  
Use with K1C or K2C fitter (sold separately)

**G110**  
Imperial Low-Profile Glass with Accent  
Use with K1C or K2C fitter (sold separately)

THUMBSCREW FITTERS



K4



K4C



K4S



K134 / K134F



K164 / K164F



K4C-4 four-light Williamsburg fitter with 911 Anti-Glare side glass shown on Victorian motor in Antique Brass (6344) with BB21-WD Dar Walnut blades

Create a unique light fixture by combining a fitter with the shades of your choice. Select a fitter from the many options available and coordinate it with compatible glass or other decorative shades to complete your desired look.

**K4**  
**Four-Arm Integrated Incandescent Fitter**  
 240 watts  
 Available finishes: -2, -4, -11

**K4C**  
**Williamsburg Four-Arm Center-Stem Incandescent Fitter**  
 240 watts  
 Available finishes: -2, -4, -92

**K4S**  
**Four-Light Integrated Incandescent Fitter**  
 240 watts  
 Available finishes: -2, -4, -8, -9, -11, -26, -32, -45, -46, -49, -72, -73, -546, -668

**K134\* / K134F\***  
**Four-Arm Center-Stem Swivel Fitter**  
 240 watts  
 Available finishes: -2, -4, -8, -9, -11, -26, -45, -46, -72, -73  
 • **F - Fluorescent** 52 watts (200 watt equivalent light output)  
 Available finishes: -2, -4, -9, -45

**K164\* / K164F\***  
**Four-Light Straight-Arm Center-Stem Fitter**  
 240 watts  
 Available finishes: -2, -4, -9, -11, -45, -49, -72, -73  
 • **F - Fluorescent** 52 watts (200 watt equivalent light output)  
 Available finishes: -2, -4, -9, -11, -45

\* Includes pullchain switch (not shown)

\*\* Not compatible with K4S† C" (Compact fluorescent fixtures)

† Fluorescent can only be used on pullchain fans where Star rated

THUMBSCREW SIDE GLASS



G414



G416



G418



G420



G601



G606



G726



G909



G911



K4S-32 four-light fitter with 911 Anti-Glare side glass shown on Panama motor in Weathered Copper (6632) with B210 "elic blades

**G414**  
 Side Glass, Frosted Tulip

**G416**  
 Side Glass, White Opal

**G418**  
 Side Glass, Frosted Deco

**G420**  
 Side Glass, Frosted Drapes

**G601\*\***  
 Side Glass, Flower-Cut Crystal

**G606\*\***  
 Side Glass, Diamond- and Flower-Cut Crystal

**G726**  
 Side Glass, Diamond Tiffany

**G909\*\***  
 Side Glass, Clear Mouchette Satin

**G911\*\***  
 Side Glass, Teak Antique

\*\* Not compatible with K4S† C" (Compact fluorescent fixtures)



### THUMBSCREW SIDE GLASS



G912



G913



G914



G917



G918



G936



G937

*Accent a three- or four-light fixture with the perfect side glass to create the look you desire. Choose from elegant cut crystal, exquisite frosted and patterned glass, tinted or stained glass and many other options.*

**G912\*\***  
Side Glass,opal Matte

**G913\*\***  
Side Glass, Dune

**G914\*\***  
Side Glass, uage Blanc Satin

**G917\*\***  
Side Glass, White Satin

**G918\*\***  
Side Glass, White Satin

**G936\*\***  
Side Glass, Stencil

**G937\*\***  
Side Glass, Clear with Metal Flakes

\*\* Not compatible with K11 C (Compact fluorescent fixtures)

### THUMBSCREW FITTERS AND 4" CENTER GLASS




K1K



G501



G502



K1K-11 Damp-rated fitter with G501 White opal Schoolhouse center glass shown on our Seasons III Outsider fan in Snow White (8311D) with White ABS blades



K1K-73 Damp-rated fitter with G502 White opal Mushroom center glass shown on Panama Damp motor in Oil-ubbed Bronze (66D73) with B527-21 Weathered Pine ABS blades

**K1K**  
Damp-rated for damp locations)  
**Incandescent Fitter or Center Glass**  
for use with G501 and G502 glass  
60 watts  
Available finishes: -2, -4, -8, -9, -11, -45, -46, -49, -72, -73


**G501**  
White Center Glass, opal Schoolhouse  
(K1K fixture sold separately)

**G502**  
White Center Glass, opal Mushroom  
(K1K fixture sold separately)

### SHADE FITTERS AND SHADES



K44V




K103



S101



S102



S104



S105



S106

**K44V\***  
Victorian Four-Arm Center-Stem Incandescent Fitter  
240 watts  
Available finishes: -9, -11, -73

**K103\***  
Three-Arm Center-Stem Incandescent Fitter  
180 watts  
Available finishes: -2, -4, -11, -45, -46, -73

**S101**  
Rattan Side Shade, Dark Brown

**S102**  
Leather-Whipstitched Paper Side Shade, Chamois

**S104**  
Mica Side Shade, Amber

**S105**  
Fabric Side Shade, White

**S106**  
Fabric Side Shade, Cream

\* Includes pullchain switch (not shown)



K44V-9 four-light fitter with S106 Cream fabric shades shown on Panama motor in Classic White (6699A) with B209 Distressed White blades

# SPECIFICATIONS & REFERENCE CHARTS

- LIGHT FIXTURE & BULB SPECIFICATIONS
- LIGHT FIXTURE COMPATIBILITY & DIMENSIONS
- HANGING SYSTEM
- CONTROL OPTIONS
- FAN & BLADE FINISHES
- BLADE SELECTION CHART
- MODEL NUMBER REFERENCE CHART
- PRODUCT SPECIFICATIONS
- INDEX



# HANGING SYSTEM

EASY AS REPLACING A LIGHT FIXTURE



Low Ceiling Adapter (LCA)



Sloped Ceiling Adapter (SCA)

Casablanca makes installation a do-it-yourself, one-person operation. Casablanca's patented Hang-Tru® hanging system supports the fan from the ceiling, leaving both hands free to make wiring connections. The self-centering ball makes sure the fan hangs straight, even on ceilings with up to 32-degree slope (for greater slopes, use a Sloped Ceiling Adapter).

Casablanca's threaded Perma•Lock™ downrod locks the fan permanently in place and is the sturdiest, easiest to install downrod on the market. Higher ceilings? Casablanca offers optional downrods in lengths up to 117" to satisfy virtually any installation requirement.

### EXTRAS INCLUDED

Everything you need is included with your Casablanca fan, including lightbulbs, batteries for remotes, and even a handy screwdriver. Casablanca delivers "Quality In Every Detail.™"

Perma•Lock™ Downrods			Suggested Extension Downrod	
Fan Models			Ceiling Height	Downrod Length
Academy	Four Seasons III Outsider	S3	8'	Standard
Academy Gallery	Heritage (5" std.)	Seacoast (6" std.)	9'	6"
Alessandria (5" std.)	Holliston (3½" std.)	Serra	10'	12"
Atria (4" std.)	Key Largo II (3¼" std.)	Siena (3" and 6" std.)	11'	18"
Barolo	Lanai	Star	12'	24"
Bel Air	La Fleur (5" std.)	Starlet	13'	36"
Bel Air Halo (7¼" std.)	Le Grande	Stealth	14'	48"
Brescia	Malibu Star (12" std.)	Trident	15'	60"
Bungalow (3½" std.)	Marrakesh (6" std.)	Twain	16'	72"
Candelier (9" std.)	Metropolitan	Utopian	18'	96"
Capistrano	Mission	Veneto (11" std.)	20'	117"
Concentra	Modena II	Ventura		
Continental	New Orleans Centennial	Verrazano (6" std.)		
Cottage	19th Century (12" std.)	Victorian		
Cottage Wet	Panama	Vita (5" std.)		
Estrada	Panama Damp	Wailea		
Four Seasons III	Panama Halo	Whitman (5" std.)		
Four Seasons III Gallery	Reverie (3" and 12" std.)	Wilderness (6" std.)		
Unless noted, all fans come with a 3" pipe assembly (except Four Seasons Hugger, Isotope, Silhouette II, and Vermont).				
<b>Extension Downrod Lengths (Model PL*xx)</b>	6", 12", 18", 24", 36", 48", 60", 72", 96", 117" (*= finish to match fan, xx= downrod length). See ceiling height/downrod length guide at right.			
<b>Sloped Ceiling Adapter (SCA-P)</b>	Use Model SCA-P for slopes 32 degrees to 56 degrees. If using the SCA-P with Academy, Academy Gallery, Bungalow, Holliston, Mission, Modena II, S3, Star, Starlet, Verrazano, Vita, or Whitman, you must purchase a Hang-Tru canopy (Part #192220xx); specify finish to match fan. Use hanger pack included with fan.			
<b>Low Ceiling Adapter (LCA-*)</b>	LCA-* (limited finishes). Reduces fan height by 3 1/2" from standard downrod (3" for Direct Drive models.) (Canopy measures 2"H x 6.25" diameter) NOT for use with Alessandria, Atria, Barolo, Bel Air, Bel Air Halo, Bungalow, Candelier, Continental, Four Seasons III Hugger, Holliston, Isotope, La Fleur, Le Grande, Malibu Star, Marrakesh, Mission, Modena II, New Orleans Centennial, 19th Century, Panama Halo, Reverie, S3, Seacoast, Serra, Siena, Silhouette II, Stealth, Twain, Trident, Vermont, Verrazano, Vita, Whitman, or Wilderness fans or Avalon blades. Also not for use with Cottage Wet, Estrada, Four Seasons III Outsider, Heritage, Lanai, Panama Damp, Utopian, or Wailea when installed in a damp or wet location.			
<b>19th Century Outer Sleeve (RS69xx, RS32xx)</b>	Sleeve must be ordered with appropriate extension pipe: 8" sleeve for 12" pipe, 14" sleeve for 18" pipe, 20" sleeve for 24" pipe, 26" sleeve for 30" pipe, 32" sleeve for 36" pipe, 44" sleeve for 48" pipe, 56" sleeve for 60" pipe, 68" sleeve for 72" pipe, 92" sleeve for 96" pipe, 113" sleeve for 117" pipe.			
<b>Adapt•Touch™ Remote Control System (Model W-52)</b>	For 3-Speed and 4-Speed fans with a Casablanca Hang-Tru canopy only. Cannot be used in outdoor locations. May be used with a Sloped Ceiling Adapter. Not for use with a Low Ceiling Adapter.			

**NOTE:** For best performance and appearance, an extension downrod should be used with your Casablanca fan when installing on a high or sloped ceiling. Casablanca offers extension downrods in lengths up to 9' 9" (117"). The chart lists the most common ceiling heights and suggested downrod lengths. For safety reasons, the fan blades must be a minimum of 7 feet above the floor. For more information, see your Casablanca dealer.

Gallery Edition models include coordinating blades, light fixture, and glass. Fans with the notation "Requires Additional Hanging Support" are packaged with the necessary hardware.

# CONTROL OPTIONS

Over the years, Casablanca Fan Company has developed a reputation for bringing consumers optimum convenience and comfort for the home. From the creation of the industry's first computerized ceiling fans to the innovations featured in this year's product offerings, Casablanca continues to set the standard for superior performance and unparalleled ease of use.

With simple two-wire installation and intuitive Integrated Controls designed exclusively for – and included with – specific fan models, Casablanca fans are easy to install and even easier to use. The Integrated Controls include such features as adjustable fan speed and direction settings, lighting levels, and even home security, for total environmental enhancement.

Casablanca also offers a complete line of optional Accessory Controls, which allow homeowners to optimize the functionality of their fans based upon personal preferences. Each style is engineered to provide maximum performance from 3-Speed and 4-Speed fan models. The Adapt•Touch™ control adds remote control convenience for 3-Speed and 4-Speed Casablanca fans with a Hang-Tru™ canopy. Casablanca also offers wall-mounted Accessory Controls for both fan and light control with either slide or rotary operation.

HANGING SYSTEM CONTROL OPTIONS

## INTEGRATED CONTROLS

### INTELI•TOUCH® [W-32, W-33, W-84]

This sophisticated wall-mounted system controls six fan speeds (in either the forward or reverse direction) and full-range light dimming for perfect room comfort and ambience. The new Intelli-Touch3 model is controlled via radio frequency. Safe-Exit™ provides 20 seconds of gradual light dimming, showing you safely to the door. Home-Safe™ is a home security feature that controls lights in an irregular sequence, making a home appear occupied. The Fan Minder™ feature incrementally reduces fan speed, maintaining comfort at night. The Light Minder™ feature saves energy by turning lights off automatically after two hours. On Bel Air Halo fans, the Intelli-Touch control allows separate uplight and down-light control.

### ADVAN•TOUCH® [W-62, W-63, W-64, W-65]

Wall-mounted or hand-held, Advan•Touch combines a user-friendly design with a large LCD display and intuitive controls for fan and lighting with programmable features. Advanced programmable features include Safe-Exit™ and Home-Safe™. Use one Advan•Touch to control several fans, or purchase an extra control to operate one fan from different locations.

### VERSA•TOUCH2® [W-72, W-73]

The refined Versa•Touch2 hand-held remote provides three forward and reverse fan speeds, full-spectrum light dimming and memory and has an optional wall plate bracket. Versa•Touch2 may be used alone to control several fans or purchase extra controls to operate a single fan from different locations.

### PRIME•TOUCH® [W-505]

This hand-held remote for select fans provides three forward and reverse fan speeds, full-spectrum light dimming, and memory, and includes an optional wall plate bracket.

### DIRECT•TOUCH® [W-74]

Simple and straightforward, the Direct•Touch wall-mounted control offers four forward and reverse fan speeds, plus full-spectrum light dimming and advanced programmable features including Safe-Exit™, Home-Safe™, Fan Minder™ and Light Minder™.

Inteli•Touch  
W-32, W-33, W-84



Advan•Touch  
W-62, W-63,  
W-64, W-65



Versa•Touch2  
W-72, W-73



Prime•Touch  
W-505



Direct•Touch  
W-74



Adapt•Touch  
W-52



Single Slide  
W-24A, W-24W



Dual Slide  
W-28A, W-28W



Single Rotary  
W-41



Dual Rotary  
W-81



## ACCESSORY CONTROLS

### ADAPT•TOUCH™ [W-52]

Add remote control convenience to Casablanca 3-Speed and 4-Speed models. Adapt•Touch easily converts new or existing Casablanca 3-Speed and 4-Speed pullchain models equipped with a Hang•Tru™ canopy to remote control operation. Features include three fan speeds, instant off, and full-range light dimming (on models equipped with a light fixture), all from the palm of your hand. The hand-held remote includes a switch plate bracket for wall mounting, and the receiver is quickly installed in the Hang•Tru™ canopy. Use one Adapt•Touch to control several fans, or purchase extra controls to operate a fan from different locations. Note: The W-52 is not recommended for use in outdoor locations.

### WALL CONTROLS

#### W-24A, W-24W SINGLE SLIDE

Optional accessory for 3-Speed and 4-Speed models. Provides four fan speeds. Noise-free circuitry and quiet operation. Not for use on XTR200® motors. (Almond or White)

#### W-28A, W-28W DUAL SLIDE

Optional accessory for 3-Speed and 4-Speed models. Provides four fan speeds and full-range light dimming. Noise-free circuitry and quiet operation. Requires third wire for installation. Not for use on XTR200® motors. (Almond or White)

#### W-41 SINGLE ROTARY


Optional accessory for 3-Speed and 4-Speed models with XTR200 and XLP-2000 motors. Provides four separate fan speeds, an industry exclusive. Noise-free circuitry and quiet operation. (Almond and White included)

#### W-81 DUAL ROTARY

Optional accessory for 3-Speed and 4-Speed models with XTR200 and XLP-2000 motors. Provides four separate fan speeds and full-range light dimming. Noise-free circuitry and quiet operation. Requires third wire for installation. (Almond and White included)

## FAN FINISHES

Casablanca fans exhibit a beautiful finish and color consistency, the outcome of an intensive preparation and finishing process. Casablanca performs 15 separate finishing steps under strict quality controls. The extra time and care help explain Casablanca's brilliant, jewel-like finish that stands out from lesser quality fans. More durable as well, Casablanca components will never peel, blister, or tarnish under normal operating conditions. Finishes that fail to meet Casablanca's high standards may actually be acceptable to other fan companies. Casablanca also takes rigorous steps to ensure quality in its painting process. Casablanca's powdercoating process creates an even and uniform appearance, which explains Casablanca's rich luster, outstanding color intensity, and resistance to fading, corrosion, and marring.



\* Accent color pictured on fan page. Refer to fan section for finish availability. Although we have made every effort to ensure accuracy, actual product finishes may vary slightly from catalog depiction due to variations in printing.

CONTROL OPTIONS

FAN FINISHES

# MODEL NUMBER REFERENCE CHART

Model	Page #	Bright Brass -2	Antique Brass -4	Matte Black -8	Classic White -9	Distressed Classic White -9D	Snow White -11	Hi-Gloss Black -12	Navajo White -26	Weathered Copper -32	Brushed Nickel -45	Rustic Iron -46	Washed Bronze -49	Bronze Patina -52	Amber Bronze -55	French Creme -61	Tuscan Sunset -63	Russet -64	Brushed Walnut w/ Antique Gold -66	Graphite -68	Burnished Brass -69	Architectural White -72	Oil-Rubbed Bronze -73	Textured Matte Black -89	Burnished Bronze -92	Antique Pewter -97		
Academy	54						C38U11K				C38U45K												C38U73K					
Academy Gallery	55						C38G11K				C38G45K													C38G73K				
Alessandria	47																											
Atria	78																											
Barolo	38																		C5S63A/T									
Bel Air	50						3811A/T			3832A/T	3845A/T													3873A/T				
Bel Air Halo	51									38DH32T	38DH45T													38DH73T				
Brescia	56-57									9532A/D/T	9545A/D/T													9573A/D/T				
Bungalow	41													P4M55H														
Candelier	14																											
Capistrano	71		46U4D/M, 4644D/M				46U11DM		46U26DM, 4626D/M		46U45DM, 4645D/M													46U73D/M, 4673D/M				
Concentra	70		4944D	4988D	4999D		4911D				4945D												4972D	4973D				
Continental	79																											
Cottage	42																						C12S72M					
Cottage Wet	81						C12D9DD																		C12D89D			
Estrada	83								4726D			4746D																
Four Seasons III, 42"	72						74U11D				74U45D													74U73D				
Four Seasons III, 52"	72		84U4D	84U8D	84U9D		84U11D		84U26D		84U45D												84U72D	84U73D				
Four Seasons III Gallery	73						84G11D				84G45D													84G73D				
Four Seasons III Hugger, 42"	64						72U11D																					
Four Seasons III Hugger, 52"	64		82U4D				82U11D				82U45D												82U72D					
Four Seasons III Outsider	87						83U11D					83U46D																
Heritage	76-77																											
Holliston	44-45						C31U11Z				C31U45Z													C31U73Z		C31U97Z		
Isotope, 44"	60-61						C35G11H				C35G45H																	
Isotope, 52"	60-61						C30G11H				C30G45H																	
Key Largo II	32																							C23U73K				
La Fleur	40															P2G61H	P2G63H											
Lanai	82			7988D			7911D		7926D			7946D	7949D															
Le Grande	26									85U32M	85U45M																	
Malibu Star	23						23B002																					
Marrakesh	29																							89U73M		89U97M		
Metropolitan	58		6444T				6411T				6445T																	
Mission	34									97032A/T				97052A/T														
Modena II	22			C10G8M			C10G11M																					
New Orleans Centennial	36		6944D																							6992D		
19th Century	35									99U32T												99U69T						
Panama	66-67	6622A/G/T	6644A/G/T	6688A/G/T	6699A/G/T		6611A/G/T			6632A/G/T	6645A/G/T												6672A/G/T	6673A/G/T				
Panama Damp	85						66D11G																	66D73G				
Panama Halo	68		66H44F				66H11F				66H45F												66H72F	66H73F				
Reverie	39																											
SS	24						93011M				93045M								C9K66M		93068M							
Seacoast	33																						C3U72M					
Serra	52																	P3M64M										
Siena	53																							P5G73M				
Silhouette II	63																						C2M72M					
Star	20						C28G11M	C28G12M																				
Starlet	21						C29G11M	C29G12M																				
Stealth	18-19						3211A/T	3212A/T		3232A/T	3245A/T																	
Trident	27						TRI11-11				TRI11-45												3268A/T		3272A/T			
Twain	80																											
Utopian	84						7711D				7745D																	
Veneto	46																											
Ventura	69		6744D				6711D				6745D																	
Vermont	62																											
Verrazano	25										65G45D																	
Victorian	37		6344T																					6373T				
Vita	16-17			C17G8A																							C17G97A	
Wailea	86						41U11D				41U45D	41U46D																
Whitman	48-49										C21G45H															C21G97H		
Wilderness Fan	30																								86U89M			
Wilderness Lighting, Table	31																								8601-89			
Wilderness Lighting, Torchiere	31																								8602-89			
Wilderness Lighting, Wall Sconce	31																								8603-89			
Wilderness Lighting, Pendant	31																								8604-89			
Zephyr Desk Fan	90			19N8D, 1928D																								
Zephyr Floor Fan	89			19N8F, 1928F																								

MODEL NUMBER REFERENCE CHART

A = Advan•Touch D = 3-Speed F = XTR 4-Speed G = XLP 4-Speed H = Prime•Touch K = Direct Drive 4-Speed L = Direct•Touch M = Versa•Touch2 T = Intelli•Touch Z = Intelli•Touch3

NOTE: Further information on the entire line of Casablanca ceiling fans is available from your authorized dealer.

# MODEL NUMBER REFERENCE CHART

Chrome -199	Aged Bronze -500	Brushed Cocoa -546	Bullion Black -624	Matte Silver -664	Cherry Bronze -667	Tuscan Bronze -668	Restoration Bronze -669	Normandy -700	Iron Ore -707	Model
C38U199K										Academy
C38G199K										Academy Gallery
		C27G546H						C27G700H		Alessandria
	C18G500F									Atria
		38546A/T								Barolo
		38DH546T								Bel Air
		95546A/D/T								Bel Air Halo
										Brescia
										Bungalow
										Candelier
		46U546D/M								Capistrano
		49546D								Concentra
			C20G624F							Continental
										Cottage
										Cottage Wet
										Estrada
										Four Seasons III, 42"
										Four Seasons III, 52"
										Four Seasons III Gallery
										Four Seasons III Hugger, 42"
										Four Seasons III Hugger, 52"
										Four Seasons III Outsider
	C19500K	C19546K	C19624F							Heritage
			C31U624Z							Holliston
C31U199Z		C35G546H						C35G707H		Isotope, 44"
		C30G546H						C30G707H		Isotope, 52"
										Key Largo II
		P2G546H								La Fleur
							79669D			Lanai
										Le Grande
										Malibu Star
										Marrakesh
		89U546M								Metropolitan
										Mission Fan
C10G199M										Modena II
										New Orleans Centennial
										19th Century
		66546A/G/T				66668A/G/T				Panama
										Panama Damp
										Panama Halo
										Reverie
										S3
										Seacoast
										Serra
										Siena
							C2M668M			Silhouette II
										Star
										Starlet
										Stealth
			C25G624F							Trident
		77546D								Twain
			C15G624L							Utopian
										Veneto
										Ventura
		C34G546M						C34G700M		Vermont
										Verrazano
										Victorian
C17G199A		C17G546A		C17G664A	C17G667A					Vita
		41U546D								Wailea
		C21G546H			C21G667H					Whitman
										Wilderness Fan
										Wilderness Lighting, Table
										Wilderness Lighting, Torchiera
										Wilderness Lighting, Wall Sconce
										Wilderness Lighting, Pendant
										Zephyr Desk Fan
										Zephyr Floor Fan

# BLADE SELECTION

Casablanca blades are constructed of the finest materials to ensure long-lasting durability, high-quality appearance, and smooth, wobble-free performance. The blades on every Casablanca fan are inspected, matched for color and finish, and weighed to within one gram before being packaged as a set. These time-consuming steps are an essential component of Casablanca's uncompromising approach to quality. For outdoor use, Casablanca offers "All-Weather" specialized molded blades with high-impact synthetic resins that will not warp.

BLADE TYPE	BASIC				LONG/EXTRA LONG		DELUXE			ALL-WEATHER			EXCLUSIVE			
	17"	17"	21"	21"	26"	32"	21"	21"	21"	16"	21"	21"	Bel Air	Heritage	Stealth	
	Badge	Standard	Badge	Standard	Standard Long*	Standard Extra Long*	Badge Beadboard	Standard Beadboard	Badge Carved Wood	Badge	Badge	Standard				
<b>COMPATIBLE FAN SERIES</b>	Barolo Brescia Capistrano Cottage Metropolitan New Orleans Seacoast Victorian	Concentra Panama Panama Halo Panama 4-S Ventura	Barolo Brescia Capistrano Cottage Metropolitan New Orleans Reverie Seacoast Victorian Wilderness	Concentra Panama Panama Halo	Panama Halo	Panama Halo	Barolo Brescia Capistrano Cottage Metropolitan New Orleans Seacoast Victorian Wilderness	Concentra Panama Panama Halo	Concentra Panama Panama Halo	Reverie	Estrada Lanai Utopian	Estrada Lanai Utopian	Four Seasons Outsider Panama Damp	Bel Air Bel Air Halo	Heritage	Stealth
Antique Oak		B544	B522	B545											B613	
Architectural White	B422	B307	B105	B204	BL-72	BXL-72	BBB21-72	BBS21-72								B32-72
Black Wicker															BL-TDW-BK	
Bleached Oak			B510	B536												B32-B0
Brushed Walnut/Antique Gold										BVB13-66						
Cedar			B112	B211												
Cherrywood	B416		B541	B564												
Classic White	B409	B531	B540	B537												
Dark Cherry			B107												B619	B32-DC
Dark Walnut			BB21-WD	BS21-WD				BBS21-WD		B826	B726	B527-DW	B621			B32-DW
Distressed Architectural White							BBB21-72D									
Distressed Relic									BVB10-62							
Distressed White			B110													
Glossy Black																B32-12
Graphite																B32-68
Hi-Gloss Antique Oak			B519													
Hi-Gloss Cherrywood			B506	B563											B615	
Hi-Gloss Rosewood				B567												
Hi-Gloss Snow White	B411	B523	B511	B583	BL-11	BXL-11									B611	B32-11
Light Oak			B505	B535												
Mahogany	B402	B306	B102	B202	BL-MG	BXL-MG									B618	B32-MG
Maple	B401	B305	B101	B201	BL-MP	BXL-MP									B617	B32-MP
Matte Black			B508	B588							B818	B718				
Matte Snow White	B419	B543	B509	B561							B817	B717	B527-11			
Medium Oak			B108	B207							B824	B724	B527-MO			
Navajo White			B500	B587												
Oil-Rubbed Bronze				B213												
Platinum				B208												B32-79
Reclaimed Antique																BL-ADK-RA
Relic			B111	B210												
Rustic Iron			B106	B205								B722	B527-46			
Sawala		B303		B203												
Teak		B304	B507	B562	BL-TK	BXL-TK									B620	B32-TK
Textured Matte Black			B118													
Walnut	B420	B514	B103	B515	BL-WN	BXL-WN									B622	
Washed Bronze			B113													
Weathered Bronze Wicker																BL-TPW-WB
Weathered Pine			B501	B546							B821	B721	B527-21			





















\* = Requires exclusive BI-xx blade holder. Available finishes: -4, -11, -45, -72, -73.

**Additional blade options:**

Exclusive Wailea blades (page 86) / South Seas Collection (page 96) / Avalon Blade System (page 97)

# BLADE FINISHES

The blades of a Casablanca fan are fashioned for exceptional performance and timeless beauty. The highest quality materials are selected for long-lasting durability and perfectly balanced operation. Casablanca's eight-ply construction uses six layers of wood in a cross-laminated pattern for extra strength and resistance to warping. The two outside layers are real furniture-grade wood veneers. Other manufacturers often use cheaper materials in construction and finishing, such as pressed fiberboard with imitation photographic paper overlays that attempt to simulate real wood finishes.

					
Antique Oak (Matte or Hi-Gloss)	Architectural White <small>(also available in All-Weather version)</small>	Black (Matte, Glossy, or All Weather)	Black Wicker	Bleached Oak <small>(also available in All-Weather version)</small>	Brushed Cocoa (All-Weather)
					
Brushed Walnut	Carbon Fiber	Cedar	Cherry Relic	Cherrywood (Matte or Hi-Gloss)	Classic White <small>(also available in All-Weather version)</small>
					
Clove	Cognac Leather	Dark Cherry	Dark Walnut <small>(also available in All-Weather version)</small>	Distressed Architectural White	Distressed White
					
Espresso	Graphite	Light Oak	Mahogany	Maple	Medium Oak <small>(also available in All-Weather version)</small>
					
Natural Split Bamboo	Navajo White	Oil-Rubbed Bronze	Platinum	Reclaimed Antique	Relic
					
Rosewood (Matte or Hi-Gloss)	Rustic Iron <small>(also available in All-Weather version)</small>	Sawala	Snow White (Matte, Glossy, or All Weather)	Teak	Textured Matte Black
					
Walnut (Matte)	Washed Bronze	Weathered Bronze Wicker	Weathered Pine <small>(also available in All-Weather version)</small>		

Although we have made every effort to ensure accuracy, actual product finishes may vary slightly from catalog depiction due to variations in printing.

# PRODUCT SPECIFICATIONS

## CEILING FANS

SERIES	Model Number (x, xx, or xxx = Finish Code)	Dimensions (in inches)					Blade Span		Blade Pitch	Weight (lbs.)	Min. Ceiling Height (ft.)	Energy Information (at High Speed)				Motor Size	Technology and Fan Controls
		A	B	C	D	E	Long	Short				Speed (rpm)	Airflow (cfm)	Electricity Use, Excluding Lights (watts)	Airflow Efficiency (cfm/watt)		
Academy	C38J00K	12	14.5	3	13.7	6.7	54"		14°	25	8	175	5878	75	79	172mm x 20mm	4-S
Academy Gallery	C38G00K	12	19.5	3	13.7	6.7	54"		14°	29	8	175	5878	75	79	172mm x 20mm	4-S
Alessandria	C27G00H	11.88	17.57	3	13.74	7	54"		14°	29	8	170	6,000	75	80.0	172mm x 20mm	P•T W-505
Atria	C18G500F	23.40	28.8*	3	17.10	5.6	68"		11°	42	9	156	9,042	93	97.4	XTR200 - 30mm	4-S W-81
Barolo†	C55X00T	11	13	3	13	5.6	52"	44"	14°	37	8	195	6,059	104	58.2	XLP-2000 - 28mm	A•T W-62 / I•T W-32
Bel Air	38XXA/T	9.25	13.9*	3	12.25	5.6	55"		14°	24	8	176	7,174	119	60.5	XLP-2000 - 28mm	A•T W-62 / I•T W-32
Bel Air Halo	38DHXX0T	13.25	18.5*	3	15.5	5.6	55"		14°	36	9	176	7,174	119	60.5	XLP-2000 - 28mm	I•T W-32
Brescia†	95XXAD/T	11.3	12.6	3	14	5.6	52"	44"	15°	27	8	182	6,591	116	56.9	XLP-2000 - 28mm	A•T W-62 / I•T W-32 / 3-S
Bungalow	P4M55H	11	17*	3	14	7.7	56"		13°	38	8	180	6,193	84	84.6	188mm x 20mm	P•T W-505
Candelier	C16G73T	24.37	24.37	4.82	10.93	8	30"		20°	150	9	300	2,920	66	44.0	XLP Plus - 38mm	I•T W-32
Capistrano†	46X0D/M	11.1	12.75	3	12.6	5.6	53"	45"	16°	21	8	190	6,691	89	75.2	188mm x 20mm	V•T2 W-72 / 3-S
Concentra†	49X0D	11	12.75	3	11.5	5.6	50"	42"	16°	20	8	200	6,640	81	81.0	188mm x 20mm	V•T2 W-72 / 3-S
Continental	C20G624F	11.80	16.9*	3.0	16.20	5.6	60"		14°	47	8	177	8,021	100	80.4	XTR200 - 30mm	4-S W-81
Cottage†	C12S72M	12	13	3	13.3	5.6	52"	42"	15°	28	8	190	6,482	84	77.0	188mm x 20mm	V•T2 W-72
Cottage Wet	C12DXD	12	13	3	13.3	5.6	52"		15°	18	8	190	6,361	82	77.3	188mm x 20mm	3-S
Estrada††	47X00D	13	13.75	3	12	5.6	52"	44"	15°	25	8	203	7,126	82	87.0	188mm x 20mm	3-S
Four Seasons III, 52"	84X0D	10.75	12.75	3	11.5	5.6	52"		13°	14	8	168	5,114	68	74.3	172mm x 12mm	3-S
Four Seasons III, 42"	74X0D	10.75	12.75	3	11.5	5.6	52"	42"	13°	14	8	250	4,134	60	69.0	172mm x 12mm	3-S
Four Seasons III Gallery	84GXXD	13	25*	3	11.5	5.6	52"		13°	14	8	168	5,100	80	63.8	172mm x 12mm	3-S
Four Seasons III Hugger	82X0D	7	8	N/A	11	5.6	52"	42"	12°	11	8	157	2,126	67	31.8	172mm x 12mm	3-S
Four Seasons III Outsider	83X0D	10.75	12.75	3	11.5	5.6	52"		13°	17	8	168	5,439	60	90.7	172mm x 12mm	3-S
Heritage (with BL-ADK-RA blades)	C19X00F	12.7	13.4	2.9	16	5.6	60"		14°	39	9	167	7,932	96.4	82.3	XTR200 - 30mm	4-S W-81
Heritage (with BL-TDW-BK blades)	C19X00F	12.7	13.4	2.9	16	5.6	60"		14°	45	9	125	6,780	97.1	69.8	XTR200 - 30mm	4-S W-81
Heritage (with BL-TPW-WB blades)	C19X00F	13.3	13.4	2.9	16	5.6	60"		14°	47	9	155	6,736	99.3	67.8	XTR200 - 30mm	4-S W-81
Holliston	C31DX2	11.8	13.4	2.8	13.9	6.7	60"		15°	22	8	173	6,494	115	56.0	XLP Plus - 40mm	I•T3 W-84
Isotope, 52"	C30G00H	9.5	12.8	N/A	10.2	7.7	52"		14°	28	8	204	3,135	71	43.8	188mm x 20mm	P•T W-505
Isotope, 44"	C35G00H	9.5	12.8	N/A	10.2	7.7	44"		14°	28	8	278	4,167	70	59.2	188mm x 20mm	P•T W-505
Key Largo II	C23U73K	12.3	13.01	2.83	13.14	5.56	52"		15°	8	190	5,510	80	69	188mm x 20mm	4-S	
La Fleur	P2G00H	12	22*	3	12	5.6	56"		15°	33	8	135	5,909	69	86.0	188mm x 20mm	P•T W-505
Lana††	79X0D	11.1	12.75	3	12.6	5.6	53"	45"	16°	25	8	215	7,078	81	87.0	188mm x 20mm	3-S
Le Grande	85X0X/M	11.96	16.23	3	8.69	5.6	62"		14°	27	8	156	6,670	84	78.0	188mm x 20mm	V•T2 W-72
Malibu Star	23B002	21	23	3	6.25	5.6	84"		15°	19	9	83	5,170	109	47.4	XLP-2000 - 28mm	3-S W-80
Marrakesh	89X00/M	13.25	20*	4	19.75	5.6	64"		14°	40	8	175	7,900	84	85.0	188mm x 20mm	V•T2 W-72
Metropolitan†	64X0T	12	12.2	3	12	5.6	52"	44"	15°	25	8	175	6,003	119	50.5	XLP-2000 - 28mm	I•T W-32
Mission	970XXA/T	11	15.4*	3	13.9	7.7	56"		13°	36	8	153	6,162	94	60.5	XLP2100 - 33mm	A•T W-62 / I•T W-33
Modena II	C10G00M	11.83	16.75*	3	8.17	7.7	47"	dynamic	28	8	187	5,832	72	81.0	188mm x 20mm	V•T2 W-72	
New Orleans Centennial†	69X0D	26	28	3	13	5.6	54"	46"	15°	36	10	152	6,005	103	58.1	XLP-2000 - 28mm	3-S
19th Century	99X0X/T	22	28.5*	6.75	10.5	5.6	54"		14°	35	9	169	6,050	108	56.2	XLP-2000 - 28mm	I•T W-32
Panama†	66XXA/T	10.75	12.46	3	13.43	5.6	50"	42"	15°	20	8	194	6,228	102	61.0	XLP-2000 - 28mm	A•T W-62 / I•T W-32
Panama 4-Speed†	66XXG	10.75	12.46	3	13.43	5.6	50"	42"	15°	27	8	201	6,226	108	57.6	XLP-2000 - 28mm	4-S
Panama Damp††	66DXG	10.75	12.46	3	13.43	5.6	50"	42"	15°	27	8	201	6,226	108	57.6	XLP-2000 - 28mm	4-S
Panama Halo†	66H0X	10.75	12.46	3	13.43	5.6	72"	42"	20°	27	8	150	6,522	82	79.5	XTR200 - 20mm	4-S
Reverie†	C9K66M	11	26*	3	16	5.6	56"		15°	43	8	215	4,759	84	65.6	188mm x 25mm	V•T2 W-73
S3	93D0M	9.8	14*	3	10.2	7.7	54"		15°	23	8	202	7,440	86	89.8	188mm x 20mm	V•T2 W-72
Seacoast†	C3U72M	16	17	3	11.8	5.6	54"		15°	50	9	215	6,714	84	75.4	188mm x 20mm	V•T2 W-73
Serra	P3M64M	11	16*	3	16	5.6	56"		15°	30	8	120	5,120	70	73.1	188mm x 25mm	V•T2 W-73
Siena	P5G73M	11	23*	3	18	5.6	54"		15°	45	8	120	4,680	67	69.7	188mm x 25mm	V•T2 W-73
Silhouette II	C2MXX0M	10.24	12.53	NA	NA	24	52"		15°	30	8	140	4,739	68.7	69.0	188mm x 20mm	V•T2 W-72
Star	C28G00M	11.77	14.35*	3	8.09	7.7	52"		15°	27	8	201	5,640	66	84.0	172mm x 20mm	V•T2 W-72
Starlet	C29G00M	11.77	14.35*	3	8.09	7.7	36"		15°	20	8	285	3,074	50	62.0	153mm x 12mm	V•T2 W-72
Stealth	32XXA/T	10.75	13.25*	3	11.5	5.6	54"		14°	33	8	172	6,251	118	52.9	XLP-2000 - 28mm	A•T W-62 / I•T W-32
Trident	TRH-XX	12	15	3.25	11.4	5.6	54"		14°	19	8	220	6,694	72	92.7	188mm x 20mm	P•T W-505
Twain	C25G624F	11.90	16.7*	3.0	16.20	5.6	60"		14°	45	8	157	8,173	97	84.3	XTR200 - 30mm	4-S W-81
Utopian††	77X0D	12.2	12.22	3	10.29	5.6	50"	40"	16°	25	8	200	6,152	80	76.9	172mm x 20mm	3-S
Veneto	C15G00L	17.75	25.75	3.4	19.7	7.6	68"		14°	48	9	106	7,296	101	73	172mm x 18mm	W74
Ventura	67X0D/T	11	12.5	3	10.25	5.6		42"	16°	19	8	189	6,105	106	57.8	XLP-2000 - 28mm	I•T W-32 / 3-S
Vermont	C34G00M	9.7	13.7	N/A	NA	15.4	54"		15°	35	8	138	4,405	83	53.0	188mm x 20mm	V•T2 W-72
Verrazano	65G45D	22.5	25.5*	3	9.5	7.7	54"		13°	32	10	165	4,809	94.9	50.7	XLP-2000 - 28mm	3-S W-1811
Victorian†	63X0T	11.5	13.5	3	13	5.6	54"		15°	23	8	220	5,651	117	48.0	XLP-2000 - 28mm	I•T W-32
Vita	C17G00A	11.6	16.5*	2.7	16	7	52"		13°	39	8	208	6,885	120	57.6	XLP Plus - 38mm	A•T W-63
Wailea	41LX0D	11.34	11.93	3	8.5	5.6	31"		25°	17	8	255	3,127	51	61.9	153mm x 20mm	3-S
Whitman	C21G00H	11.76	17.26	3	13.1	5.6	54"		14°	36	8	150	5,093	67.1	75.9	172mm x 20mm	P•T W-505
Wilderness	86U89M	16	17	3													



# FAN AND LADE INDE

## ODEL NU ER

Model •	Description	Page
1928D	Øphair Øable "an	90
1928"	Øphair "loor "an	88-89
19 8D	Øphair Øable "an	90
19 8"	Øphair "loor "an	89
23B002	Øalibu Star	23
32ØAØ	Stealth	18-19
38DØØ	Bel Air Øalo	51
38ØAØ	Bel Air	50
41ØØD	Wailea	6
46ØØØ	Capistrano unipacØ	71
46ØØØØ	Capistrano (motor onlØ	71
47ØØD	Østrada	83
49ØØD	Concentra	70
63ØØØ	Victorian	7
64ØØØ	Øetropolitan	58
65ØØØD	VerraØano	25
66DØØØ	Panama Damp	85
66ØØØ"	Panama Øalo	68
66ØØAØØØ	Panama	66-67
67ØØD	Ventura	69
69ØØD	ew Ørleans Centennial	86
74ØØØD	"our Seasons III - 42"	2
77ØØD	Øtopian	4
79ØØD	Øanai	82
82ØØØD	"our Seasons III Øugger	64
83ØØØD	"our Seasons III Øutsider	87
84ØØØD	"our Seasons III ØallerØ	73
84ØØØD	"our Seasons III - 52"	2
85ØØØØ	Øe Ørande	26
8601-89	Wilderness Øighting - Øamp	81
8602-89	Wilderness Øighting - Ørchiere	81
8603-89	Wilderness Øighting - Sconce	81
8604-89	Wilderness Øighting - Pendant	81
86ØØØØ	Wilderness	80
89ØØØØ	ØarraØesh	29
930ØØØ	S3	24
95ØØAØØØØ	Brescia	56-57
970ØØØ	Øission	84
99ØØØØ	19th CenturØ	85
B101	Blades - 21" Badge Blade Set - Øaple	93
B102	Blades - 21" Badge Blade Set - ØahoganØ	93
B103	Blades - 21" Badge Blade Set - Walnut	93
B105	Blades - 21" Badge Blade Set - ArchØWhite	93
B106	Blades - 21" Badge Blade Set - "ustic Iron	93
B107	Blades - 21" Badge Blade Set - DarØCherrØ	93
B108	Blades - 21" Badge Blade Set - Øedium ØaØ	93
B110	Blades - 21" Badge Blade Set - Distressed White	93
B111	Blades - 21" Badge Blade Set - "elic	93
B112	Blades - 21" Badge Blade Set - Cedar	93
B113	Blades - 21" Badge Blade Set - Washed BronØe	93
B118	Blades - 21" Badge Blade Set - Øe Øured Øatte BlacØ	93

Model •	Description	Page
B201	Blades - 21" Standard Blade Set - Øaple	94
B202	Blades - 21" Standard Blade Set - ØahoganØ	94
B203	Blades - 21" Standard Blade Set - Sawala	94
B204	Blades - 21" Standard Blade Set - ArchØWhite	94
B205	Blades - 21" Standard Blade Set - "ustic Iron	94
B207	Blades - 21" Standard Blade Set - Øedium ØaØ	94
B208	Blades - 21" Standard Blade Set - Platinum	94
B210	Blades - 21" Standard Blade Set - "elic	94
B211	Blades - 21" Standard Blade Set - Cedar	94
B213	Blades - 21" Standard Blade Set - Øil-"ubbed BronØe	94
B26S-DK"	South Seas Blades Standard - DarØ"attan	96
B26S- "	South Seas Blades Standard - atural "attan	96
B26S-W"	South Seas Blades Standard - White "attan	96
B28B-ØØ	South Seas Wood Blades Badge - ØahoganØ	96
B28B-WØ	South Seas Blades Badge - White	96
B28S-ØØ	South Seas Wood Blades Standard - ØahoganØ	96
B28S-ØK	South Seas Wood Blades Standard - ØeaØ	96
B28S-WØ	South Seas Wood Blades Standard - White	96
B303	Blades - 17" Standard Blade Set - Sawala	94
B304	Blades - 17" Standard Blade Set - ØeaØ	94
B305	Blades - 17" Standard Blade Set - Øaple	94
B306	Blades - 17" Standard Blade Set - ØahoganØ	94
B307	Blades - 17" Standard Blade Set - ArchØWhite	94
B32-11	Stealth Øclusive Blades - Snow White	8
B32-12	Stealth Øclusive Blades - ØlossØBlacØ	8
B32-68	Stealth Øclusive Blades - Øraphite	8
B32-72	Stealth Øclusive Blades - ArchØWhite	8
B32-79	Stealth Øclusive Blades - Platinum	8
B32-BØ	Stealth Øclusive Blades - Bleached ØaØ	8
B32-DC	Stealth Øclusive Blades - DarØCherrØ	8
B32-DW	Stealth Øclusive Blades - DarØWalnut	8
B32-ØØ	Stealth Øclusive Blades - ØahoganØ	8
B32-ØP	Stealth Øclusive Blades - Øaple	8
B32-ØK	Stealth Øclusive Blades - ØeaØ	8
B33B- B	South Seas Bamboo Blades - 21" Badge - atural	96
B33S- B	South Seas Bamboo Blades - 21" Standard - atural	96
B401	Blades - 17" Badge Blade Set - Øaple	93
B402	Blades - 17" Badge Blade Set - ØahoganØ	93
B409	Blades - 17" Badge Blade Set - Classic White	93
B411	Blades - 17" Badge Blade Set - Øi-Øloss Snow White	93
B416	Blades - 17" Badge Blade Set - CherrØwood	93
B419	Blades - 17" Badge Blade Set - Øatte Snow White	93
B41- "	Wailea South Sea Blades - atural "attan	86
B41-W"	Wailea South Sea Blades - White "attan	86
B420	Blades - 17" Badge Blade Set - Walnut	93
B422	Blades - 17" Badge Blade Set - ArchØWhite	93
B500	Blades - 21" Badge Blade Set - ØavaØ White	93
B501	Blades - 21" Badge Blade Set - Weathered Pine	93
B505	Blades - 21" Badge Blade Set - Øight ØaØ	93
B506	Blades - 21" Badge Blade Set - Øi-Øloss CherrØwood	93
B507	Blades - 21" Badge Blade Set - ØeaØ	93

# FAN AND LADE INDE IN AL A ETICAL ORDER

Model •	Description	Page
B508	Blades - 21" Badge Blade Set - Matte Black	93
B509	Blades - 21" Badge Blade Set - Matte Snow White	93
B510	Blades - 21" Badge Blade Set - Bleached	93
B511	Blades - 21" Badge Blade Set - Gloss Snow White	93
B514	Blades - 17" Standard Blade Set - Walnut	94
B515	Blades - 21" Standard Blade Set - Walnut	94
B519	Blades - 21" Badge Blade Set - Gloss Anti-Glare	93
B522	Blades - 21" Badge Blade Set - Anti-Glare	93
B523	Blades - 17" Standard Blade Set - Gloss Snow White	94
B527-11	All Weather ABS Blades - 21" Standard - Snow White	95
B527-21	All Weather ABS Blades - 21" Standard - Weathered Pine	95
B527-46	All Weather ABS Blades - 21" Standard - Rustic Iron	95
B527-DW	All Weather ABS Blades - 21" Standard - Dark Walnut	95
B527-8	All Weather ABS Blades - 21" Standard - Medium	95
B531	Blades - 17" Standard Blade Set - Classic White	94
B535	Blades - 21" Standard Blade Set - Light	94
B536	Blades - 21" Standard Blade Set - Bleached	94
B537	Blades - 21" Standard Blade Set - Classic White	94
B540	Blades - 21" Badge Blade Set - Classic White	93
B541	Blades - 21" Badge Blade Set - Cherrywood	93
B543	Blades - 17" Standard Blade Set - Matte Snow White	94
B544	Blades - 17" Standard Blade Set - Anti-Glare	94
B545	Blades - 21" Standard Blade Set - Anti-Glare	94
B546	Blades - 21" Standard Blade Set - Weathered Pine	94
B561	Blades - 21" Standard Blade Set - Matte Snow White	94
B562	Blades - 21" Standard Blade Set - Gloss	94
B563	Blades - 21" Standard Blade Set - Gloss Cherrywood	94
B564	Blades - 21" Standard Blade Set - Cherrywood	94
B567	Blades - 21" Standard Blade Set - Gloss Rosewood	94
B583	Blades - 21" Standard Blade Set - Gloss Snow White	94
B587	Blades - 21" Standard Blade Set - Gloss White	94
B588	Blades - 21" Standard Blade Set - Matte Black	94
B611	Bel Air Exclusive Blades - Gloss Snow White	50-51
B613	Bel Air Exclusive Blades - Anti-Glare	50-51
B615	Bel Air Exclusive Blades - Gloss Cherrywood	50-51
B617	Bel Air Exclusive Blades - Gloss	50-51
B618	Bel Air Exclusive Blades - Ahogan	50-51
B619	Bel Air Exclusive Blades - Dark Cherry	50-51
B620	Bel Air Exclusive Blades - Gloss	50-51
B621	Bel Air Exclusive Blades - Dark Walnut	50-51
B622	Bel Air Exclusive Blades - Walnut	50-51
B717	All Weather ABS Blades - 21" Badge - Matte Snow White	95
B718	All Weather ABS Blades - 21" Badge - Matte Black	95
B721	All Weather ABS Blades - 21" Badge - Weathered Pine	95
B722	All Weather ABS Blades - 21" Badge - Rustic Iron	95
B724	All Weather ABS Blades - 21" Badge - Medium	95
B726	All Weather ABS Blades - 21" Badge - Dark Walnut	95
B817	All Weather ABS Blades - 17" Badge - Matte Snow White	95
B818	All Weather ABS Blades - 17" Badge - Matte Black	95
B821	All Weather ABS Blades - 17" Badge - Weathered Pine	95
B824	All Weather ABS Blades - 17" Badge - Medium	95
B826	All Weather ABS Blades - 17" Badge - Dark Walnut	95
BB21-WD	Blades - 21" Badge Blade Set - Dark Walnut	93

Model •	Description	Page
BBB21-72	Beadboard Blades - 21" Badge - Arch White	98
BBB21-72D	Beadboard Blades - 21" Badge - Distressed Arch White	98
BBS21-72	Beadboard Blades - 21" Standard - Arch White	98
BBS21-WD	Beadboard Blades - 21" Standard - Dark Walnut	98
B8-11	Long Blade Set - 26" Standard - Gloss Snow White	24
B831B-8	Avalon Blade System - Black	97
B831W-11	Avalon Blade System - White	97
B8-72	Long Blade Set - 26" Standard - Arch White	24
B8-ADK-" A	Heritage Blades - Adirondack - "eclaimed Anti-Glare	76-77
B8-8	Long Blade Set - 26" Standard - Ahogan	24
B8-8P	Long Blade Set - 26" Standard - Gloss	24
B8-8W-BK	Heritage Blades - Rad Wicker - Black	76-77
B8-8PW-WB	Heritage Blades - Rad Wicker - Weathered Bronze	76-77
B8-W	Long Blade Set - 26" Standard - Walnut	24
BS21-WD	Blades - 21" Standard Blade Set - Dark Walnut	94
BVB10-62	Carved Wood Blades - 21" Badge - Distressed "elic	99
BVB13-66	Carved Wood Blades - 21" Badge - Brushed Walnut Anti-Glare Gold	99
B8-11	Extra Long Blade Set - 32" Standard - Gloss Snow White	24
B8-72	Extra Long Blade Set - 32" Standard - Arch White	24
B8-8	Extra Long Blade Set - 32" Standard - Ahogan	24
B8-8P	Extra Long Blade Set - 32" Standard - Gloss	24
B8-8K	Extra Long Blade Set - 32" Standard - Gloss	24
B8-8W	Extra Long Blade Set - 32" Standard - Walnut	24
C10	Adena II	22
C12D	Cottage Wet	61
C12S	Cottage	62
C15	Veneto	66
C16	Candelier	4
C17	Vita	16-17
C18	Atria	78
C19	Heritage	76-77
C20	Continental	9
C21	Whitman	48-49
C23	Kezargo II	82
C25	Wain	80
C27	Alessandria	47
C28	Star	20
C29	Starlet	21
C28	Silhouette II	63
C30	Isotope 52"	60-61
C31	Holliston	44-45
C34	Vermont	62
C35	Isotope 44"	60-61
C38	Academ Haller	55
C38	Academ	54
C38	Seacoast	83
C5S	Barolo	88
C9K	"everie	89
P2	leur	40
P3	Serra	52
P4	Bungalow	41
P5	Siena	63
8-8	Ident	27

Description	Model •	Page
19th Century	99	35
Academ	C38	54
Academ Haller	C38	55
Alessandria	C27	47
All Weather ABS Blades - 17" Badge - Dark Walnut	B826	95
All Weather ABS Blades - 17" Badge - Matte Black	B818	95
All Weather ABS Blades - 17" Badge - Matte Snow White	B817	95
All Weather ABS Blades - 17" Badge - Medium	B824	95
All Weather ABS Blades - 17" Badge - Weathered Pine	B821	95
All Weather ABS Blades - 21" Badge - Dark Walnut	B726	95
All Weather ABS Blades - 21" Badge - Matte Black	B718	95
All Weather ABS Blades - 21" Badge - Matte Snow White	B717	95
All Weather ABS Blades - 21" Badge - Medium	B724	95
All Weather ABS Blades - 21" Badge - Rustic Iron	B722	95
All Weather ABS Blades - 21" Badge - Weathered Pine	B721	95
All Weather ABS Blades - 21" Standard - Dark Walnut	B527-DW	95
All Weather ABS Blades - 21" Standard - Medium	B527-8	95
All Weather ABS Blades - 21" Standard - Rustic Iron	B527-46	95
All Weather ABS Blades - 21" Standard - Snow White	B527-11	95
All Weather ABS Blades - 21" Standard - Weathered Pine	B527-21	95
Atria	C18	78
Avalon Blade System - Black	B831B-8	97
Avalon Blade System - White	B831W-11	97
Barolo	C5S	38
Beadboard Blades - 21" Badge - Arch White	BBB21-72	98
Beadboard Blades - 21" Badge - Distressed Arch White	BBB21-72D	98
Beadboard Blades - 21" Standard - Arch White	BBS21-72	98
Beadboard Blades - 21" Standard - Dark Walnut	BBS21-WD	98
Bel Air	38	50
Bel Air Exclusive Blades - Anti-Glare	B613	50-51
Bel Air Exclusive Blades - Dark Cherry	B619	50-51
Bel Air Exclusive Blades - Dark Walnut	B621	50-51
Bel Air Exclusive Blades - Gloss Cherrywood	B615	50-51
Bel Air Exclusive Blades - Gloss Snow White	B611	50-51
Bel Air Exclusive Blades - Ahogan	B618	50-51
Bel Air Exclusive Blades - Gloss	B617	50-51
Bel Air Exclusive Blades - Gloss	B620	50-51
Bel Air Exclusive Blades - Walnut	B622	50-51
Bel Air Halo	38D	51
Blades - 17" Badge Blade Set - Arch White	B422	93
Blades - 17" Badge Blade Set - Cherrywood	B416	93
Blades - 17" Badge Blade Set - Classic White	B409	93
Blades - 17" Badge Blade Set - Gloss Snow White	B411	93
Blades - 17" Badge Blade Set - Ahogan	B402	93
Blades - 17" Badge Blade Set - Gloss	B401	93
Blades - 17" Badge Blade Set - Matte Snow White	B419	93
Blades - 17" Badge Blade Set - Walnut	B420	93
Blades - 17" Standard Blade Set - Anti-Glare	B544	94
Blades - 17" Standard Blade Set - Arch White	B307	94
Blades - 17" Standard Blade Set - Classic White	B531	94
Blades - 17" Standard Blade Set - Gloss Snow White	B523	94

Description	Model •	Page
Blades - 17" Standard Blade Set - Ahogan	B306	94
Blades - 17" Standard Blade Set - Gloss	B305	94
Blades - 17" Standard Blade Set - Matte Snow White	B543	94
Blades - 17" Standard Blade Set - Sawala	B303	94
Blades - 17" Standard Blade Set - Gloss	B304	94
Blades - 17" Standard Blade Set - Walnut	B514	94
Blades - 21" Badge Blade Set - Anti-Glare	B522	93
Blades - 21" Badge Blade Set - Arch White	B105	93
Blades - 21" Badge Blade Set - Bleached	B510	93
Blades - 21" Badge Blade Set - Cedar	B112	93
Blades - 21" Badge Blade Set - Cherrywood	B541	93
Blades - 21" Badge Blade Set - Classic White	B540	93
Blades - 21" Badge Blade Set - Dark Cherry	B107	93
Blades - 21" Badge Blade Set - Dark Walnut	BB21-WD	93
Blades - 21" Badge Blade Set - Distressed White	B110	93
Blades - 21" Badge Blade Set - Gloss Anti-Glare	B519	93
Blades - 21" Badge Blade Set - Gloss Cherrywood	B506	93
Blades - 21" Badge Blade Set - Gloss Snow White	B511	93
Blades - 21" Badge Blade Set - Light	B505	93
Blades - 21" Badge Blade Set - Ahogan	B102	93
Blades - 21" Badge Blade Set - Matte Black	B508	93
Blades - 21" Badge Blade Set - Matte Snow White	B509	93
Blades - 21" Badge Blade Set - Medium	B108	93
Blades - 21" Badge Blade Set - Gloss White	B500	93
Blades - 21" Badge Blade Set - "elic	B111	93
Blades - 21" Badge Blade Set - Rustic Iron	B106	93
Blades - 21" Badge Blade Set - Gloss	B507	93
Blades - 21" Badge Blade Set - Distressed Matte Black	B118	93
Blades - 21" Badge Blade Set - Walnut	B103	93
Blades - 21" Badge Blade Set - Washed Bronze	B113	93
Blades - 21" Badge Blade Set - Weathered Pine	B501	93
Blades - 21" Badge Blade Set - Gloss	B101	93
Blades - 21" Standard Blade Set - Anti-Glare	B545	94
Blades - 21" Standard Blade Set - Arch White	B204	94
Blades - 21" Standard Blade Set - Bleached	B536	94
Blades - 21" Standard Blade Set - Cedar	B211	94
Blades - 21" Standard Blade Set - Cherrywood	B564	94
Blades - 21" Standard Blade Set - Classic White	B537	94
Blades - 21" Standard Blade Set - Dark Walnut	BS21-WD	94
Blades - 21" Standard Blade Set - Gloss Cherrywood	B563	94
Blades - 21" Standard Blade Set - Gloss Rosewood	B567	94
Blades - 21" Standard Blade Set - Gloss Snow White	B583	94
Blades - 21" Standard Blade Set - Light	B535	94
Blades - 21" Standard Blade Set - Ahogan	B202	94
Blades - 21" Standard Blade Set - Gloss	B201	94
Blades - 21" Standard Blade Set - Matte Black	B588	94
Blades - 21" Standard Blade Set - Matte Snow White	B561	94
Blades - 21" Standard Blade Set - Medium	B207	94
Blades - 21" Standard Blade Set - Gloss White	B587	94
Blades - 21" Standard Blade Set - Gloss - "ubbed Bronze	B213	94
Blades - 21" Standard Blade Set - Platinum	B208	94

Description	Model •	Page
Blades - 21" Standard Blade Set - " elic	B210	94
Blades - 21" Standard Blade Set - " ustic Iron	B205	94
Blades - 21" Standard Blade Set - Sawala	B203	94
Blades - 21" Standard Blade Set - <del>Sea</del>	B562	94
Blades - 21" Standard Blade Set - Walnut	B515	94
Blades - 21" Standard Blade Set - Weathered Pine	B546	94
Brescia	95 <del>00</del> <del>00</del>	56-57
Bungalow	P4 <del>00</del> <del>00</del>	41
Candelier	C16 <del>00</del> <del>00</del>	14
Capistrano (motor on)	46 <del>00</del> <del>00</del>	71
Capistrano unipac	46 <del>00</del> <del>00</del>	71
Carved Wood Blades - 21" Badge - Brushed Walnut <del>Anti</del> •ue <del>Gold</del>	BVB13-66	99
Carved Wood Blades - 21" Badge - Distressed " elic	BVB10-62	99
Concentra	49 <del>00</del> <del>00</del>	70
Continental	C20 <del>00</del> <del>00</del>	79
Cottage	C12S <del>00</del> <del>00</del>	42
Cottage Wet	C12D <del>00</del> <del>00</del>	81
<del>Strada</del>	47 <del>00</del> <del>00</del>	83
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - Arch <del>White</del>	B <del>00</del> -72	124
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - <del>i</del> - <del>loss</del> Snow White	B <del>00</del> -11	124
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - <del>ahogan</del>	B <del>00</del> - <del>00</del>	124
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - <del>aple</del>	B <del>00</del> - <del>00</del> P	124
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - <del>Sea</del>	B <del>00</del> - <del>00</del> K	124
<del>tra</del> <del>ong</del> Blade Set - 32" Standard - Walnut	B <del>00</del> -W	124
"our Seasons III <del>ugger</del>	82 <del>00</del> <del>00</del>	64
"our Seasons III - 42"	74 <del>00</del> <del>00</del>	72
"our Seasons III - 52"	84 <del>00</del> <del>00</del>	72
"our Seasons III <del>aller</del>	84 <del>00</del> <del>00</del>	73
"our Seasons III <del>utsider</del>	83 <del>00</del> <del>00</del>	87
<del>eritage</del>	C19 <del>00</del> <del>00</del> <del>00</del>	76-77
<del>eritage</del> Blades - Adirondac <del>00</del> - " eclaimed <del>Anti</del> •ue	B <del>00</del> -ADK-" A	76-77
<del>eritage</del> Blades - <del>rad</del> <del>Wic</del> <del>er</del> - <del>Blac</del>	B <del>00</del> - <del>00</del> W-BK	76-77
<del>eritage</del> Blades - <del>rad</del> <del>Wic</del> <del>er</del> - Weathered Bron <del>00</del>	B <del>00</del> - <del>00</del> PW-WB	76-77
<del>olliston</del>	C31 <del>00</del> <del>00</del>	44-45
Isotope 44"	C35 <del>00</del> <del>00</del>	60-61
Isotope 52"	C30 <del>00</del> <del>00</del>	60-61
Ke <del>00</del> <del>00</del> argo II	C23 <del>00</del> <del>00</del> K	32
<del>00</del> "leur	P2 <del>00</del> <del>00</del>	40
<del>anai</del>	79 <del>00</del> <del>00</del>	82
<del>00</del> <del>rande</del>	85 <del>00</del> <del>00</del>	26
<del>ong</del> Blade Set - 26" Standard - Arch <del>White</del>	B <del>00</del> -72	124
<del>ong</del> Blade Set - 26" Standard - <del>i</del> - <del>loss</del> Snow White	B <del>00</del> -11	124
<del>ong</del> Blade Set - 26" Standard - <del>ahogan</del>	B <del>00</del> - <del>00</del>	124
<del>ong</del> Blade Set - 26" Standard - <del>aple</del>	B <del>00</del> - <del>00</del> P	124
<del>ong</del> Blade Set - 26" Standard - Walnut	B <del>00</del> -W	124
<del>alibu</del> Star	23B002	23
<del>arra</del> <del>00</del> <del>00</del> esh	89 <del>00</del> <del>00</del>	29
<del>etropolitan</del>	64 <del>00</del> <del>00</del>	58
<del>ission</del>	970 <del>00</del> <del>00</del>	34
<del>odena</del> II	C10 <del>00</del> <del>00</del>	22
ew <del>00</del> rlains Centennial	69 <del>00</del> <del>00</del>	36
Panama	66 <del>00</del> <del>00</del> <del>00</del>	66-67
Panama Damp	66D <del>00</del> <del>00</del>	85

Description	Model •	Page
Panama <del>00</del> alo	66 <del>00</del> <del>00</del>	68
"everie	C9K <del>00</del> <del>00</del>	39
S3	930 <del>00</del> <del>00</del>	24
Seacoast	C3 <del>00</del> <del>00</del> <del>00</del>	33
Serra	P3 <del>00</del> <del>00</del>	52
Siena	P5 <del>00</del> <del>00</del>	53
Silhouette II	C2 <del>00</del> <del>00</del>	63
South Seas Bamboo Blades - 21" Badge - atural	B33B- B	96
South Seas Bamboo Blades - 21" Standard - atural	B33S- B	96
South Seas Blades Badge - White	B28B-W <del>00</del>	96
South Seas Blades Standard - Dar <del>00</del> " attan	B26S-DK"	96
South Seas Blades Standard - atural " attan	B26S- "	96
South Seas Blades Standard - White " attan	B26S-W"	96
South Seas Wood Blades Badge - <del>00</del> ahogan <del>00</del>	B28B- <del>00</del>	96
South Seas Wood Blades Standard - <del>00</del> ahogan <del>00</del>	B28S- <del>00</del>	96
South Seas Wood Blades Standard - <del>Sea</del>	B28S- <del>00</del> K	96
South Seas Wood Blades Standard - White	B28S-W <del>00</del>	96
Star	C28 <del>00</del> <del>00</del>	20
Starlet	C29 <del>00</del> <del>00</del>	21
Stealth	32 <del>00</del> <del>00</del> A	18-19
Stealth <del>00</del> clusive Blades - Arch <del>White</del>	B32-72	18
Stealth <del>00</del> clusive Blades - Bleached <del>Sea</del>	B32-B <del>00</del>	18
Stealth <del>00</del> clusive Blades - Dar <del>00</del> Cherr <del>00</del>	B32-DC	18
Stealth <del>00</del> clusive Blades - Dar <del>00</del> Walnut	B32-DW	18
Stealth <del>00</del> clusive Blades - <del>00</del> loss <del>00</del> Blac <del>00</del>	B32-12	18
Stealth <del>00</del> clusive Blades - <del>00</del> raphite	B32-68	18
Stealth <del>00</del> clusive Blades - <del>00</del> ahogan <del>00</del>	B32- <del>00</del>	18
Stealth <del>00</del> clusive Blades - <del>00</del> aple	B32- <del>00</del> P	18
Stealth <del>00</del> clusive Blades - Platinum	B32-79	18
Stealth <del>00</del> clusive Blades - Snow White	B32-11	18
Stealth <del>00</del> clusive Blades - <del>Sea</del>	B32- <del>00</del> K	18
<del>00</del> ident	<del>00</del> " <del>00</del> - <del>00</del>	27
<del>00</del> vain	C25 <del>00</del> <del>00</del>	80
<del>00</del> topian	77 <del>00</del> <del>00</del>	84
Veneto	C15 <del>00</del> <del>00</del>	46
Ventura	67 <del>00</del> <del>00</del>	69
Vermont	C34 <del>00</del> <del>00</del>	62
Verra <del>00</del> ano	65 <del>00</del> <del>00</del>	25
Victorian	63 <del>00</del> <del>00</del>	37
Vita	C17 <del>00</del> <del>00</del> A	16-17
Wailea	41 <del>00</del> <del>00</del>	86
Wailea South Sea Blades - atural " attan	B41- "	86
Wailea South Sea Blades - White " attan	B41-W"	86
Whitman	C21 <del>00</del> <del>00</del>	48-49
Wilderness	86 <del>00</del> <del>00</del>	30
Wilderness <del>00</del> ghting - <del>00</del> amp	8601-89	31
Wilderness <del>00</del> ghting - Pendant	8604-89	31
Wilderness <del>00</del> ghting - Sconce	8603-89	31
Wilderness <del>00</del> ghting - <del>00</del> rchiere	8602-89	31
<del>00</del> ephair "loor "an	1928"	88-89
<del>00</del> ephair "loor "an	19 8"	89
<del>00</del> ephair <del>00</del> ble "an	1928D	90
<del>00</del> ephair <del>00</del> ble "an	19 8D	90



## WHERE TO BU

To experience The Casablanca Difference, visit an authorized Casablanca Dealer in your area an discover the abundance of style, finish, function, and accessory options that have made the Casablanca name synonymous with the World's Finest Ceiling Fans™.

Our dealers' trained Casablanca specialists work with customers to select or build a product that is a seamless fit with each individual's lifestyle and environment. And Casablanca's customer support team and nationwide network of Authorized Service Centers are just a phone call away.

To find a retailer near you or shop online, call 1-800-715-0393 toll-free, or visit [www.CasablancaFanCo.com](http://www.CasablancaFanCo.com).



CASABLANCA®  
FAN COMPANY

7130 GOODLETT FARMS, SUITE 400

MEMPHIS, TN 38016

1.800.715.0393

WWW.CASABLANCAFANCO.COM

TWELVE DOLLARS

PRINTED IN THE U.S.A.

©2010 CASABLANCA FAN COMPANY

SR-1291